# **TECHNICAL MEMORANDUM NO 4**

# **CHEMICALS OF CONCERN**

HUMAN HEALTH RISK ASSESSMENT WALNUT CREEK PRIORITY DRAINAGE OPERABLE UNIT NO 6

DRAFT FINAL

ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE

U S DEPARTMENT OF ENERGY Rocky Flats Golden Colorado



ENVIRONMENTAI RESTORATION PROGRAM DEPARTMENT
August 1994

# **TECHNICAL MEMORANDUM NO. 4**

**CHEMICALS OF CONCERN** 

HUMAN HEALTH RISK ASSESSMENT WALNUT CREEK PRIORITY DRAINAGE OPERABLE UNIT NO. 6

DRAFT FINAL

ROCKY FLATS ENVIRONMENTAL TECHNOLOGY SITE

U.S. DEPARTMENT OF ENERGY Rocky Flats Golden, Colorado

ENVIRONMENTAL RESTORATION PROGRAM DEPARTMENT
August 1994

# APPENDIX L TO

# PHASE I RFI/RI WORK PLAN OPERABLE UNIT 6

TECHNICAL MEMORANDUM NO 4 CHEMICALS OF CONCERN

EG&G ROCKY FLATS PLANT	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
Technical Memorandum No 4	Page	ı of 53
	Effective Date	
Category NSR	Organization	Environmental Restoration

# CHEMICALS OF CONCERN

# Approved By

		Name (Date)	
TAB	LE OF	CONTENTS	-
EXE	CUTIV	E SUMMARY	• 1
10	INTF	RODUCTION	3
20	СНЕ	MICALS OF CONCERN SELECTION PROCESS	6
	2 1 2 2	OVERVIEW DATA EVALUATION	6 . 6
		2 2 1 Media-Specific Data Sets 2 2 2 Data Review and Editing	6 11
	23	BACKGROUND COMPARISON FOR INORGANIC COMPOUNDS	13
	24	ESSENTIAL NUTRIENT SCREEN	14
	2 5	FREQUENCY OF DETECTION	<b>·</b> 14
	26	CONCENTRATION/TOXICITY SCREEN	15
	2 7 2 8	APPLICATION OF PROFESSIONAL JUDGMENT RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS AND IDENTIFICATION OF SPECIAL-CASE	16
		CHEMICALS OF CONCERN	17
3 0	SUR	FACE SOIL CHEMICALS OF CONCERN	.19
	3 1	SURFACE SOIL DATA SET	19
	3 2	BACKGROUND COMPARISON AND FREQUENCY OF DETECTION	20
	3 3	CONCENTRATION/TOXICITY SCREENS	21

RFI/I Techi	RI Work	Effective Date	Rev ( of 53
	3 4	RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS	23
4 0	SUBS	SURFACE SOIL CHEMICALS OF CONCERN	24
	4 1 4 2	SUBSURFACE SOIL DATA SET BACKGROUND COMPARISON AND FREQUENCY OF DETECTION	24 24
	4 3 4 4	CONCENTRATION/TOXICITY SCREENS RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS	25 27
5 0	GRO	UNDWATER CHEMICALS OF CONCERN	28
	5 1 5 2	GROUNDWATER DATA SET BACKGROUND COMPARISON AND FREQUENCY OF DETECTION	28 28
	5 3 5 4	ELIMINATION OF METALS AS CONTAMINANTS OF CONCERN IN GROUNDWATER ELIMINATION OF BIS(2-ETHYLHEXYL) PHTHALATE, CESIUM AND STRONTIUM-89, 90AS CHEMICALS OF CONCERN	29 I-137,
	5 5 5 6	GROUNDWATER CONCENTRATION/TOXICITY SCREENS RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS	32 35 36
60	PONE	SEDIMENT CHEMICALS OF CONCERN	37
	6 1 6 2	POND SEDIMENT DATA SET BACKGROUND COMPARISON AND FREQUENCY OF DETECTION	37 37
	63 64	EXCLUSION OF MANGANESE AS A CONTAMINANT IN POND SEDIMENT CONCENTRATION/TOXICITY SCREENS	38 39
	65	RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS	40
7 0	PONE	SURFACE WATER CHEMICALS OF CONCERN	42
	7 1	POND SURFACE WATER DATA SET	42

RFI/I	RI Work	XY FLATS PLANT Plan for OU6 morandum No 4	Manual Section Page Effective Date	21100-WP-OU6 01 Appendix L, Rev 0 111 of 53
Cate	gory NSI	₹	Organization	Environmental Restoration
	7 2		OMPARISON AND FR	
	7 3	EXCLUSION OR U SURFACE WATER		AS CONTAMINANTS IN POND 43
	74		/TOXICITY SCREENS	
	7 5			EQUENTLY DETECTED 44
8 0	STRE	EAM SEDIMENT CH	EMICALS OF CONCE	RN 46
	8 1	STREAM SEDIMEN		46
	8 2 8 3	DETECTION	COMPARISON ANI ARSENIC, MANGANE	46
		8 3 1 Arsenic 8 3 2 Manganese 8 3 3 Barium		47 48 49
	8 4		/TOXICITY SCREENS	
	8 5	COMPOUNDS	LUATION OF INFRE	QUENTLY DETECTED 51
90	REFE	ERENCES		52
LIST	OF TA	BLES		•
TAB	LE ES-	I SUMMARY	OF CHEMICALS OF C	CONCERN
	LE 2-1		ALYTICAL PROGRA	
	LE 2-2		I RFI/RI ANALYTICA	
IAB	LE 2-3	METALS	FACTORS FOR OR	GANIC COMPOUNDS AND
TAB	LE 2-4		TORS FOR RADIONU	CLIDES .
TAB	LE 3-1			OF DETECTED ANALYTES, ACE AND SUBSURFACE SOIL
TAB	LE 3-2	•	ETECTED AT 5% (	OR GREATER FREQUENCY
TAB	LE 3-3		ETECTED AT LESS	S THAN 5% FREQUENCY

EG&G ROCKY Fl RFI/RI Work Plan		Manual Section				OU6 01 Rev 0
Technical Memoral		Page		прры		v of 53
Teenmeal Wemorandam 100		Effective Date			•	. 0. 20
Category NSR		Organization	E	nvironment	al Res	toration
TABLE 3-4	CONCENTRA NONCARCIN	ATION/TOXICITY	SCREEN	SURFA	ACE	SOIL
TABLE 3-5		ATION/TOXICITY	SCREEN	SURFA	ACE	SOIL
TABLE 3-6		OF CONCERN SU				
TABLE 4-1	GREATER FF	OMPOUNDS AND REQUENCY SUBSU	JRFACE SO	IL		
TABLE 4-2	THAN 5% FR	OMPOUNDS AND REQUENCY SUBSU	JRFACE SO	IL		LESS
TABLE 4-3	NONCARCIN					SOIL
TABLE 4-4	CONCENTRA CARCINOGE	ATION/TOXICITY NS	SCREEN S	SUBSURF	FACE	SQIL
TABLE 4-5	CONCENTRA RADIONUCL	ATION/TOXICITY LIDES	SCREEN S	SUBSURF	FACE	SOIL
TABLE 4-6	CHEMICALS	OF CONCERN SU	<b>BSURFACE</b>	SOIL		
TABLE 5-1	5% OR GREA	OMPOUNDS AND TER FREQUENCY	UHSU GR	OUNDWA	ATER	
TABLE 5-2		OMPOUNDS AND 5% FREQUENCY I				ED AT
TABLE 5-3	CONCENTRA NONCARCIN	ATION/TOXICITY S IOGENS	SCREEN UH	SU GROU	JNDW	ATER
TABLE 5-4	CONCENTRA CARCINOGE	ATION/TOXICITY S NS	SCREEN UH	SU GROU	JNDW	ATER
TABLE 5-5	CONCENTRA RADIONUCL	ATION/TOXICITY S IDES	SCREEN UH	SU GROU	JNDW	ATER
TABLE 5-6		OF CONCERN UP				
TABLE 6-1	GREATER FI	OMPOUNDS AND REQUENCY POND	SEDIMENT			
TABLE 6-2		OMPOUNDS AND REQUENCY POND			D AT	LESS
TABLE 6-3	CONCENTRA NONCARCIN	ATION/TOXICITY IOGENS	SCREEN	POND	SEDI	MENT
TABLE 6-4	CONCENTRA CARCINOGE	ATION/TOXICITY NS	SCREEN	POND	SEDI	MENT
TABLE 6-5	RADIONUCL		SCREEN		SEDI	MENT
TABLE 6-6		OF CONCERN PO				
TABLE 7-1		OMPOUNDS AND ATER FREQUENCY				

EG&G ROCKY F. RFI/RI Work Plan		Manual Section	21100-WP-OU6 01 Appendix L, Rev 0
Technical Memora		Page	v of 53
recimical Memora	ndam 110 1	Effective Date	V 01 33
Category NSR		Organization	Environmental Restoration
TABLE 7-2	ORGANIC C	OMPOUNDS AND TO	TAL METALS DETECTED AT
	LESS THAN	5% FREQUENCY PON	ID SURFACE WATER
TABLE 7-3	CONCENTRA NONCARCIN		EEN POND SURFACE WATER
TABLE 7-4		ATION/TOXICITY SCR	EEN POND SURFACE WATER
TABLE 7-5		OF CONCERN POND	SURFACE WATER
TABLE 8-1			TALS DETECTED AT 5% OR
TABLE 6-1		REQUENCY STREAM	<del></del>
TABLE 8-2		ATION/TOXICITY SCI	REEN STREAM SEDIMENT
TABLE 8-3	CONCENTRA	ATION/TOXICITY SCI	REEN STREAM SEDIMENT
TABLE 8-4		ATION/TOXICITY SCI	REEN STREAM SEDIMEŅT
TABLE 8-5	RADIONUCI CHEMICALS	LIDES OF CONCERN STREA	AM SEDIMENTS
LIST OF FIGUR	<u>ES</u>		
FIGURE 1-1	INDIVIDUAI	L HAZARDOUS SUBST	TANCE SITES WITHIN OU6
FIGURE 2-1	PROCESS FO	OR IDENTIFYING CHE	MICALS OF CONCERN .
FIGURE 3-1	ANTIMONY,	COPPER, LEAD, SILV	ER, VANADIUM, AND ZINC
	(IHSS 167 1)	SURFACE SOILS	
FIGURE 3-2			ER, VANADIUM, AND ZINC
FIGURE 3-3	ANTIMONY,	•	ER, VANADIUM, AND ZINC
	•	ND 165) SURFACE SC	
FIGURE 3-4	AMERICIUM SURFACE SO	I-241 AND PLUTON	IUM-239/240 (IHSS 167.1)
FIGURE 3-5			M 239/240 (IHSSs 1562 AND
	216 1) SURFA	ACE SOILS	
FIGURE 3-6			JM-239/240 (IHSSs 141 AND
FIGURE 4-1	165) SURFAC		6 1 AND 166 2) SUBSURFACE
1100110 7 1	SOILS		o This loo 2, bobbold ACL
FIGURE 4-2		E CHLORIDE (IHSS 16	6 3) SUBSURFACE SOILS
FIGURE 4-3			7 1) SUBSURFACE SOILS
FIGURE 4-4			6 2) SUBSURFACE SOILS
FIGURE 4-5		·	6 1) SUBSURFACE SOILS
1 100KF 4-3	MITTUITENI	2 CHLORIDE (IB33 21	0 1) SUBSURFACE SUILS

EG&G ROCKY FI		Manual	21100-WP-OU6 0
RFI/RI Work Plan for OU6 Technical Memorandum No 4		Section	Appendix L, Rev
		Page	vi of 53
Category NSR		Effective Date Organization	Environmental Restoration
FIGURE 4-6	METHYLEN SOILS	E CHLORIDE (IHSSs 1	41 AND 165) SUBSURFACE
FIGURE 4-7	` '	PYRENE, BENZO(B RENE (IHSSs 141 AND	)FLUORANTHENE AND 165) SUBSURFACE SOILS
FIGURE 4-8	BARIUM (IF	ISSs 166 1-166 3) SUBSI	URFACE SOILS
FIGURE 4-9	•	ID LEAD (IHSS 167 1) S	
FIGURE 4-10	BARIUM AI SOILS	ND LEAD (IHSSs 1562	AND 2161) SUBSURFACE
FIGURE 4-11	BARIUM AN	ID LEAD (IHSSs 141 AN	ID 165) SUBSURFACE SOILS
FIGURE 4-12	AMERICIUM SUBSURFAC		M-239/240 (IHSSs 166 1-166 3)
FIGURE 4-13		1-241, PLUTONIUM-23 SUBSURFACE SOILS	9/240, AND URANIUM-238
FIGURE 4-14		I-241 AND PLUTONIUI URFACE SOILS	M-239/240 (IHSSs 1562 AND
FIGURE 4-15	AMERICIUM		9/240, AND URANIUM-238 E SOILS
FIGURE 5-1		OT OF UNFILTERED	ALUMINUM VS TSS UHSU
FIGURE 5-2	SCATTERPL GROUNDWA		ARSENIC VS TSS UHSU
FIGURE 5-3	SCATTERPL GROUNDWA		BARIUM VS TSS UHSU
FIGURE 5-4		D METALS AREA 1 UHSU GROUNDWATE	(UNNAMED TRIBUTARY ER
FIGURE 5-5		D METALS AREA 2 UHSU GROUNDWATE	(NORTH WALNUT CREEK ER
FIGURE 5-6		D METALS AREA 3 ( UHSU GROUNDWATE	SOUTH WALNUT CREEKER
FIGURE 5-7	UNFILTERE UHSU GROU		(UPGRADIENT DRAINAGE
FIGURE 5-8	UNFILTERE GROUNDWA		(W&I DRAINAGE) UHSU
FIGURE 5-9	ETHENE, A		ROFORM, TETRACHLORO ENE AREA 1 (UNNAMEE ROUNDWATER
FIGURE 5-10	CHLOROFO	,	ETHENE AREA 2 (NORTH
FIGURE 5-11	1,1,1-TRICHI	•	KANONE, TETRACHLORO

EG&G ROCKY FI	LATS PLANT	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6		Section	Appendix L, Rev 0
Technical Memorandum No 4		Page	vii of 53
		Effective Date	
Category NSR		Organization	Environmental Restoration
	ARFA 3 (SC	OUTH WALNUT CREE	K DRAINAGE)
	•	UNDWATER	K Diamwicz)
FIGURE 5-12			HLOROETHENE, AND
		-	GRADIENT DRAINAGE) UHSU
	GROUNDW	· · · · · · · · · · · · · · · · · · ·	
FIGURE 5-13		<del>-</del>	1 (UNNAMED TRIBUTARY
		UHSU GROUNDWAT	· · · · · · · · · · · · · · · · · · ·
FIGURE 5-14			2 (NORTH WALNUT CREEK
		UHSU GROUNDWAT	•
FIGURE 5-15			3 (SOUTH WALNUT CREEK
		UHSU GROUNDWAT	
FIGURE 5-16	METHYLEN	E CHLORIDE AREA 4	(UPGRADIENT DRAINAGE)
	UHSU GRO	UNDWATER	,
FIGURE 5-17 METHYLENE CHLORIDE AREA 5 (W&I DRAINAG		5 (W&I DRAINAGE) UHSU	
	GROUNDW	ATER	,
FIGURE 5-18	AMERICIUN	1-241 (UNFILTERED	) AREA 1 (UNNAMED
	TRIBUTARY	Z DRAINAGE) UHSU C	GROUNDWATER
FIGURE 5-19	AMERICIUN	1-241, PLUTONIUM-2	239/240, AND RADIUM-226
	(UNFILTERI	ED) AREA 2 (NORTH V	VALNUT CREEK DRAINAGE)
	UHSU GRO	UNDWATER	
FIGURE 5-20	RADIUM-22	(UNFILTERED)	AREA 4 (UPGRADIENT
	DRAINAGE)	UHSU GROUNDWAT	CER
FIGURE 5-21	AMERICIUN	1-241, PLUTONIUM-2	239/240 AND RADIUM-226
	(UNFILTER	(ED) AREA 5 (V	W&I DRAINAGE) UHSU
	GROUNDWA	ATER	
FIGURE 6-1	`	,	E IHSSs 142 1-142 4 POND
	SEDIMENTS		
FIGURE 6-2	BIS(2-ETHY	LHEXYL)PHTHALATE	E IHSSs 142 5-142 9 POND
	SEDIMENTS		
FIGURE 6-3	BIS(2-ETHY	(LHEXYL)PHTHALA	TE IHSS 142 12 POND
	SEDIMENTS		
FIGURE 6-4	AROCLOR-1	254 AND PAH COC	Cs IHSSs 142 1-142 4 POND
	SEDIMENTS		•
FIGURE 6-5	AROCLOR-1	254 AND PAH COCs	IHSSs 142 5-142 9 O-2' POND
	SEDIMENTS		
FIGURE 6-6			ITHALENE AND PAH COCs
		142 9 2'-4' POND SED	
FIGURE 6-7	ANTIMONY	, VANADIUM, AND Z	ZINC IHSSs 142 1-142 4 POND

**SEDIMENTS** 

EG&G ROCKY FL	ATS PLANT	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6		Section	Appendix L, Rev 0
Technical Memorandum No 4		Page	viii of 53
		Effective Date	
Category NSR		Organization	Environmental Restoration
FIGURE 6-8	·		AND ZINC IHSSs 142 5-142 9
	0-2' POND S		
FIGURE 6-9	COPPER, SI SEDIMENTS	LVER, AND ZINC IH	SSs 142 5-142 9 2'-4' POND
FIGURE 6-10	AMERICIUM POND SEDIN		M-239/240 IHSSs 142 1-142 4
FIGURE 6-11		I-241 AND PLUTONIUM	1-239/240 IHSSs 142 5-142 9 0-
FIGURE 6-12		I-241 AND PLUTONIUM	-239/240 IHSSs 142 5-142 9 2'-
FIGURE 6-13	HISTOGRAM	IS FOR MANGANESE	IN BACKGROUND SEEP/
FIGURE 6-14	BOX PLOTS		IN BACKGROUND SEEP/
FIGURE 6-15	HISTOGRAM		N BACKGROUND AND OU6
FIGURE 7-1	TRICHLORO	COROETHENE, C	CHLOROFORM, AND 5-1429) POND SURFACE
FIGURE 7-2	WATER METHYLENI WATER	E CHLORIDE (IHSSs 1	42 1-142 4) POND SURFACE
FIGURE 7-3			LORIDE (IHSSs 142 5-142 9)
FIGURE 7-4		HSS 142 12) POND SUF	RFACE WATER
FIGURE 7-5	URANIUM-2	,	AND URANIUM-238 (IHSSs
FIGURE 7-6	URANIUM-2	33/234, URANIUM-235,	AND URANIUM-238 (IHSSs
FIGURE 8-1	•	POND SURFACE WATE U6 DRAINAGES STRE	
LIST OF APPEND	<u>DIXES</u>		
APPENDIX A	BACKGROU RADIONUCL	JND COMPARISON	FOR METALS AND
APPENDIX B	RISK-BASED	EVALUATION OF IN	NFREQUENTLY DETECTED
APPENDIX C	CHEMICALS TOTAL SU GROUNDWA		SISSOLVED SOLIDS IN

EG&G ROCKY FLATS PLANT Manual 21100-WP-OU6 01
RFI/RI Work Plan for OU6 Section Appendix L, Rev 0
Technical Memorandum No 4 Page ix of 53

Effective Date

Category NSR Organization Environmental Restoration

#### LIST OF ACRONYMS

μg/kg microgram per kilogram μg/L microgram per liter

μg/m<sup>3</sup> microgram per cubic meter

1,1,1-TCA 1,1,1-trichloroethane
1,1-DCA 1,1-dichloroethane
1,1-DCE 1,1-dichloroethene
1,2-DCE 1,2-dichloroethene

Ag silver
Al aluminum
Ba barium
Be beryllium

BNACLP Base-Neutral Analysis (for semi-volatiles) - Contract Laboratory Program

BRA baseline risk assessment

Ca calcium

CCL4 carbon tetrachloride

Cd cadmium

CDPHE Colorado Department of Public Health and Environment

CHCL3 chloroform Co cobalt Cr chromium

CRDL contract required detection limit

Cu copper

DOE US Department of Energy

ECAO Environmental Criteria and Assessment Office (US EPA)

EPA US Environmental Protection Agency

Fe Iron

GFAA Graphite Furnace Atomic Absorption

HEAST Health Effects Assessment Summary Tables

Hg Mercury

HHRA human health risk assessment
HRR Historical Release Report
IDL instrument detection limit

IHSS Individual Hazardous Substance Site IRIS Integrated Risk Information System

K potassium Li lithium Mg magnesium

mg/kg milligram per kilogram

EG&G ROCKY FLATS PLANT

RFI/RI Work Plan for OU6

Technical Memorandum No 4

Page
Effective Date

Category NSR

Manual

21100-WP-OU6 01

Appendix L, Rev 0

x of 53

Effective Date

Organization

Environmental Restoration

mg/kg-day milligram per kilogram per day

mg/L milligram per liter

mg/m<sup>3</sup> milligram per cubic meter

Mn manganese Na sodium Ni nickel

NNDT number of non-detects

OU1 Operable Unit 1
OU2 Operable Unit 2
OU6 Operable Unit 6
OU8 Operable Unit 8

PAHs polycyclic aromatic hydrocarbons

Pb lead

PCB polychlorinated biphenyls

PCE tetrachloroethene
pC1/g picocuries per gram
pC1/L picocuries per liter

PCOC potential chemical of concern

PERC tetrachloroethene

PESTCLP Pesticide Analysis - Contract Laboratory Program

RBC risk-based concentration

RCRA Resource Conservation and Recovery Act

RfC reference concentration

RfD reference dose

RFEDS Rocky Flats Environmental Database System RFETS Rocky Flats Environmental Technology Site

RFI/RI RCRA Facility Investigation/Remedial Investigation

RFP Rocky Flats Plant

Sb antimony
SF slope factor
Si silicon
Sr strontium

SVOC semi-volatile organic compound

TAL Target Analyte List TCE trichloroethene

TCL Target Compound List
TDS total dissolved solids
TOC total organic carbon
TSS total suspended solids

UR unit risk

EG&G ROCKY FLATS PLANT
RFI/RI Work Plan for OU6
Section
Appendix L, Rev 0
Technical Memorandum No 4
Page
Effective Date
Category NSR
Organization
Environmental Restoration

UHSU Upper Hydrostratigraphic Unit
UTL upper tolerance limit
V vanadium
VOACLP Volatile Organic Analysis- Contract Laboratory Program
VOC volatile organic compound
WQPL Water Quality Parameter List

EG&G ROCKY FLATS Manual 21100-WP-OU6 01
RFI/RI Work Plan for OU6 Section Appendix L, Rev 0
Page 1 of 53
Effective Date
Organization Environmental Restoration

#### **EXECUTIVE SUMMARY**

This Technical Memorandum No 4, Chemicals of Concern, is part of the Baseline Risk Assessment for the Walnut Creek Priority Drainage, Operable Unit No 6 (OU6), located at the Department of Energy Rocky Flats Environmental Technology Site (formerly Rocky Flats Plant) in Golden, Colorado

The technical memorandum identifies chemicals of concern that will be included in the Human Health Risk Assessment (HHRA) to assess potential health risk from assumed exposure to the chief contaminants detected in soil, groundwater, and other media sampled in OU6. Chemicals of concern are organic chemicals, metals, or radionuclides that exceed background levels, that are not naturally occurring, and that could pose a health threat under the assumed exposure conditions. They are selected from all analytes detected in each medium using risk-based and other screening methods that identify chemicals that would pose the greatest risk and therefore warrant inclusion in the HHRA. Chemicals of concern also provide the focus for transport modeling and remedy selection.

Chemicals of concern were selected for the following media surface soil, subsurface soil, groundwater, pond sediment, pond surface water, and stream sediment. Chemicals of concern in each media were selected on an OU-wide basis, that is, data collected at Individual Hazardous Substance Sites (IHSSs) were pooled for each medium so that the chief contributors to risk could be identified for the entire OU

The following steps were used to identify chemicals of concern

- Metals and radionuclides above background levels were identified as potential chemicals of concern and retained for further evaluation
- The essential nutrients calcium, iron, potassium, magnesium, and sodium were eliminated from further evaluation

EG&G ROCKY FLATS	Manual	21100-WP-OU6.01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	2 of 53
	Effective Date	
	Organization	Environmental Restoration

- Professional judgement, such as geochemical evaluation or statistical analysis,
   was applied to eliminate some analytes as potential chemicals of concern
- Chemicals above background levels and detected at 5 percent or greater frequency were included in concentration/toxicity screens to identify the chief contributors to potential risk. These were retained as chemicals of concern for the HHRA
- Chemicals detected at less than 5 percent frequency were not included in the selection of OU-wide chemicals of concern but were evaluated in a separate risk-based screen to identify special-case chemicals of concern that warrant separate evaluation in the HHRA

Table ES-1 summarizes the chemicals of concern identified for each medium in OU6

# TABLE ES-1 ROCKY FLATS OU6 SUMMARY OF CHEMICALS OF CONCERN

		Subsurface		Pond	Pond Surface	Stream
	Surface Soil	Soil	Groundwater	Sediment	Water	Sediment
Chemical of Concern		<del> </del>				
Aroclor-1254				X		
Benzo(a)anthracene						X
Benzo(a)pyrene		X		X		X
Benzo(b)fluoranthene		X		X		X
Bis(2-ethylhexyl)phthalate				Х	•	
Indeno(1,2,3-cd)pyrene						X
Acetone					x	
Chloroform			X		X	
1,2-Dichloroethene					X	
Methylene chloride		X	X		X	
Tetrachloroethene			X			
Trichloroethene			X		X	
				· · · · · · · · · · · · · · · · · · ·		
Antimony	x			X		
Barium		X				
Cobalt						X
Silver	X			X		
Strontium				<del></del>		$\overline{\mathbf{x}}$
Vanadıum	X			X		X
Zinc	X			X		X
Nitrate			X			
Americium-241	X	X	X	X		X
Plutonium-239,240	X	X	X	X		X
Uranium-233,234		X				
Uranıum-238		X				
Radium-226			X			
Special - Case Chemicals (1)	)					
Vinyl chloride			X			

<sup>(1)</sup> Detected at less then 5 percent frequeny, but at relatively high concentration

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	3 of 53
	Effective Date	
	Organization	Environmental Restoration

# 10 INTRODUCTION

This Chemicals of Concern Technical Memorandum is presented as part of the Baseline Risk Assessment (BRA) for the Walnut Creek Priority Drainage, Operable Unit 6 (OU6), located at Rocky Flats Environmental Technology Site (RFETS) in Golden, Colorado The BRA, which consists of the Human Health Risk Assessment (HHRA) and the Environmental Evaluation, will be included in the Phase I RCRA Facility Investigation/Remedial Investigation (RFI/RI) report for OU6 The RFI/RI is being conducted pursuant to the U S Department of Energy (DOE) Environmental Restoration Program, a Compliance Agreement among DOE, the U S Environmental Protection Agency (EPA), and the Colorado Department of Public Health and Environment (CDPHE), and the Federal Facility Agreement and Consent Order (Interagency Agreement), signed in 1991

This technical memorandum has been developed to select chemicals of concern to be evaluated in the HHRA. The HHRA will evaluate potential human health risks for on-site and off-site receptors under current land use and potential future land use conditions, assuming no remedial action takes place at OU6. Chemicals of concern are organic chemicals, metals, or radionuclides that exceed background range, that are environmental contaminants, and that could be a significant threat to human health under the exposure conditions evaluated. Chemicals of concern are identified on an OU-wide basis for each medium (e.g., groundwater, soil) through which exposure to contaminants could occur. The identification of chemicals of concern will also help focus the efforts of environmental transport modeling, description of the nature and extent of contamination, and remedy selection.

Chemicals of concern are selected for surface soil, subsurface soil, groundwater, pond surface water, pond sediment, and stream sediment. These media were sampled during the Phase I RFI/RI in accordance with the Phase I RFI/RI Work Plan for Operable Unit 6 (DOE 1992). Chemicals of concern are identified on an OU-wide basis, by pooling sample analytical results from the various sampling locations for each medium. OU6 consists of 19 Individual Hazardous Substance Sites (IHSSs), whose locations are shown in Figure 1-1. The IHSSs

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	4 of 53
	Effective Date	
	Organization	Environmental Restoration

or IHSS groups and the environmental media sampled at each are listed below IHSS groups contain several individual sites, for example, IHSS 142 consists of 10 ponds in the Walnut Creek drainage, numbered 142 1 through 142 9 and 142 12

IHSS or IHSS Group	Name	Surface Soil	Subsurface Soil	Ground- water	Surface Water	Pond Sediment	Stream Sediment
141	Sludge Dispersal Area	X		х			
142	Ponds			X	X	x	
143	Old Outfall	X	X	X			
156	Soil Dump Area	X	X	X			
165	Triangle Area	X	X	X			
166	Trenches A B,C		X	X			
167	Spray Fields	X	X	X			
216	East Spray Field	X	X	x			•
	Streams			·			X

This technical memorandum is divided into the following sections. Section 2.0 describes the general process used to select chemicals of concern. Sections 3.0 through 8.0 present decision criteria specific to each medium and identify the chemicals of concern selected for each medium. References are listed in Section 9.0.

Appendix A, "Background Comparison for Metals and Radionuclides," summarizes the statistical methodology used to compare OU6 data to background data and includes tables showing the results of the statistical tests. Statistical tests were used to identify metals and radionuclides whose concentrations exceed background levels and which may be environmental contaminants. These metals and radionuclides are retained for further evaluation as potential chemicals of concern

Appendix B, "Risk-Based Evaluation of Infrequently Detected Chemicals," presents the screening of infrequently detected compounds (<5 percent detection frequency) to identify

<u> </u>		
EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	5 of 53
	Effective Date	
	Organization	Environmental Restoration

those that merit further evaluation as special-case chemicals of concern on the basis of an extremely high concentration in a small area of localized contamination

Appendix C, "Total Suspended and Dissolved Solids in Groundwater," is included to support the discussion of chemicals of concern in Section 5.0

EG&G ROCKY FLATS	Manual	21100-WP-OU601
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	6 of 53
	Effective Date	
	Organization	Environmental Restoration

#### 20 CHEMICALS OF CONCERN SELECTION PROCESS

#### 21 OVERVIEW

The flow chart for selecting chemicals of concern for OU6 is presented in Figure 2-1, Process for Identifying Chemicals of Concern. The process is intended to identify the chief environmental contaminants in each medium that could have adverse impacts on public health. In this way, the risk assessment is focussed on OU6 contaminants that are potentially significant health hazards. Inorganic compounds whose concentrations are within background range or that are essential nutrients or major cations are excluded from the risk assessment. Organic compounds that would contribute insignificantly to overall risk are identified but are not included in the quantitative risk assessment.

Chemicals of concern were selected on an OU-wide basis for each medium. The individual steps shown in Figure 2-1 are listed below and described in the following sections

- 2.2 Data Evaluation
- 2.3 Background Comparison for Inorganic Compounds
- 24 Essential Nutrient/Major Cation and Anion Screen
- 2.5 Frequency of Detection
- 26 Concentration/Toxicity Screens
- 2.7 Application of Professional Judgment
- 2 8 Risk-Based Evaluation of Infrequently Detected Compounds and Identification of Special-Case Chemicals of Concern

#### 2.2 DATA EVALUATION

#### 2 2 1 Media-Specific Data Sets

Analytical data from environmental samples collected during the OU6 field sampling program and the site-wide sampling programs were used to characterize contamination in OU6 The

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	7 of 53
	Effective Date	
	Organization	Environmental Restoration

samples were collected from August 1992 through May 1993 Table 2-1 lists the chemical groups and media sampled at each IHSS Table 2-2 lists the target compounds in each chemical group Samples were collected from the following media surface soil, subsurface soil, groundwater, pond sediment, pond surface water, stream sediment, and dry sediment The number of samples, sampling locations, and other features of the sampling and analytical program are discussed in the Phase I RFI/RI Work Plan for Operable Unit 6 (DOE 1992)

# Surface Soil

Surface soil samples were collected using the RFP soil method, a composite method in which the top 2 inches of soil are collected. Samples were collected from the third quarter of 1992 though the first quarter of 1993. The analytical parameters varied among IHSSs as described below.

IHSS 141 (Sludge Dispersal Area) - Forty surface soil samples were collected Samples were analyzed for pesticides/PCB, metals, nitrate, and radionuclides

IHSS 156 2 (Soil Dump Area) - Twenty-two surface soil samples were collected Samples were analyzed for metals, radionuclides, and total organic carbon (TOC)

IHSS 165 (Triangle Area) - Fifteen surface soil samples were collected Samples were analyzed for metals, radionuclides, and TOC

IHSSs 167 1 (North Spray Field) - Thirty-two surface soil samples were collected in IHSS 167 1 and 8 in an area near the South Spray Fields Samples were analyzed for metals, radionuclides, and TOC

IHSS 216 1 (East Spray Field) - Six surface soil samples were collected Samples were analyzed for metals, radionuclides, and TOC

Manual	21100-WP-OU6 01
Section	Appendix L, Rev 0
Page	8 of 53
Effective Date	
Organization	Environmental Restoration
	Section Page Effective Date

# Subsurface Soil

Subsurface soil samples were collected from the fourth quarter of 1992 through the first quarter of 1993 Subsurface soil analytical parameters and depth intervals varied among IHSSs, as described below

IHSS 1562 (Soil Dump Area) - Twenty-two soil borings were drilled 3 feet into the undisturbed soil beneath the fill Samples were taken continuously in these soil borings and composited for each 6-foot interval Samples were analyzed for volatile organic compounds (VOCs), metals, and radionuclides The thickness of the fill is approximately 7½ feet across the site

IHSS 165 (Triangle Area) - Nine soil borings were drilled 3 feet into weathered bedrock Two monitoring wells, 76192 and 76292, were drilled to depths of 20 and 22½ feet, respectively Six-foot composite samples were collected from the soil borings prior to the development of monitoring wells. Samples were analyzed for VOCs, semivolatile organic compounds (SVOCs), metals, and radionuclides

IHSSs 166 1-3 (Trenches A, B, C) - Twenty-six borings were drilled to 5 feet below the bottom of each trench Eight borings were drilled in Trench A, seven borings in Trench'B, six borings in the western part of Trench C, and five borings in the eastern part of Trench C Samples were analyzed for VOCs, metals, and radionuclides

IHSSs 167 1 (North Spray Field) - Twenty-three borings were drilled in the North Spray Field Nine soil borings were also drilled in the South Spray Field area. The soil borings were sampled in 2-foot intervals to a depth of 4 feet. Samples were analyzed for metals, radionuclides, and TOC

IHSS 216 1 (East Spray Field Area) - Six soil borings were drilled to a depth of 4 feet. The soil borings were sampled in 2-foot intervals. Samples were analyzed for metals, radionuclides, and TOC

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	9 of 53
	Effective Date	
	Organization	Environmental Restoration

# Groundwater

Groundwater samples were collected from onsite monitoring wells on a quarterly basis under a plant-wide groundwater sampling program. The plant-wide monitoring program included two monitoring wells installed during the OU6 Phase I investigation and wells installed during other investigations conducted from 1991 through 1993.

Samples used for evaluation of OU6 groundwater contaminant concentrations were collected from the first quarter of 1991 through the fourth quarter of 1993. The number of groundwater samples collected by analyte group were 279 samples for VOC analysis (11 analyzed by method 502 2, 22 analyzed by method 524 2, and 246 analyzed by method VOACLP), 14 samples for SVOC analysis by method BNACLP, 11 samples for pesticides/PCB analysis by PESTCLP, 191 filtered samples for metals analysis, 107 unfiltered samples for metals analysis, 172 filtered samples for radionuclide analysis, 138 unfiltered samples for radionuclide analysis, and 279 samples for analysis of water quality parameters (WQPLs)

# Stream Sediments

Fifteen sediment samples from the stream channels of the A and B Series Ponds were collected in May 1993 during the OU6 Phase I investigation. Two-foot composite samples were collected using a 2-inch diameter core sampler with a hand driver. The samples were analyzed for VOCs, SVOCs, pesticides/PCBs, metals, radionuclides, and WQPLs.

EG&G ROCKY FLATS RFI/RI Work Plan for OU6 Manual
Section
Page
Effective Date
Organization

21100-WP-OU6 01 Appendix L, Rev 0 10 of 53

Environmental Restoration

# Dry Sediments

Eighteen dry sediment samples were collected in the floodplains of the A and B series ponds in February 1993. The samples were collected using the RFP soil sampling method. The samples were analyzed for SVOCs, pesticides/PCBs, metals, radionuclides and WQPLs.

# Pond sediments

Pond sediment samples were collected during the fourth quarter of 1992 as part of the site-wide surface water sampling program. Each of the ponds were sampled at five locations. In each pond, one of the samples was collected within 5 feet of the inlet. The second sample was collected from the deepest part of each pond. The other three samples were collected at random locations within each pond. Composite samples were collected from 2-foot intervals. If the sediment depth was greater than 2 feet, an additional sample was collected from 2 to 4 feet. In total, seven samples were collected from the 2 to 4 foot interval.

Fifty-seven pond sediment samples are included in the data set Samples were analyzed for VOCs, SVOCs, pesticides/PCBs, metals, radionuclides, and WQPLs

# Pond Surface Water

Pond surface water samples were collected in the third and fourth quarters of 1992 as part of the site-wide surface water sampling program. Five surface water samples were collected from each of the four A Series Detention Ponds, from each of the five B Series Detention Ponds, and from the Walnut and Indiana Pond. One of the five samples was collected from the deepest part of each pond. A second sample was collected from within 5 feet of the inlet to each pond. The third sample was collected within 5 feet of each spillway. The two remaining samples were collected randomly in each pond. Samples were analyzed for VOCs, SVOCs, pesticides/PCBs, filtered metals, unfiltered metals, filtered radionuclides, unfiltered radionuclides and WQPLs.

Manual	21100-WP-OU6 01
Section	Appendix L, Rev 0
Page	11 of 53
Effective Date	
Organization	Environmental Restoration
	Section Page Effective Date

# 2 2 2 Data Review and Editing

The OU6 Phase I field program began in August 1992 and was completed in May 1993. A total of 103,000 sample analytical results were reported for OU6. Ninety-two percent of the data (or 95,000 results) has been validated by the validation contractor. The process used to review and edit the OU6 data is described below.

Monthly data deliveries were received from the Rocky Flats Environmental Data System (RFEDS) until January 15, 1994. The data deliveries were segregated by validated and nonvalidated data. After the last delivery, it was determined which data were not received and which were received but not validated. The data identified as being received but not validated were merged with the validated data set.

In total, 95 analytical results were not received. Of these, 31 were from samples cited as having insufficient sample volume (all were for radionuclides). Fifteen were from samples received by the laboratory and not yet analyzed (all of these samples are laboratory replicates for radionuclides). Twenty-three results were missing because samples were lost during shipment to the laboratory. Fifteen of these results were associated with three radionuclide samples. A complete data set for OU6, with the exception of results unreported as of January 15, 1994, is part of the OU6 Draft Phase I RFI/RI Report (DOE 1994a).

Quality control samples, such as equipment rinsates, field and trip blanks, spikes, and surrogates were removed from the data set. The data were then checked for multiple reported results for the same sample. When multiple records were identified, RFEDS personnel were consulted to assist in determining which results to retain in the data set. Field duplicates and the associated real sample were identified and averaged, and the average was used as the result for that sample.

EG&G ROCKY FLATS RFI/RI Work Plan for OU6 Manual
Section
Page
Effective Date
Organization

21100-WP-OU6 01 Appendix L, Rev 0 12 of 53

Environmental Restoration

The following laboratory data qualifiers were applied by the analytical laboratory to some of the results

The B-qualifier for a metal result indicates that the reported concentration is greater than the instrument detection limit (IDL) but less than the contract required detection limit (CRDL) for that analyte These data were used as reported

The B-qualifier for organics indicates the analyte was found in the method blank and the real sample. These data were used as reported if they were not qualified as non-detect on the basis of laboratory contamination (U-qualified) by the validation contractor

E-qualified data (exceeded the calibration range) were replaced with the associated D-qualified data (diluted to within calibration range), if the D-qualified record was received When only the E-qualified result was reported, it was used as reported

R-qualified (rejected) data were removed from the data set For OU6, 555 results were rejected (radionuclides comprised 233 of the rejected results) This represents approximately one-half of 1 percent of the data

Analytical results were J-qualified if the analyte was positively identified below the quantitation limit. The result was considered an estimate because of the uncertainty associated with detected concentration at low levels. Data qualified with a J were used as reported.

A U-qualifier assigned to an analytical result indicates that the analyzed chemical was not detected above the sample quantitation limit. The U-qualifier (applied by the laboratory or by the validation contractor) was the primary mechanism used for evaluating detection frequency for organic and inorganic constituents

Manual	21100-WP-OU6 01
Section	Appendix L, Rev 0
Page	13 of 53
Effective Date	
Organization	Environmental Restoration
	Section Page Effective Date

For radionuclides, negative values were used as reported, therefore, there were no non-detect results for radionuclides

# 2 3 BACKGROUND COMPARISON FOR INORGANIC COMPOUNDS

Analytical results for metals and radionuclides were compared to background levels derived from data for subsurface soils, groundwater, seeps/springs, and stream sediment reported in the Background Geochemical Characterization Report (DOE 1993) and from background surface soil samples collected in the Rock Creek area during the 1991 OU-1 Phase III investigation and the 1993 OU-2 Phase II investigation Metals and radionuclides whose concentrations did not exceed background levels were eliminated from further consideration as potential chemicals of concern

Appendix A presents the background comparison methodology in detail and contains summary tables of statistical results for metals and radionuclides in all media. The criteria used to evaluate whether a metal or radionuclide exceeded background levels are summarized here

- Analytical results for metals and radionuclides were compared to the background data using four statistical tests—the Quantile test, Slippage test, Student's t-test, and the Gehan test as described in the letter report of Gilbert (Gilbert 1993)—Test conditions and treatment of non-detect values are discussed in Appendix A—The analyte was considered to be above background if it failed any test at the p ≤0 05 level
- b UTL<sub>99/99</sub> comparison Analytical results for each metal and radionuclide were compared to the 99 percent upper tolerance limit of background data calculated at the 99 percent confidence level (UTL<sub>99/99</sub>) The UTL<sub>99/99</sub> test is an indicator of possible hot spots (Gilbert 1993), but with large sample sizes of one to two hundred, it is to be expected that one or two data points would exceed the UTL<sub>99/99</sub> value Nevertheless, if any result exceeded the UTL<sub>99/99</sub>, the analyte

EG&G ROCKY FLATS RFI/RI Work Plan for OU6 Manual
Section
Page
Effective Date
Organization

21100-WP-OU6 01 Appendix L, Rev 0 14 of 53

Environmental Restoration

was identified as a potential chemical of concern, subject to spatial and temporal analysis

# 2.4 ESSENTIAL NUTRIENT/MAJOR CATION AND ANION SCREEN

Calcium, iron, magnesium, potassium, and sodium were eliminated from further consideration as chemicals of concern because they are essential nutrients, they occur naturally in the environment, and they are toxic only at very high doses. Anions in groundwater other than nitrates were not evaluated

# 25 FREQUENCY OF DETECTION

All organic compounds and metals above background levels were evaluated for frequency of detection Compounds that were detected at a frequency of 5 percent or greater were considered potential OU-wide chemicals of concern. These compounds were included in concentration/toxicity screens to identify compounds that could contribute significantly to total risk (see Section 26) Compounds detected at less than 5 percent frequency can be eliminated from further consideration because the compound is not characteristic of site contamination and the potential for exposure is low Nevertheless, maximum concentrations of infrequently detected organic compounds and metals were compared to risk-based concentrations as described in Section 2 8 to identify isolated or highly localized occurrences of high concentrations of chemicals (i.e., hot spots) that could pose a health risk if routine exposure were to occur These chemicals were retained as special-case chemicals of concern for evaluation in the risk assessment. Since there were no non-detect results for radionuclides (negative values were used as reported), radionuclides were considered to be detected at 100 percent frequency

EG&G ROCKY FLATS	Manual	21100-WP-OU601
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	15 of 53
	Effective Date	
	Organization	Environmental Restoration

#### 2.6 CONCENTRATION/TOXICITY SCREEN

Chemicals of concern in each medium were selected using concentration/toxicity screens for noncarcinogens, carcinogens, and radionuclides The screens included organic chemicals and inorganics above background levels that were detected at 5 percent frequency or greater. The purpose of applying the screen is to focus the risk assessment on the chief contributors to potential risk To perform the screen, each chemical in a medium (such as groundwater) is scored according to its maximum detected concentration and toxicity to obtain a risk factor The risk factor for noncarcinogenic effects is the maximum detected concentration divided by the EPA Reference Dose (RfD) for that chemical The risk factor for carcinogenic effects (and for radionuclides) is the maximum detected concentration (or activity) multiplied by the EPA cancer slope factor (SF) for that chemical (or radionuclide) The chemical-specific risk factors are summed to calculate total risk factors for the noncarcinogenic, carcinogenic, and radioactive chemicals of potential concern in each medium. The ratio of the risk factor for each chemical to the total risk factor is called a risk index, the risk index approximates the relative risk associated with each chemical in the medium Separate concentration/toxicity screens were performed for carcinogenic and noncarcinogenic effects of organic compounds and metals and for carcinogenic effects of radionuclides

Each chemical that comprised 1 percent or more of the total risk factor was considered a chemical of concern for evaluation in the quantitative risk assessment. This approach reduces the number of chemicals to be carried through a risk assessment. However, the approach is conservative (health protective) because it retains some chemicals that contribute as little as 1 percent of the total potential risk in that medium. In most cases, only a few chemicals contribute the majority of potential risk in each medium.

EPA-recommended toxicity factors (RfDs and cancer SFs) were used in the concentration/toxicity screens. When toxicity values were available for both inhalation and oral exposure routes, the more conservative value was used in the screen, unless that route was negligible (these exceptions are noted in the concentration/toxicity values). SFs and RfDs were

EG&G ROCKY FLATS	Manual	21100-WP-OU601
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	16 of 53
	Effective Date	
	Organization	Environmental Restoration

determined from IRIS (EPA 1994), HEAST (EPA 1993) and other EPA sources if available The toxicity factors used in the screens are listed in Tables 2-3 and 2-4

EPA-established toxicity factors are not available for some of the potential chemicals of concern. Therefore, these analytes cannot be included in the concentration/toxicity screens, in other toxicity-based screens, or in the quantitative risk assessment. OU6 contaminants without toxicity factors were identified for each medium and are listed in each section. The potential impact of these compounds on overall risk will be addressed qualitatively in the human health risk assessment.

# 27 APPLICATION OF PROFESSIONAL JUDGMENT

Professional judgment was used at two points in the process of selecting chemicals of concern for health risk assessment

- Exclusion of some potential chemicals of concern based on log-normal UTL<sub>99/99</sub> comparison. The background UTLs<sub>99/99</sub> presented in the Background Geochemical Characterization Report (DOE 1993) were calculated assuming that the background data were normally distributed. This assumption may not be appropriate for all analytes. Concentrations of some analytes were within background range according to the formal statistical tests, but one or two results exceeded the background UTL<sub>99/99</sub>. This resulted in identifying the analyte as a potential chemical of concern. For some of these analytes, the distribution of the background data were tested. If the better fit was to a log normal distribution, the UTL<sub>99/99</sub> was recalculated based on log-normal distribution and the site results were compared to the log-normal-based UTL<sub>99/99</sub>. This resulted in removing some analytes as potential chemicals of concern. These are noted in the tables in Appendix A.
- 2 Spatial/temporal and geochemical evaluation The spatial and temporal distribution and geochemical characteristics of certain metals and radionuclides

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	17 of 53
	Effective Date	
	Organization	Environmental Restoration

identified as being above background levels were evaluated to support a conclusion as to whether they were likely to be naturally occurring or due to environmental contamination. For example, manganese in groundwater was concluded to be naturally occurring based on spatial, temporal, and geochemical evaluation. This judgment process resulted in removing several metals and radionuclides as potential chemicals of concern in various media. All such professional judgment is described in each section, where relevant

# 2 8 RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS AND IDENTIFICATION OF SPECIAL-CASE CHEMICALS OF CONCERN

Chemicals detected infrequently (in less than 5 percent of all samples in the medium) can usually be eliminated from consideration as chemicals of concern because they are not characteristic of site contamination and the potential for exposure is low. However, these compounds were further screened so as not to neglect an infrequently detected compound that could contribute significantly to risk if routine exposure to a hot spot were to occur. In this analysis, maximum measured concentrations were compared to screening levels equivalent to 1000 times risk-based concentrations (RBCs) (DOE 1994b). This analysis is summarized below and is presented in detail in Appendix B.

For screening purposes, RBCs were defined as chemical concentrations associated with an excess cancer risk of 10<sup>6</sup> (1 in 1 million) or a hazard index of one for noncarcinogenic effects, assuming residential exposure to surface soil and groundwater and assuming construction worker exposure to subsurface soil. Any infrequently detected chemical measured at a concentration greater than 1000 times the respective RBC was identified as representing a potentially significant health threat if exposure were to occur and was included in the list of special-case chemicals of concern for evaluation in the risk assessment

RBCs for chemicals in surface soil were calculated assuming multiple pathway exposure (ingestion and inhalation of particulates) RBCs for chemicals in subsurface soil were

EG&G ROCKY FLATS RFI/RI Work Plan for OU6 Manual
Section
Page
Effective Date
Organization

21100-WP-OU6 01 Appendix L, Rev 0 18 of 53

Environmental Restoration

calculated assuming ingestion of soil and inhalation of particulates and VOCs RBCs for chemicals in groundwater were calculated assuming ingestion of water and inhalation of VOCs. The exposure parameters used to calculate RBCs are presented in Appendix B.

# TABLE 2-2 OU6 PHASE I RFI/RI ANALYTICAL PARAMETERS

TARGET ANALYTE LIST (TAL) - METALS	TARGET COMPOUND LIST (TCL) - VOCs
Aluminum	Chloromethane
Antimony	Bromomethane
Arsenic	Vinyl chloride
Barium	Chloroethane
Beryllium	Methylene chloride
Cadmium	Acetone
Calcium	Carbon disulfide
Chromium	1,1-Dichloroethene
Cobalt	1,1-Dichloroethane
Copper	total 1,2-Dichloroethene
Cyanide	Chloroform
Iron, Total, Dissolved	1,2-Dichloroethane
Lead	2-Butanone
Magnesium	1,1,1-Trichloroethane
Manganese, Total Dissolved	Carbon tetrachloride
Mercury	Vinyl acetate
Nickel	Bromodichloromethane
Potassium	1,1,2,2-Tetrachloroethane
Selenium	1,2-Dichloropropane
Silver	cis-1,3-Dichloropropene
Sodium	Trichloroethene
Thallium	Dibromochloromethane
Vanadium	1,1,2-Trichloroethane
Zinc	Benzene
	trans-1,3-Dichloropropene
ADDITIONAL - METALS	Bromoform
Cesium	2-Hexanone
Lithium	4-Methyl-2-pentanone
Molybdenum	Tetrachloroethene
Silicon	Toluene
Strontium	Chlorobenzene
Tin	Ethyl benzene
	Styrene
GRAPHITE FURNACE ATOMIC ABSORPTION	Total xylenes
(GFAA) - METALS	
Cadmium	TCL - SVOCs
Copper	Phenol
Iron, Total	bis(2-Chloroethyl)ether
Lead	2-Chlorophenol
Manganese	1,3-Dichlorobenzene
Silver	1,4-Dichlorobenzene
Zinc	Benzyl alcohol

# TABLE 2-2 (continued)

1,2-Dichlorobenzene 2-Methylphenol bis(2-Chloroisopropyl)ether 4-Methylphenol N-Nitroso-di-n-dipropylamine Hexachloroethane Nitrobenzene Isophorone 2-Nitrophenol 2,4-Dimethylphenol Benzoic acid bis(2-Chloroethoxy)methane 2,4-Dichlorophenol 1,2,4-Trichlorobenzene Naphthalene 4-Chloroaniline Hexachlorobutadiene 4-Chloro-3-methylphenol (para-chloro-meta-cresol) 2-Methylnaphthalene Hexachlorocyclopentadiene 2,4,6-Trichlorophenol 2,4,5-Trichlorophenol 2-Chloronaphthalene 2-Nitroaniline **Dimethylphthalate** Acenaphthylene 2,6-Dinitrotoluene 3-Nitroaniline Acenaphthene 2,4-Dinitrophenol 4-Nitrophenol Dibenzofuran 2.4-Dinitrotoluene Diethylphthalate 4-Chlorophenyl phenyl ether Fluorene 4-Nitroaniline 4 6-Dinitro-2-methylphenol N-Nitrosodiphenylamine 4-Bromophenyl phenyl ether Hexachlorobenzene Pentachlorophenol Phenanthrene Anthracene Di-n-butylphthalate

Pyrene Butylbenzylphthalate 3,3'-Dichlorobenzidine Benzo(a)anthracene Chrysene bis(2-Ethylhexyl)phthalate D1-n-octylphthalate Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene Indeno(1,2,3-cd)pyrene Dibenz(a,h)anthracene Benzo(g,h,1)perylene TCL - PESTICIDES/PCBs alpha-BHC beta-BHC delta-BHC gamma-BHC (Lindane) Heptachlor Aldrın Heptachlor epoxide Endosulfan I Dieldrin 4.4'-DDE Endrin Endosulfan II 4.4'-DDD Endosulfan sulfate 4,4'-DDT Methoxychlor Endrin ketone alpha-Chlordane gamma-Chlordane Toxaphene Aroclor-1016 Aroclor-1221 Aroclor-1232 Aroclor-1242 Aroclor-1248 Aroclor-1254 Aroclor-1260

Fluoranthene

# TABLE 2-2 (concluded)

# **RADIONUCLIDES**

Gross Alpha

Gross Beta

Uranium 233+234, 235, and 238

(each species)

Americium 241

Plutonium 239/240

Tritium

Cesium 137 Total

Strontium 89 + 90 Total

# TOTAL ORGANIC CARBON (TOC)

NITRATE/NITRITE AS N

# Parameters Exclusively for Groundwater Samples

# FIELD PARAMETERS

pН

Specific Conductance

Temperature

Dissolved Oxygen

Barometric Pressure

# WATER QUALITY PARAMETER LIST (WQPL)

Chloride

Fluoride

Sulfate

Carbonate

Bicarbonate

Total Dissolved Solids

Total Suspended Solids

# ADDITIONAL PARAMETERS FOR IHSS 142 1-9 AND 12 WATER SAMPLES

1-9 AND 12 WATER SAI

DOC

Silicon

Alkalinity

## TABLE 2-3 ROCKY FLATS OU6 TOXICITY FACTORS FOR ORGANIC COMPOUNDS AND METALS

	<del>-</del> '	Factors	EPA Cancer	Reference Doses	
		kg day)	Weight of		g day
Analyte	Oral	Inhalation	Evidence	Oral	Inhalation (*)
1.1 Dichloroethane		}	C	1 0E 01 (2)	1 40E 01
1.1 Dichloroethene	6 0E 01 (1)	17E 01 (1)	C	9 0E 03 (1)	
124 Trichlorobenzene		}		1 0E 02 (1)	3 00E-03
1 2 Dichloroethane	9 1E 02 (1)	9 IE 02 (1)	B2		
1 2 Dichloroethene			!	9 0E 03 (2)	
cis 12 Dichloroethene				1 0E 02 (2)	
1 4 Dichlorobenzene	2 4E 02 (2)		С		2 30E 01
2 Butanone		ļ	D	6 0E 01 (1)	3 00E 01
2 Chlorphenol		1		5 0E 03 (1)	
4 Methyl 2 pentanone			'	5 0E 02 (2)	2 30E 02
4 Methylphenol				5 0E 03 (6)	
Acenaphthene		1		6 0E 02 (1)	İ
Acetone				1 0E 01 (1)	
Aldrın	17E+01(1)	17 1E+00 (1)	B2	3 0E 05 (1)	
Aluminum		)		2 9E+00 (6)	
Anthracene				3 0E 01 (1)	
Antimony		1	i	4 0E 04 (1)	
Arsenic	1 7E+00 (7)	1 5E+01 (7)	A	3 0E-04 (1)	
Barium	1 12 00 (1)	152,01(,)	• •	7 0E 02 (1)	1 40E 04
Benzene	2 9E 02 (1)	2 9E 02 (1)	A	7 OL OL (1)	1 402 04
Benzo(a)anthracene	7 3E 01 (4)	2 /2 (2)	B2	_	
Benzo(a)pyrene	7 3E+00 (4)	1	B2 B2		
Benzo(b)fluoranthene	7 3E 01 (4)	1	B2 B2		
Benzo(k)fluoranthene	7 3E 02 (4)		B2 B2		
Benzoic acid	7 3E 02 (4)		D2	4.00,00.(1)	
Benzyl alcohol		)	ĺ	4 0E+00 (1)	
· )	4.25 . 00 (1)	9.45.00.41	DO.	3 0E 01 (2)	
Beryllium	4 3E+00 (1)	8 4E+00 (1)	B2	5 0E 03 (1)	
Bis(2 ethylhexyl)phthalate	1 4E 02 (1)	1 1	B2	2 0E 02 (1)	·
Butylbenzene (sec tert)		<b>j</b>	_	1 0E 02 (6)	
Butyl benzylphthalate			C	2 0E 01 (1)	
Cadmium (food)		6 3E+00 (1)	B1	1 0E 03 (1)	
Cadmium (water)		1	Bi	5 0E 04 (1)	
Carbon disulfide		} ]	}	1 OE O1 (1)	2 90E 03
Carbon tetrachloride	1 3E 01(1)	5 2E 02 (1)	B2	7 0E 04 (1)	
Chlorobenzene		1		2 0E 02 (1)	5 70E 03
Chloroform	6 IE 03 (I)	8 0E 02 (1)	B2	1 0E 02 (1)	
Chromium III		)	}	1 0E+00 (1)	
Chrysene	7 3E 02 (4)		B2		
Cobalt				6 0E 02(6)	
Di n butylphthalate		<u> </u>	D	1 OE O1 (1)	
Di n octylphthalate		]	D	2 0E 02 (2)	
Dibenzo(a,h)anthracene	7 3E+00 (4)		B2		
Diethyl phthalate				8 0E 01 (1)	
Ethylbenzene		1	D	1 0E 01 (1)	3 00E 01

TABLE 2-3 (Concluded)

	<del></del>		EPA Cancer	<del></del>	
	Slope I	Factors	Weight of	Reference Doses	
Analyte	Oral	Inhalation	Evidence	Oral	lnhalation (*)
Fluoranthene		<b>[</b>		4 0E 02 (1)	
Fluorene		]		4 0E 02 (1)	
gamma BHC		]		3 0E 04 (1)	
Heptachlor epoxide	9 1E+00 (1)	9 1E+00 (1)	B2	1 3E 05 (1)	
Indeno(1 2 3 cd)pyrene	7 3E 01 (4)	j	B2	<b>j</b>	
Lithium		]	i	2 0E 02 (6)	
Manganese (food)		ŀ	Ð	1 4E 01 (1)	1 40E 05
Manganese (water)		Ì	D	5 0E 03 (1)	! 
Mercury		j l	D	3 0E 04 (2)	9 00E 05
Methylene chlonde	7 5E 03 (1)	1 6E 03 (1)	B2	6 0E 02 (1)	9 00E 01
Molybdenum		1		5 0E 03 (1)	
Naphthalene		i '		4 0E 02 (6)	
Nickel (salts)		]	1	2 0E 02 (1)	i
Nitrate		}		1 6E+00 (1)	
Pentachlorophenol	1 2E 01(1)	ł	B2	3 0E 02 (1)	l
Phenol		ĺ	D	6 0E 01 (1)	:
Polychlonnated biphenyls	7 7E+00 (1)	]	B2	[	
Pyrene		}	D	3 0E 02 (1)	
Selenium		1		50E03(1)	
Silver		Í	D	5 0E 03 (1)	
Strontium		]		60E01(1)	
Styrene				20E01(1)	2 86E 01
Tetrachloroethene	5 2E 02 (5)	2 0E 03 (5)	B2	1 0E 02 (1)	
Thallium (oxide)		[		7 0E 05 (2)	
Tin				6 0E 01 (2)	
Toluene			D	2 0E 01 (1)	1 10E 01
Trichloroethene	1 1E 02 (5)	6 0E 03 (5)	B2	ł .	
Xylenes				2 0E+00 (1)	
Vanadium			-	7 0E 03 (2)	
Zinc		}	D	3 OE 01 (1)	

#### Sources

- (1) = IRIS
- (2) = HEAST 1993 and Supplement (EPA 1993a)
- (3) = HEAST 1993 Table 2 (EPA 1993a)
- (4) = (EPA 1993b)
- (5) = Joan S Dollarhide Superfund Health Risk Technical Support Center "Carcinogenicity Characterization of Perchloroethylene (PERC) and Trichloroethylene (TCE) (Luke Air Force Base Arizona) ECAO
- (6) = Provisional values for aluminum, butylbenzene cobalt lithium and naphthalene USEPA ECAO

inadequate studies)

- (7) = Converted from IRIS unit risks Oral proposed U R = 5 00E 05/ug/L Inhalation U R = 4 30E 03/ug/m3 Oral SF = 5 00E 05 x 1000ug/mg x 70kg/2L Inhalation SF = 4 30E 03/ug/m3x1000ug/mgx70kg/20m3
- \* Calculated from RfC RfD = RfC x 20m3/day/70kg

* Calculated from RIC	$RID = RIC \times 20m3/day/70kg$
Group A	Human carcinogen (sufficient evidence of carcinogenicity in humans)
Group B	Probable human carcinogen
	B1 Limited evidence of carcinogenicity in humans
	B2 Sufficient evidence of carcinogenicity in animals with inadequate or levidence in humans
Group C	Possible human carcinogen (limited evidence of carcinogenicity in anima
	inadequate or lack of human data)
Group D	Not classifiable as a human carcinogen (madequate or no evidence)
Group E	Evidence of noncarcinogen for humans (no evidence of carcinogenicity


TABLE 2-4
ROCKY FLATS OU6
SLOPE FACTORS
FOR RADIONUCLIDES

	<del></del>		<del></del>	EPA Cancer
	Oral	Inhalation	External	Weight of
Analyte	(Risk/pCi)	(Risk/pCi)	(Risk/yr/pCi/g)	Evidence
Americium-241	2 4E-10	3 2E-08	4 9E-09	A
Cesium-137 +D	2 8E-11	1 9E-11	2 0E-06	Α
Plutonium-239	2 3E-10	3 8E-08	17E-11	Α
Plutonium-240	2 3E-10	3 8E-08	2 7E-11	Α
Radium-226 +D	1 2E-10	3 0E-09	6 0E-06	Α
Radium-228 +D	1 0E-10	6 9E-10	2 9E-06	Α
Strontium-89	3 0E-12	2 9E-12	4 7E-10	Α
Strontium-90 +D	3 6E-11	6 2E-11	0 0E+00	Α
Tritium	5 4E-14	7 8E-14	0 0E+00	Α
Uranium-233 234 *	1 6E-11	2 6E-08	3 0E-11	Α
Uranium-235 +D	1 6E-11	2 5E-08	2 4E-07	Α
Uranium-238 +D	2 8E-11	5 2E-08	3 6E-08	Α

Source HEAST 1993 (EPA 1993a)

<sup>\* =</sup> Slope factors shown are for U-234

<sup>+</sup>D = Risks from radioactive decay products included



EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	19 of 53
	Effective Date	
	Organization	Environmental Restoration

#### 30 SURFACE SOIL CHEMICALS OF CONCERN

#### 31 SURFACE SOIL DATA SET

Chemicals of concern in surface soil were selected using data collected at all OU6 IHSSs at which surface soil samples were collected, with the exception of samples collected at the Old Outfall (IHSS 143) The Outfall data are omitted from this OU-wide chemicals of concern determination because special physical features of the Old Outfall and its location within the industrialized portion of RFETS indicate that a separate evaluation of this IHSS is warranted The Old Outfall is a small site located approximately 10 feet below ground surface within the industrialized portion of the plant, surface and near-surface soils at this site are fill brought in for grading As is being done for all OU6 IHSSs, the nature and extent of contamination detected in soil and groundwater samples collected at IHSS 143 will be evaluated in the OU6 RI/RFI report, and, as is being done for all OU6 contaminant source areas, maximum contaminant concentrations detected at the Old Outfall will be compared to risk-based screening concentrations to estimate potential health risk (The risk-based screen for OU6 source areas is contained in a separate letter report [DOE 1994c]) However, if further evaluation of potential health risk at the Old Outfall is warranted based on results of the riskbased screen, the evaluation will be conducted separately from the BRA for OU6, and remediation of the Old Outfall, if warranted, will occur under OU8, which includes portions of the industrialized area Therefore, surface and subsurface soil sample results from IHSS 143 were not included in the selection of OU-wide chemicals of concern in soil Maximum contaminant concentrations detected in surface and subsurface soil at IHSS 143 are shown for information purposes in Table 3-1

The data set for selecting OU-wide chemicals of concern in surface soil includes samples collected at IHSSs 141 (Sludge Dispersal Area), 156 2 (Soil Dump Area), 165 (Triangle Area), 167 1 (North Spray Field), and 216 1 (East Spray Field). The data set includes 119 surface soil samples that were analyzed for metals and anywhere from 18 to 125 samples analyzed for various radionuclides. In addition, 55 surface soil samples at the Sludge Dispersal Area (IHSS 141) and the Triangle Area (IHSS 165) were analyzed for

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	20 of 53
	Effective Date	
	Organization	Environmental Restoration

pesticides/PCBs The sampling and analytical program is summarized in Tables 2-1 and 2-2. The number of samples for each inorganic analyte are listed in the Background Comparison Summary Tables in Appendix A.

#### 3 2 BACKGROUND COMPARISON AND FREQUENCY OF DETECTION

Tables 3-2 and 3-3 summarize the maximum detected concentrations and detection frequencies for organic compounds and metals, and the results of the background comparison for metals in OU6 surface soil samples. The statistical comparisons to background data are presented in detail in Appendix A. Only molybdenum and Aroclor-1254 were detected at less than 5 percent frequency (i.e., both negative and positive results are retained in the data set). Radionuclides are assumed to be detected at 100 percent frequency (i.e., both negative and positive results are retained in the data set). Radionuclides identified as potential chemicals of concern based on the background comparison are listed in the concentration/toxicity screen in Table 3-5.

Background surface soil data consist of analytical results from samples collected at 18 locations in the Rock Creek area. Nine of the sites were sampled in February 1992 and the remaining nine sites were sampled in March 1993. All background and OU6 surface soil samples were collected using the RFP method, a composite method in which the top 2 inches of soil are collected.

Metals and radionuclides that were detected at 5 percent or greater detection frequency and that were identified as potential chemicals of concern on the basis of the statistical background comparison or exceedances of the background UTL<sub>99/99</sub> were included in concentration/toxicity screens to select OU-wide chemicals of concern

Copper and lead were detected above background levels in surface soils but do not have EPA toxicity factors and, therefore, cannot be evaluated in a toxicity- or risk-based screen. The potential contribution of these metals to overall risk will be evaluated qualitatively in the risk assessment. Maximum concentrations of these metals were relatively low (copper = 62)

EG&G ROCKY FLATS	Manual	21100-WP-OU601
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	21 of 53
	Effective Date	
	Organization	Environmental Restoration

mg/kg, lead = 69 mg/kg) and are not expected to have adverse health effects. If the detected lead levels in soil were at a level of concern, the potential for adverse effects in children will be estimated using EPA's Integrated Exposure Uptake Biokinetic Model for Lead (EPA 1994b). However, lead levels in surface soil do not appear to warrant quantification of adverse effects, since the maximum concentration of 69 mg/kg is well below the residential screening level of 400 mg/kg (EPA 1994c).

#### 3 3 CONCENTRATION/TOXICITY SCREENS

Concentration/toxicity screens for surface soils are presented in Table 3-4 (noncarcinogens) and Table 3-5 (radionuclides). No carcinogenic metals were among the potential chemicals of concern based on background comparison, therefore, there is no concentration/toxicity screen for carcinogens. (An inhalation cancer slope factor specific to nickel subsulfide, which occurs in nickel refinery dust, is available. However, it is considered inappropriate to apply the inhalation cancer slope factor for nickel subsulfide to nickel detected in soil at Rocky Flats because no nickel refining occurred at Rocky Flats, and nickel in soils at Rocky Flats most likely occurs in native minerals or salts or in anthropogenic salts related to industrial processes other than refining. Therefore, nickel is not evaluated as a carcinogen.)

All analytes that contribute at least 1 percent of the total risk factor are retained as OU-wide chemicals of concern OU-wide chemicals of concern for surface soil are listed below and in Table 3-6

#### OU-Wide Chemicals of Concern Surface Soil

Antimony Silver Vanadium Zinc Plutonium-239 240 Americium-241

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	22 of 53
	Effective Date	
	Organization	Environmental Restoration

The distribution of these chemicals of concern in surface soil is shown in Figures 3-1 through 3-6 (results above background mean plus two standard deviations are shown). Antimony and zinc exceeded background levels according to one or more of the four formal statistical tests (quantile, slippage, t-test, or Gehan tests) described in Appendix A. Silver and vanadium did not exceed background levels according to the formal statistical tests, but silver had one result above the background UTL<sub>99/99</sub> (in IHSS 141, Sludge Dispersal Area) and vanadium had four results above the UTL (in IHSS 141, Sludge Dispersal Area, and IHSS 156.2, Soil Dump Area)

Plutonium and americium results exceeded background levels according to the formal statistical tests, and maximum concentrations at each IHSS exceeded the background UTL<sub>99,99</sub>

Summary data for chemicals of concern in surface soil at each IHSS are listed below

#### Concentration Ranges of Chemicals of Concern in Surface Soil, mg/kg or pCi/g

IHSS		Antimony	Silver	Vanadium	Zinc	Pu	Am
IHSS	Bknd UTL Bknd Mean+2SD	50 35	10 7 1	55 6 43 7	86 6 71	0 133 0 094	0 060 0 039
141	Sludge Dispersal	-	8-53	67-76	73-650	0 14-10	0 25-1 8
156 2	Soil Dump	39-44	-	44-65	72	0 10-1 8	0 042-0 301
165	Triangle	-	~	-	75-117	0 09-15	0 061-3 24
167 1	North Spray Field	-		-		0 10-1 85	0 039-1 15
216 1	East Spray Field	-		-		0 38-0 76	0 058-0 192

<sup>-</sup> No results above background mean + 2 standard deviations (SD)

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	23 of 53
	Effective Date	
	Organization	Environmental Restoration

## 3 4 RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS

Maximum concentrations of Aroclor-1254 and molybdenum (each detected at 1 percent frequency) were compared to values equivalent to 1000 times chemical-specific RBCs. The RBCs were calculated assuming residential exposure to surface soil and are used to identify special-case chemicals of concern that could pose a health risk if long-term exposure were to occur to maximum concentrations present in a highly localized area. The screen is discussed in Appendix B and the results for surface soil are presented in Table B-1

None of the maximum concentrations of chemicals detected at low frequency in surface soil exceeded the 1000 times RBC value. Therefore, there are no special-case chemicals of concern in surface soils for OU6

# TABLE 3-1 ROCKY FLATS OU6 MAXIMUM CONCENTRATIONS OF DETECTED ANALYTES IHSS 143 (OLD OUTFALL) SURFACE AND SUBSURFACE SOIL

Surface Soil		Subsurface Soil		
Organics and Metals (mg/l	(g)	Organics and Metals (mg/kg)		
Acenaphthene	0 51	2-Butanone	0 01	
Aluminum	16900	Acetone	0 1	
Anthracene	0 66	Aluminum	1440	
Arsenic	66	Arsenic	7 :	
Barium	170	Barium	1150	
Benzo(a)anthracene	18	Benzo(a)anthracene	0 :	
Benzo(a)pyrene	2 3	Benzo(a)pyrene	0 1	
Benzo(b)fluoranthene	3 2	Benzo(b)fluoranthene	0 2	
Benzo(ghi)perylene	0 89	Benzo(k)fluoranthene	0 09:	
Benzo(k)fluoranthene	1 2	Benzoic acid	1 06:	
Benzoic acid	0 45	Beryllium	1 4	
Beryllium	13	Bis(2-ethylhexyl)phthalate	0 4	
Bis(2-ethylhexyl)phthalat	0 22	Cadmium	0.73	
Cadmium	0 75	Cesium	13 (	
Cesium	33 4	Chromium	13 9	
Chromium	177	Chrysene	0 :	
Chrysene	16	Cobalt	16 9	
Cobalt	12 9	Copper	23 (	
Copper	17 8	Di-n-octylphthalate	0 068	
Dibenzo(a,h)anthracene	0 2	Fluoranthene	0 43	
Dibenzofuran	0 085	Indeno(1,2,3-cd)pyrene	0 088	
Fluoranthene	2 7	Lead	23	
Fluorene	0 24	Lithium	10	
Indeno(1,2,3-cd)pyrene	0 89	Manganese	343 :	
Lead	31	Mercury	0 9:	
Lithium	10 8	Methylene chloride	0 013	
Manganese	374	Nickel	26	
Mercury	0 07	Phenanthrene	0 23	
Naphthalene	0 12	Pyrene	0 46	
Nickel	20 3	Selenium	0 6	
Phenanthrene	18	Strontium	279	
Pyrene	28	Thallium	0.5	
Selenium	04	Toluene	1 055	
Strontium	53 8	Vanadium	43	
Thallium	0 28	Zinc	100 8	
Vanadium	45 5	21110	100 0.	
Zinc	85 4			
Radionuclides (pCi/g)		Radionuclides (pCi/g)		
Plutonium-239/240	0 52	Amercium-241	0 036	
Uranıum-233/234	1 25	Plutonium-239/240	0 2612	
Uranıum-235	0 05	Uranium-233,-234	1 84:	
Uranıum-238	1 16	Uranium-235	0 0778	
		Uranium-238	1 513	

**TABLE 3-2 ROCKY FLATS OU6** METALS DETECTED AT 5% OR GREATER FREQUENCY SURFACE SOIL<sup>(1)</sup>

	Maximum Detected	Detection	
	Concentration	Frequency	Inorganic
Chemical	(mg/kg)	%	POC <sup>7 (2)</sup>
Aluminum	24100	100	No
Antimony	43 6	47	Yes
Arsenic	11	100	No
Barium	272	100	No
Beryllium	1 5	90	No
Cadmium	64	41	No
Cesium	35 4	86	No
Chromium	35 1	99	Yes
Cohalt	20 3	100	Yes
Copper	61 6	100	Yes
Lead	68 7	100	Yes
Lithium	18 1	95	No
Manganese	823	100	No
Mercury	0 34	41	Yes
Nickel	22 5	95	Yes
Selenium	1 3	35	No
Silver	52 7	8	Yes
Strontium	255	100	Yes
Thallium	0.55	44	No
Tın	38 7	5	No
Vanadium	75 9	100	Yes
Zinc	650	100	Yes

<sup>(1)</sup> Excluding Old Outfall (IHSS 143)
(2) Based on background comparison (Appendix A)

#### **TABLE 3-3 ROCKY FLATS OU6** METALS AND PESTICIDES/PCBs DETECTED AT LESS THAN 5% FREQUENCY SURFACE SOIL(1)

	Maximum Detected Concentration	Detection Frequency	Inorganic
Chemical	(mg/kg)	%	POC <sup>? (2)</sup>
Aroclor-1254	0 425	1	
Molybdenum	99	1	Yes

<sup>(</sup>I) Excluding Old Outfall (IHSS 143)
(2) Based on background comparison (Appendix A)

TABLE 3-4
ROCKY FLATS OU6
CONCENTRATION/TOXICITY SCREEN
SURFACE SOIL<sup>(1)</sup>
NONCARCINOGENS

	Maximum					%
	Detected	Inhalation	Oral	Risk	Risk	of Total
Chemical	Conc (mg/kg)	RfD	RfD	Factor	Index	Risk Factor
Antunony	43 6	n/a	4 0E-04	1 1E+05	8 0E-01	80 4
Vanadium	75 9	n/a	7 0E-03	1 1E+04	8 0E-02	8 0
Silver	52 7	n/a	5 0E-03	1 1E+04	7 8E-02	78
Zinc	650	n/a	3 0E-01	2 2E+03	1 6E-02	16
Mercury	0 34	n/a	3 0E-04	1 1E+03	8 4E-03	0 8
Nickel	22 5	n/a	2 0E-02	1 1E+03	8 3E-03	08
Strontium	255	n/a	6 0E-01	4 3E+02	3 1E-03	03
Cobalt	20 3	n/a	6 1E-02	3 3E+02	2 5E-03	02
Chromium III	35 1	n/a	1 0E+00	3 5E+01	2 6E-04	0 0
Total Risk Factor				1 4E+05	•	

RfDs are in units of mg/kg-day n/a = not available

<sup>(1)</sup> Excluding Old Outfall (IHSS 143)

# TABLE 3-5 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN SURFACE SOIL<sup>(1)</sup> RADIONUCLIDES

	Maximum					%
	Detected	Inhalation	Oral	Risk	Rısk	of Total
Chemical	Conc (pC1/g)	Slope Factor	Slope Factor	Factor	Index	Risk Factor
Plutonium-239 240	15 22	3 8E-08	2 3E-10	4 0E+08	8 0E-01	79 8
Americium-241	3 243	3 2E-08	2 4E-10	1 0E+08	2 0E-01	20 2
Total Risk Factor				5 0E+08	·	

Slope factors are in units of 1/pC1

<sup>(1)</sup> Excluding Old Outfall (IHSS 143)

#### TABLE 3-6 ROCKY FLATS OU6 CHEMICALS OF CONCERN SURFACE SOIL (1)

OU-Wide
Antimony
Silver
Vanadium
Zinc
Americium-241
Plutonium-239/240

<sup>&</sup>lt;sup>1</sup> Excluding Old Outfall (IHSS 143)

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	24 of 53
	Effective Date	
	Organization	Environmental Restoration

#### 40 SUBSURFACE SOIL CHEMICALS OF CONCERN

#### 4.1 SUBSURFACE SOIL DATA SET

Chemicals of concern in subsurface soil were selected using data collected at all OU6 IHSSs where subsurface soil samples were collected except the Old Outfall (IHSS 143) because, as explained in Section 3.1, it is proposed to evaluate this IHSS separately from the baseline risk assessment for OU6. Subsurface soil samples from the Old Outfall were therefore excluded from the data set for selecting OU-wide chemicals of concern. IHSSs included in the subsurface soil data set are IHSS 166 (Trenches A, B, and C), 156.2 (Soil Sump Area), 165 (Triangle Area), 167.1 (North Spray Field), and 216.1 (East Spray Field). All samples used for selection of chemicals of concern and in the background comparison were collected above the water table. Samples collected below the water table were not included in the data set to avoid including constituents transported by groundwater.

Over 200 subsurface soil samples were analyzed for metals and radionuclides. Approximately 380 samples were analyzed for volatile organic compounds. Semivolatile organic compounds were also analyzed for in 34 samples collected at the Triangle Area (IHSS 165). The sampling and analytical program at each IHSS is summarized in Tables 2-1 and 2-2.

#### 4 2 BACKGROUND COMPARISON AND FREQUENCY OF DETECTION

Tables 4-1 and 4-2 summarize the maximum detected concentrations and detection frequencies for organic compounds and metals and the results of the background comparison for metals in OU6 subsurface soil samples Background data for subsurface soils were taken from the Background Geochemical Characterization Report (DOE 1993) The statistical comparisons of inorganic results to background data are presented in detail in Appendix A

Radionuclides were assumed to be detected at 100 percent frequency (both negative and positive results are included in the data set) Radionuclides above background levels are listed in the concentration/toxicity screen in Table 4-5

EG&G ROCKY FLATS RFI/RI Work Plan for OU6 Manual
Section
Page
Effective Date
Organization

21100-WP-OU6 01 Appendix L, Rev 0 25 of 53

Environmental Restoration

Analytes that were detected at 5 percent or greater detection frequency and that were identified as potential chemicals of concern on the basis of the statistical background comparison or exceedances of the background UTL<sub>99,99</sub> were included in concentration/toxicity screens to select OU-wide chemicals of concern in subsurface soil

#### 4.3 CONCENTRATION/TOXICITY SCREENS

Concentration/toxicity screens for chemicals in subsurface soils are presented in Tables 4-3 through 4-5. All analytes that contribute at least 1 percent of the total risk factor are retained as OU-wide chemicals of concern for quantitative risk assessment.

Plutonium-239,240 and americium-241 were retained as chemicals of concern in subsurface soil, even though they represented less than 1 percent of the total risk factor. They were retained because

- Plutonium and americium are associated with waste releases at Rocky Flats, whereas other radionuclides may be naturally occurring
- Plutonium and americium were detected in numerous samples at levels well above background at three IHSSs 1562 (Soil Dump Area), 165 (Triangle Area), and 2161 (East Spray Field)
- The small fraction of the total risk factor represented by plutonium and americium is determined by the maximum activity of uranium-238 (141 pCi/g) used in the concentration/toxicity screen for radionuclides (Table 4-5) Uranium-238 activities above the background UTL<sub>99/99</sub> of 18 pCi/g were detected in only two samples (2 8 and 141 pCi/g, both at IHSS 167 1, North Spray Field) The maximum activity is actually an extreme value that may result in an overestimate of the relative contribution of uranium-238 to overall risk and an underestimate of the relative contribution of plutonium and americium using reasonable maximum exposure concentrations

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	26 of 53
	Effective Date	
	Organization	Environmental Restoration

Therefore, it is considered reasonable to retain plutonium and americium as chemicals of concern in subsurface soil for evaluation in the quantitative risk assessment

Chemicals of concern are listed below and in Table 4-6

#### OU-Wide Chemicals of Concern Subsurface Soil

Methylene chloride
Benzo(a)pyrene
Benzo(b)fluoranthene
Barium
Plutonium-239,240
Americium-241
Uranium-233,234
Uranium-238

The occurrence of methylene chloride in subsurface soil is shown in Figures 4-1 through 4-6 The maximum concentration of 3 75 mg/kg was detected at IHSS 216 1, East Spray Field (Figure 4-5)

The two PAH chemicals of concern, benzo(a)pyrene and benzo(b)fluoranthene, were detected in subsurface soils at IHSS 165 (Triangle Area) (Figure 4-7) The Triangle Area is the only IHSS at which subsurface soil samples were analyzed for SVOCs (excepting IHSS 143, Old Outfall, which was excluded from the determination of OU-wide chemicals of concern)

The occurrence of elevated levels of barium in subsurface soil is shown in Figures 4-8 through 4-11 (concentrations above background mean plus two standard deviations are shown) Barium was detected above background levels in subsurface soil at all IHSSs

The occurrence of uranium isotopes, plutonium, and americium above background levels is shown in Figures 4-12 through 4-15 (activities above background mean plus two standard deviations are shown)

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	27 of 53
	Effective Date	
	Organization	Environmental Restoration

Chemicals of potential concern in subsurface soil that do not have EPA-established toxicity factors are lead and phenanthrene. These compounds cannot be evaluated in a toxicity- or risk-based screen to select chemicals of concern. However, their potential contribution to overall risk will be evaluated qualitatively in the risk assessment for OU6. Data are inadequate to assess toxicity of phenanthrene, and at the maximum detected concentration (0.17 mg/kg) the potential for adverse effects is likely to be negligible. The maximum lead concentration of 85 mg/kg is well below EPA's screening level of 400 mg/kg for residential soil (EPA 1994c)

### 4 4 RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS

Maximum concentrations of 17 VOCs and SVOCs (detected at < 5 percent frequency) were compared to values equivalent to 1000 times chemical-specific RBCs for construction worker exposure to subsurface soil (DOE 1994b). The comparison to RBCs is used to identify special-case chemicals of concern, i.e., infrequently detected compounds that could pose a health risk if long-term exposure were to occur to the maximum detected concentration. The screen is discussed in Appendix B and the results for subsurface soil are presented in Table B-2

None of the maximum concentrations of chemicals detected at low frequency in subsurface soil exceeded 1000 times the RBC. Therefore, no special-case chemicals of concern were identified for subsurface soils.

#### TABLE 4-1 **ROCKY FLATS OU6** ORGANIC COMPOUNDS AND METALS DETECTED AT **5% OR GREATER FREQUENCY** SUBSURFACE SOIL (1)

	Maximum Detected	Detection	
	Concentration	Frequency	Inorganic
Chemical	(mg/kg)	%	PCOC <sup>9 (2)</sup>
Organic Compounds			
2 But mone	3 7	22	
2-Chlorophenol	0.055	8	
Acctone	5 1	88	
Benzo(a)pyrene	0 13	8	
Benzo(b)fluoranthene	0 17	12	
Benzoic acid	0 26	19	
Bis(2-ethylhexyl)phthalate	0 39	34	
Fluoranthene	0 45	27	
Methylene chloride	3 75	86	
Phenanthrene	0 17	12	
Pyrene	0 19	23	
Tolucne	1 1	90	
Metals			
Aluminum	24100	100	No
Antunony	21 65	7	No
Arsenic	10 9	99	No
Barium	2970	100	Yes
Beryllium	2 1	86	No
Cadmium	1.8	77	No
Cesium	33 7	71	No
Chromium	217	98	Yes
Cobalt	21 4	95	No
Copper	52 1	100	No
Lead	84 9	100	Yes
Lithium	29 8	89	No
Manganese	907	100	No
Mercury	0 93	28	No
Nickel	41.5	64	No
Selenium	13	8	No
Strontium	506	100	Yes
Thallium	0 69	34	No
Vanadium	118	100	Yes
Zinc	706	100	Yes

<sup>(1)</sup> Excluding Old Outfall (IHSS 143)
(1) B iscd on b ickground comparison (Appendix A)

# TABLE 4-2 ROCKY FLATS OU6 ORGANIC COMPOUNDS AND METALS DETECTED AT LESS THAN 5% FREQUENCY SUBSURFACE SOIL (1)

	Maximum Detected	Detection	
	Concentration	Frequency	Inorganic
Chemical	(mg/kg)	%	PCOC ) (2
Organic Compounds			
1 4-Dichlorobenzene	0 064	4	
4-Methyl-2-pentanone	0 004	1	
Acenaphthene	0 056	4	
Benzene	0 006	1	
Benzo(a)anthracene	0 099	4	
Benzo(k)fluoranthene	0 06	4	
Chlorobenzene	0 074	0 3	
Chloroform	0 002	0 3	
Chrysone	0 12	4	
Diethyl phthalate	03	4	
Di-n-octyl phthalate	0 072	4	
Indeno(1 2 3-cd)pyrene	0 099	4	
Pentachlorophenol	0 66	4	
Phenol	0 055	4	
Styrene	0 001	0 3	
Xylenes, total	0 002	0 3	
Trichloroethene	0 021	2	
Metals			
Molybdenum	27 9	2	No
Silver	2 7	0 4	No
Tin	57.8	3	No

<sup>(1)</sup> Excluding Old Outfall (IHSS 143)

<sup>(2)</sup> Based on background comparison (Appendix A)

TABLE 4-3
ROCKY FLATS OU6
CONCENTRATION/TOXICITY SCREEN
SUBSURFACE SOIL<sup>(1)</sup>
NONCARCINOGENS

	Maximum				<del></del>	
	Detected	Inhalation	Oral	Risk	Risk	% of Total
Chemical	Conc (mg/kg)	RfD	RfD	Factor	Index	Risk Factor
Barium	2970	1 4E-04	7 0E-02	2 1E+07	1 0E+00	99 9
Vanadium	118	n/a	7 0E-03	1 7E+04	7 9E-04	0 1
Zinc	706	n/a	3 0E-01	2 4E+03	1 1E-04	0 0
Strontium	506	n/a	6 0E-01	8 4E+02	4 0E-05	00
Chromium	217	n/a	1 0E+00	2 2E+02	1 0E-05	00
Acetone	5 1	n/a	1 0E-01	5 1E+01	2 4E-06	00
Methylene chloride	3 75	9 0E-01	6 0E-02	6 3E+01	2 9E-06	0 0
Bis(2-ethylhexyl)phthalate	0 39	n/a	2 0E-02	2 0E+01	9 2E-07	0 0
2-Butanone	37	3 0E-01	6 0E-01	1 2E+01	5 8E-07	0 0
Fluoranthene	0 45	n/a	4 0E-02	1 1E+01	5 3E-07	0 0
2 Chlorophenol	0.055	n/a	5 0E-03	1 1E+01	5 2E-07	0.0
Toluene	1.1	1 1E-01	2 0E-01	1 0E+01	4 7E-07	0.0
Pyrene	0 19	n/a	3 0E-02	6 3E+00	3 0E-07	0.0
Benzoic acid	0 26	n/a	4 0E+00	6 5E-02	3 1E-09	0 0
Total Risk Factor				2 1E+07		

RfDs are in units of mg/kg-day

n/a = not available

<sup>(1)</sup> Excluding Old Outfall (IHSS 143)

# TABLE 4-4 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN SUBSURFACE SOIL<sup>(1)</sup> CARCINOGENS

	Maximum					
	Detected	Inhalation	Oral	Risk	Risk	% of Total
Chemical	Conc (mg/kg)	Slope Factor	Slope Factor	Factor	Index	Risk Factor
Benzo(a)pyrene	0 13	n/a	7 3E+00	9 5E-01	8 6E-01	85 8
Benzo(b)fluoranthene	0 17	n/a	7 3E-01	1 2E-01	1 1E-01	112
Methylene chloride	3 75	1 6E-03	7 5E-03	2 8E-02	2 5E-02	2.5
Bis(2-ethylhexyl)phthalate	0 39	n/a	1 4E-02	5 5E-03	4 9E-03	0.5
Total Risk Factor				1 1E+00		

Slope factors are in units of 1/(mg/kg-day)

n/a = not available

<sup>(1)</sup> Excluding Old Outfall (IHSS 143)

# TABLE 4-5 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN SUBSURFACE SOIL RADIONUCLIDES

						%
	Maximum Activity	Inhalation	Oral	Rısk	Rısk	of Total
Chemical	(pCı/g)	Slope Factor	Slope Factor	Factor	Index	Risk Factor
Uranium-238	141	5 2E-08	2 8E-11	7 3E-06	9 8E-01	98 2
Uranium-233 234	3 05	2 6E-08	1 6E-11	7 9E-08	1 1E-02	1 1
Plutonium 239 240	0.88	3 8E-08	2 3E-10	3 3E-08	4 5E-03	0.4
Americium-241	() 44	3 2E-08	2 4E-10	1 4E-08	1 9E-03	0 2
Uranium 235	0.16	2 5E-08	1 6E-11	4 0E-09	5 4E-04	0 1
Total Risk Factor	•			7 5E-06		

Slope factors are in units of 1/pC1

#### TABLE 4-6 ROCKY FLATS OU6 CHEMICALS OF CONCERN SUBSURFACE SOIL<sup>(1)</sup>

# OU-Wide Benzo(a)pyrene Benzo(b)fluoranthene Methylene chloride Barium Americium-241 Plutonium-239,240 Uranium-233, 234 Uranium 238

<sup>&</sup>lt;sup>1</sup> Excluding Old Outfall (IHSS 143)

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	28 of 53
	Effective Date	
	Organization	Environmental Restoration

#### 50 GROUNDWATER CHEMICALS OF CONCERN

#### 51 GROUNDWATER DATA SET

Monitoring wells in OU6 were installed in the Upper Hydrostratigraphic Unit (UHSU) Chemicals of concern in groundwater were selected using data collected from first quarter 1991 through fourth quarter 1993. Groundwater samples were analyzed for metals, radionuclides, volatile organic compounds, semivolatile organic compounds, and pesticides/ PCBs. The sampling and analytical programs for wells at each IHSS are summarized in Tables 2-1 and 2-2

#### 5 2 BACKGROUND COMPARISON AND FREQUENCY OF DETECTION

Tables 5-1 and 5-2 summarize the maximum detected concentrations, detection frequencies, and results of background comparison for analytes detected in groundwater. The background comparison and maximum concentrations shown for metals and radionuclides are based on unfiltered sample results. Background data for UHSU groundwater were taken from the Background Geochemical Characterization Report (DOE 1993)

The statistical background comparisons for inorganics are presented in detail in Appendix A Inspection of Table 5-1 and the Appendix A tables for unfiltered and filtered metals in groundwater reveal that nearly all metals, including typical rock-forming elements such as aluminum, calcium, iron, and sodium, were identified as being above background levels Metals as potential chemicals of concern are discussed further in Section 5 3

Radionuclides are assumed to be detected at 100 percent frequency (that is, both negative and positive results are used in the data set) Radionuclides above background levels are listed in the concentration/toxicity screen in Table 5-5

Several organic contaminants were detected at low concentrations in some groundwater samples. Maximum concentrations generally ranged from 0.1  $\mu$ g/L (styrene) to 150  $\mu$ g/L

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	29 of 53
	Effective Date	
	Organization	Environmental Restoration

(trichlorethene), vinyl chloride was detected at 860 µg/L Detection frequencies ranged from 0.4 percent (styrene) to 21 percent (bis(2-ehtylhexyl)phthalate (see Tables 5-1 and 5-2)

## 5 3 ELIMINATION OF METALS AS CONTAMINANTS OF CONCERN IN GROUNDWATER

As shown in Table 5-1 and Appendix A, nearly all metals analyzed for in unfiltered groundwater samples were identified as being above background levels, including aluminum, calcium, iron, potassium, and sodium, which are common rock-forming minerals and not likely to be environmental contaminants in OU6 Most metals failed the formal statistical comparison and had anywhere from 17 to 42 results above the background UTL<sub>99/99</sub> Only four metals (cesium, molybdenum, thallium, and tin) were found to be within background levels (see Table A-11)

Because it is unusual, even at hazardous waste sites, to see so many metals above background levels, an evaluation was conducted to ascertain whether the elevated metals concentrations in OU6 groundwater samples were due to factors other than environmental contamination. The evaluation consisted of (1) examining the spatial and temporal distribution of selected metals and (2) examining the relationship of elevated metals concentrations as a whole with organic contamination and with total suspended and total dissolved solids

The conclusion of the evaluation was that the elevated metals concentrations are not related to environmental contamination but rather to local geochemical conditions and to suspended solids in the groundwater samples. Therefore, metals should not be considered chemicals of concern in groundwater in OU6. Evidence supporting this conclusion is presented below

• Presence of naturally occurring zones of high manganese and other ions. The results of the background comparison suggest that local geochemical conditions in OU6 are different than those at the background sampling locations. The observances of elevated manganese and of elevated concentrations of iron, cobalt, lead, zinc, copper, nickel, and barium, which

EG&G ROCKY FLATS RFI/RI Work Plan for OU6 Manual
Section
Page
Effective Date
Organization

21100-WP-OU6 01 Appendix L, Rev 0 30 of 53

Environmental Restoration

can associate with manganese oxides (Hem 1989), suggest the presence of naturally occurring mineralization in OU6 that is absent in the background sampling locations. Elevated metals concentrations occur in both filtered and unfiltered samples. Recent investigations at the RFETS indicate wide and irregular distribution of dissolved manganese at high concentrations in UHSU groundwater, none of the background wells used for the Background Characterization Report were located in the recently identified areas of elevated manganese (Siders 1994). Therefore, it is probable that the background comparison gives misleading results and that the elevated metals in OU6 groundwater are due to local geochemical conditions.

Wide distribution of elevated metals and absence of spatial pattern Elevated concentrations of unfiltered and filtered metals were observed in samples widely distributed across the OU, with no relation to contaminant sources Figures 5-4 through 5-8 show concentrations of unfiltered metals in wells in several areas of OU6 For example, at wells 41691 and 0486 at Indiana Street (Figure 5-8), 19 metals--aluminum, antimony, barium, beryllium, cadmium, cobalt, chromium, copper, iron, lead, mercury, magnesium, manganese, nickel, potassium, silver, strontium, vanadium, and zinc--exceeded background levels (unfiltered results) However, in the nearest wells upgradient to 41691 and 0486, very few metals in unfiltered samples exceeded background levels. For example, in upgradient well 41091 (Figure 5-5), only barium, potassium, and manganese exceeded background levels In well 1186, only chromium and magnesium exceeded background levels (Figure 5-5) In upgradient well 3886, only calcium, manganese, sodium, and strontium exceeded background levels (Figure 5-6) As is evident in Figures 5-4 through 5-8, there are numerous other examples of erratic spatial occurrence of samples having ten or more metals with elevated concentrations The absence of a meaningful spatial pattern (such as concentration gradients) indicates that the occurrence of elevated metals concentrations is not related to contaminant plumes and that they are not associated with identifiable contaminant sources

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	31 of 53
	Effective Date	
	Organization	Environmental Restoration

- No correlation of elevated metals with VOC contamination. Elevated metals concentrations in groundwater can result from the solubilizing effects of organic contamination. However, this does not appear to be true in OU6 Low concentrations of chlorinated solvents and other VOCs such as xylenes and toluene were detected at some sampling locations. Concentrations of VOCs in wells in several areas of OU6 are show in Figures 5-9 through 5-17. Comparison of metals data shown in Figures 5-4 through 5-8 with organic data shown in Figures 5-9 through 5-17 shows that elevated metals concentrations were observed in some samples from some wells with organic contamination but not in others. Elevated metals concentrations were also observed in many wells with no VOC contamination. Therefore, it is concluded that the metals concentrations are unrelated to organic contamination.
- Absence of temporal pattern The temporal occurrence of concentrations above background UTL<sub>99/99</sub> was evaluated for selected metals. For example, concentrations of total antimony exceeded the background UTL<sub>99/99</sub> in 10 OU6 wells at which multiple (4 to 13) sampling rounds were conducted (Figures 5-4 through 5-8). However, in seven of the wells, the UTL<sub>99/99</sub> was exceeded in only one sampling event, in two wells the UTL<sub>99/99</sub> was exceeded in two sampling events, and in one well the UTL<sub>99/99</sub> was exceeded in three sampling events out of ten. This pattern--i.e., temporally isolated occurrences of concentrations in excess of background UTL<sub>99/99</sub> was found to be true for many analytes. The temporal isolation of elevated concentrations of metals at a single sampling locations is inconsistent with an assumption of contamination
- Strong correlation of elevated metals with Total Suspended Solids (TSS) and Total Dissolved Solids (TDS). Elevated metals concentrations, and the number of elevated metals in a sample, strongly correlate with high TSS and TDS in the samples. TSS and TDS concentrations by well number are listed in Appendix C. TSS concentrations in many samples ranged as high as 1100 to 21,000 mg/L. TDS concentrations ranged as high as 1000 to 7600 mg/L.

EG&G ROCKY FLATS RFI/RI Work Plan for OU6 Manual
Section
Page
Effective Date
Organization

21100-WP-OU6 01 Appendix L, Rev 0 32 of 53

Environmental Restoration

These samples had the highest metals concentrations as well. High TSS and TDS appear to be the largest factor contributing to elevated metals concentrations in groundwater samples. High TSS is not a sign of contamination but rather of sample turbidity resulting from well development and sampling procedures. As an example, samples from well 7287, which is located at Trench A (IHSS 1661), contained numerous elevated metals in several sampling rounds and had TSS ranging as high as 17,000 mg/L (average = 3880 mg/L). Field notes indicate all samples were cloudy, muddy, or colored. On the other hand, samples from well B206489, which is adjacent to well 7287 (see Figure 5-4), had TSS ranging from 9 to 81 mg/L, and had only a single occurrence of a metal result exceeding background UTL. Field notes indicate all but one sample were clear.

As examples of the correlation of elevated metals to TSS and TDS, Figures 5-1 through 5-3 show scatterplots of aluminum, arsenic, and barium to TSS and TDS. These three metals are used as examples because of their high relative risk at the maximum concentrations found in OU6.

It is concluded that elevated metals concentrations in OU6 groundwater samples are related to suspended solids in the sample and to naturally occurring geochemical characteristics such as high manganese zones. Metals are therefore eliminated from further consideration as contaminants of concern in groundwater in OU6

## 5 4 ELIMINATION OF BIS(2-ETHYLHEXYL)PHTHALATE, CESIUM-137, AND STRONTIUM-89,90 AS CHEMICALS OF CONCERN IN GROUNDWATER

Review of the analytical results and occurrence of bis(2-ethylhexyl)phthalate, cesium-137, and strontium-89,90 in groundwater indicates that these analytes should not be included in the selection of OU-wide chemicals of concern in groundwater. The evidence supporting this conclusion is presented below

Manual	21100-WP-OU6 01
Section	Appendix L, Rev 0
Page	33 of 53
Effective Date	
Organization	Environmental Restoration
	Section Page Effective Date

Bis(2-ethylhexyl)phthalate Bis(2-ethylhexyl)phthalate is a common field and laboratory contaminant because it is a constituent of plastic products used in sampling and analysis. This compound was detected in 3 of 14 groundwater samples submitted for SVOC analyses and it is the only SVOC detected in the samples, except for one result for diethylphthalate. All results were estimated values below the quantitation limit of 0.010 mg/L. The three positive results were temporally isolated (detected in only one of multiple sampling rounds) and were from spatially distant wells

Bis(2-ethylhexyl)phthalate Detections in Groundwater

Well No	Location	Sample Date	Concentration, mg/L
77492	IHSS 143 (Old Outfall)	3/22/93	ND
	·	4/21/93	ND
		8/4/93	0 008 J
41691	Indiana Street	12/7/91	0 003 J
		4/1/92	ND
41091	North Walnut Creek, downgradient of	12/20/91	ND
	Pond A-4	3/17/92	0 004 Ј
		8/13/93	ND

ND = Not detected (quantitation limit = 0.010 mg/L)

The few detections are temporally and spatially isolated, and the data do not support an assumption of contamination. Therefore, this compound is eliminated from further consideration as a contaminant in groundwater.

Cesium-137 Results for cesium-137 in unfiltered groundwater samples were not found to be significantly different than background levels according to the four formal statistical tests described in Appendix A. However, 2 results out of 68 exceeded the background UTL<sub>99/99</sub> of 1 065 pCi/L 18 pCi/L in well 1786 upgradient of the A series ponds and 4 5 pCi/L at well 1286 in pond A-3. Consequently, this analyte was identified as a potential chemical of concern. However, the two exceedances of the background UTL are temporally isolated events and all other results at these locations were within background range.

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	34 of 53
	Effective Date	
	Organization	Environmental Restoration

Analytical results for cesium-137 at wells 1786 and 1286 are summarized below

Cesium-137
Temporal Evaluation at Wells with Exceedances of Background UTL<sub>99/99</sub>

Well	Sample Date	Activity, pCi/L
1786	10/10/91	0 28
	11/14/91	0 56
	1/20/92	0 40
	6/11/92	0 53
	7/12/93	1 82
1286	6/20/91	0 63
	1/10/92	0 19
	5/14/92	4 50

Background mean plus 2 standard deviation =  $0.782 \text{ pC}_{1}/L$  background maximum =  $1.16 \text{ pC}_{1}/L$ , background UTL<sub>99/99</sub> =  $1.065 \text{ pC}_{1}/L$ 

Because only 2 results out of 68 exceeded the background range and because they were temporally isolated events, cesium-137 is not considered a contaminant in groundwater, and it is not evaluated further

Strontium-89,90 Only three groundwater samples were analyzed for strontium-89,90 The results were 0.19, 1.10, and 1.22 pCi/L. These results are within or slightly above background levels (the background mean plus two standard deviations is 0.95 pCi/L, the background maximum is 1.12 pCi/L (n = 32), and the background UTL<sub>99,99</sub> is 1.154 pCi/L) The three OU6 samples were collected from spatially distant wells (well 2691 upgradient of the B series ponds, well 1186 downgradient of pond A-4, and well 486 at Indiana Street) Because the sample size is so small and because the OU6 levels are so close to background levels, this analyte is not included in the determination of OU-wide chemicals of concern in groundwater

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	35 of 53
	Effective Date	
	Organization	Environmental Restoration

#### 5 5 CONCENTRATION/TOXICITY SCREENS

Concentration/toxicity screens for organic contaminants and radionuclides are presented in Tables 5-3 through 5-5. With the exception of the analytes discussed in Section 5.4, all organic analytes detected at a frequency of 5 percent or greater and radionuclides identified as above background levels were included in the screens.

All analytes that contribute at least 1 percent of the total risk factor are retained as OU-wide chemicals of concern in groundwater for quantitative risk assessment. Chemicals of concern for groundwater are listed below and in Table 5-6

OU-Wide Chemicals of Concern Groundwater

Chemical	Maximum Result (mg/L or pC1/L)	
Chloroform	0 008	
Methylene chloride	0 032	
Tetrachloroethene	0 013	
Trichloroethene	0 150	
Nitrate	1760	
Plutonium-239, 240	3 65	
Americium-241	3 2	
Radium-226	8 8	

The distribution of the organic chemicals of concern in groundwater is shown in Figures 5-9 through 5-17. The maximum concentrations of volatile organics are relatively low (<0.15 mg/L) and the maximum frequency of detection was 15 percent (Table 5-1). Therefore, organic contamination of groundwater in OU6 is considered minimal.

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	36 of 53
	Effective Date	
	Organization	Environmental Restoration

The distribution of elevated concentrations of radionuclide chemicals of concern in groundwater is shown in Figures 5-18 through 5-21 (results above background mean plus two standard deviations are shown) Most elevated results were measured in samples collected at the two wells at Indiana Street (well 486 and well 41691, Figure 5-21)

Nitrates were detected in wells upgradient of the A series ponds. They are believed to be associated with the solar ponds, which are upgradient of OU6

## 5 6 RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS

Maximum concentration of 13 VOCs (detected at <5 percent frequency) were compared to values equivalent to 1000 times the chemical-specific RBCs. The RBCs were calculated assuming residential use of groundwater and are used to identify special-case chemicals of concern that could pose a health risk if long-term exposure were to occur to maximum concentrations in a highly localized area. The screen is discussed in Appendix B and the results for groundwater are presented in Table B-3

Vinyl chloride was the only chemical detected at low frequency that exceeded the 1000 times RBC value. Vinyl chloride will be retained for further evaluation as a special-case chemical of concern in groundwater.

#### TABLE 5-1 ROCKY FLATS OU6 ORGANIC COMPOUNDS AND TOTAL METALS DETECTED AT

## 5% OR GREATER FREQUENCY UHSU GROUNDWATER

	Maximum Detected	Detection	
	Concentration	Frequency	Inorganic
Chemical	(mg/L)	%	PCOC ) (1)
Organic Compounds			
1 1 1-Trichloroethane	0.012	9	
1 1-Dichloroethane	0 062	9	
1,2-Dichloroethene	0 074	11	
1 2-Dichloroethene, cis	0 0007	6	
Acetone	0 027	5	
Bis(2-ethylhexyl)phthalate	0 008	21	
Chloroform	0 008	9	
Diethyl phthalate	0 002	7	
Methylene chloride	0 032	12	
Tetrachloroethene	0 013	15	
Toluene	0 016	6	
Trichloroethene	0 15	14	
Metals			
Aluminum	456	95	Yes
Antimony	0 194	16	Yes
Arsenic	0 018	52	Yes
Barium	5 06	98	Yes
Beryllium	0 032	30	Yes
Cadmium	0 0329	26	Yes
Chromium	0 58	<u>20</u> 75	Yes
Cobalt	0 228	45	Yes
Copper	6 43	54	Yes
Lead Lead	0 254	73	Yes
Lithium	0 456	93	Yes
Manganese	62	94	Yes
Mercury	0 0015	10	Yes
Molybdenum	0 0295	27	No No
Nickel	1 07	66	Yes
Selenium	0 475	58	Yes
Silver	3 04	20	Yes
Strontium	6 96	100	Yes
Thallium	0 0027	5	No No
r namum Fin	0 267	19	No
r iii Vanadium	0.754	74	Yes
Zinc	8	83	Yes

<sup>(1)</sup> Based on background comparison (Appendix A)

# TABLE 5-2 ROCKY FLATS OU6 ORGANIC COMPOUNDS AND TOTAL METALS DETECTED AT LESS THAN 5% FREQUENCY UHSU GROUNDWATER

	Maximum Detected	Detection	
	Concentration	Frequency	Inorganic
Chemical	(mg/L)	%	PCOC <sup>) (1)</sup>
Organic Compounds			
1 1-Dichloroethene	0 005	1	
1,2-Dichloroethane	0 002	1	
1 2-Dichloroethene trans	0 009	2	
1,2,4-Trimethylbenzene	0 0002	3	
2-Butanone	0 001	1	
2-Hexanone	0 005	0 4	
4-Methyl-2-pentanone	0 002	1	
Benzene	0 003	3	
Carbon disulfide	0 004	11	
Carbon tetrachloride	0 008	4	
Chloromethane	0 00025	0 4	
Ethylbenzene	0 001	2	
Styrene	0 00011	0 4	
Vinyl chloride	0 86	3	
Xylenes (total)	0 014	4	
•			
Metals		_	
Cesium	0.15	2	No

<sup>(1)</sup> Based on background comparison (Appendix A)

## TABLE 5-3 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN UHSU GROUNDWATER NONCARCINOGENS

	Maximum					%
	Detected	Inhalation	Oral	Rısk	Rısk	of Total
Chemical	Conc (mg/L)	RfD	RfD	Factor	Index	Risk Factor
Nitrate	1760	n/a	1 6E+00	1 1E+03	9 9E-01	98 9
1,2-Dichloroethene	0 074	n/a	9 0E-03	8 2E+00	7 4E-03	0 7
Tetrachloroethene	0 013	n/a	1 0E-02	1 3E+00	1 2E-03	0 1
Chloroform	0 008	n/a	1 0E-02	8 0E-01	7 2E-04	0 1
1,1-Dichloroethane	0 062	1 4E-01	1 0E-01	6 2E-01	5 6E-04	0 1
Methylene chloride	0 032	9 0E-01	6 0E-02	5 3E-01	4 8E-04	0 0
Acetone	0 027	n/a	1 0E-01	2 7E-01	2 4E-04	0 0
Toluene	0 016	1 1E-01	2 0E-01	1 5E-01	1 3E-04	0 0
cis-1,2-Dichloroethene	0 0007	n/a	1 0E-02	7 0E-02	6 3E-05	0 0
Diethyl phthalate	0 002	n/a	8 0E-01	2 5E-03	2 2E-06	00
Total Risk Factor				1 1E+03		

RfDs are in units of mg/kg-day n/a = not available

## TABLE 5-4 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN UHSU GROUNDWATER CARCINOGENS

	Maximum Detected	Inhalation	Oral	Rısk	Rısk	% of Total
Chemical	Conc (mg/L)	Slope Factor	Slope Factor	Factor	Index	Risk Factor
Trichloroethene	0 15	6 0E-03	1 1E-02	1 7E-03	5 1E-01	51 5
Tetrachloroethene	0 013	2 0E-03	5 2E-02	6 8E-04	2 1E-01	21 1
Chloroform	0 008	8 0E-02	6 1E-03	6 4E-04	2 0E-01	20 0
Methylene chloride	0 032	1 6E-03	7 5E-03	2 4E-04	7 5E-02	7.5
Total Risk Factor				3 2E-03		

Slope factors are in units of 1/(mg/kg-day)

n/a = not available

# TABLE 5-5 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN UHSU GROUNDWATER RADIONUCLIDES

Chemical	Maximum Activity (pCi/L)	Inhalation Slope Factor		Oral Slope Factor	Rısk Factor	Rısk Index	% of Total Risk Factor
Radium-226	8 8	3 0E-09	*	1 2E-10	1 1E-09	4 0E-01	39 6
Plutonium-239,240	3 65	3 8E-08	*	2 3E-10	8 4E-10	3 2E-01	31 5
Americium-241	3 2	3 2E-08	*	2 4E-10	7 7E-10	2 9E-01	28 8
Total Risk Factor				<b>_</b>	2 7E-09		


Slope factors are in units of 1/pC1


<sup>\*</sup> Inhalation of radionuclides from groundwater is an incomplete pathway Therefore oral toxicity factors were used in the screen

#### TABLE 5-6 ROCKY FLATS OU6 CHEMICALS OF CONCERN UHSU GROUNDWATER

OU-Wide	Special Case 1
Chloroform	Vinyl chloride
Methylene chloride	
Tetrachloroethene	
Trichloroethene	
Nitrate	
Plutonium-239 240	
Americium-241	
Radium-226	

<sup>&</sup>lt;sup>1</sup> See Appendix B








Figure 5-3

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	37 of 53
	Effective Date	
	Organization	Environmental Restoration

#### 60 POND SEDIMENT CHEMICALS OF CONCERN

#### 61 POND SEDIMENT DATA SET

Wet sediment samples were collected in the A and B series ponds in the Walnut Creek drainage, including the terminal pond at Walnut Creek and Indiana Street Collectively the ponds are IHSS 142. The A series ponds along North Walnut Creek are numbered IHSS 142.1 through 142.4. The B series ponds along South Walnut Creek are numbered IHSS 142.5 through 142.9. The terminal pond is IHSS 142.12. Pond locations are shown in Figure 1-1. Approximately 50 samples were collected and analyzed for metals, radionuclides, volatile and semivolatile organic compounds, and pesticides/PCBs. The sampling and analytical program for pond wet sediments (IHSS 142) is summarized in Tables 2-1 and 2-2.

#### 62 BACKGROUND COMPARISON AND FREQUENCY OF DETECTION

Tables 6-1 and 6-2 summarize the maximum detected concentrations and detection frequencies for organic compounds and metals and the results of the background comparison for metals in the pond sediment samples. Background data from seeps/springs reported in the Background Geochemical Characterization Report (DOE 1993) were used for comparison to pond sediment data. Seep/spring background data were preferred to background stream sediment data for this comparison because of the similarity in flow regime (long residence time) in the seeps and ponds. The statistical comparisons of inorganic results to background data are presented in detail in Appendix A.

Radionuclides are assumed to be detected at 100 percent frequency (that is both negative and positive results are included in the data set) Radionuclides above background levels are listed in the concentration/toxicity screen in Table 6-5

Analytes above background levels that were detected at 5 percent or greater detection frequency were included in concentration/toxicity screens to select OU-wide chemicals of

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	38 of 53
	Effective Date	
	Organization	Environmental Restoration

concern, with the exception of manganese, which is considered to be naturally occurring as explained in Section 6.3

## 6 3 EXCLUSION OF MANGANESE AS A CHEMICAL OF CONCERN IN POND SEDIMENT

Manganese was identified as a potential chemical of concern in pond sediment because it failed the Gehan test when compared to background seep/spring data (see Table A-21) (The Gehan test ranks the values in the combined background and site data sets) However, further review of the data indicates that manganese should not be considered a contaminant in this medium. Mean and maximum concentrations of manganese in background and OU6 pond sediments are summarized in the table below.

Manganese in Background and OU6 Sediment Samples

Location	Sample Size	Mean mg/kg	Maxımum mg/kg	Std Dev mg/kg
Background	20	318	1740	437
OU6	57	283	558	86

Histograms and box plots comparing background and OU6 sediment data are shown in Figures 6-13 and 6-14. Review of the histograms shows that the majority of the OU6 pond sediment data falls between 177 and 400 mg/kg, with a maximum of 558 mg/kg, and that these values fall well within the range of values for the background data. In fact, the background data set includes higher values than detected in pond sediment. The box plot (Figure 6-14) also demonstrates that the OU6 measurements are similar to background Furthermore, no OU6 measurement exceeded the background mean plus two standard deviations of 1192 mg/kg, which is the CDPHE criterion for identifying source areas of contamination. In addition, manganese is not a contaminant in surface soil, subsurface soil, or groundwater, and therefore it would not be expected to be a contaminant in sediment

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	39 of 53
	Effective Date	
	Organization	Environmental Restoration

Concentrations of manganese in sediment are comparable to those measured in background and OU6 surface soils samples (Figure 6-15)

#### 6 4 CONCENTRATION/TOXICITY SCREENS

Concentration/toxicity screens for pond sediments are presented in Tables 6-3 through 6-5 All analytes that contribute at least 1 percent of the total risk factor are retained as OU-wide chemicals of concern for quantitative risk assessment

Chemicals of concern are listed below and in Table 6-6

#### OU-Wide Chemicals of Concern Pond Sediments

Benzo(a)pyrene
Benzo(b)fluoranthene
Bis(2-ethylhexyl)phthalate
Aroclor-1254
Antimony
Manganese
Silver
Vanadium
Zinc
Plutonium-239,240
Americium-241

The distribution of organic chemicals of concern in pond sediments is shown in Figures 6-1 through 6-6 PAHs and PCBs were widely detected in pond sediments Bis(2-ethylhexyl)phthalate was detected in low concentrations in the A series ponds and in higher concentrations in the B series ponds

Concentrations of metal chemicals of concern above the background mean plus two standard deviations are shown in Figures 6-7 through 6-9 Silver and zinc were detected in the highest

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	40 of 53
	Effective Date	
	Organization	Environmental Restoration

concentrations in the B series ponds, especially pond B-1 Antimony was identified as a potential chemical of concern because 1 sample out of 57 (68 mg/kg in pond B-3) exceeded the background UTL<sub>99,99</sub> of 55 mg/kg, however, antimony did not exceed background by any of the four formal statistical tests (see Appendix A, Table A-21) Therefore, although antimony at its maximum detected concentration represented 65 percent of the total risk factor (Table 6-3), it is questionable whether antimony should be considered an OU-wide chemical of concern. However, it is retained as a chemical of concern because it met the following criteria for selecting chemicals of concern. It was detected at greater than 5 percent frequency, it exceeded background by the UTL comparison, and the elevated concentration is located in an IHSS (i.e., cannot be excluded on the basis of spatial or temporal evaluation)

Plutonium-239,240 and americium-241 are also widely detected in pond sediments, especially in the B series ponds (Figures 6-10 through 6-12, activities above background mean plus two standard deviations are shown)

Chemicals of potential concern in pond sediments that do not have EPA-established toxicity factors are 2-methylnaphthalene, benzo(ghi)perylene, phenanthrene, dibenzofuran, and copper Because of the lack of toxicity factors for these chemicals, they cannot be evaluated in a toxicity- or risk-based screen to select chemicals of concern However, their potential contribution to overall risk will be evaluated qualitatively in the risk assessment for OU6

## 6 5 RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS

Maximum concentrations of ten VOCs, SVOCs, and pesticides/PCBs (detected at <5 percent frequency) were compared to values equivalent to 1000 times chemical-specific RBCs (DOE 1994b). Although these chemicals were detected in pond sediment where exposure potential is limited, the RBCs used in this screening evaluation were calculated assuming long-term residential exposure. This approach is extremely conservative, since it assumes a daily exposure to chemicals in pond sediment, including inhalation of particulate matter. The comparison to 1000 times the RBCs is used to identify special-case chemicals of concern, that

EG&G ROCKY FLATS RFI/RI Work Plan for OU6 Manual Section Page Effective Date Organization 21100-WP-OU6 01 Appendix L, Rev 0 41 of 53

Environmental Restoration

is infrequently detected chemicals that could pose a health risk if long-term exposure were to occur to the maximum concentration. The screen is discussed in Appendix B and the results for pond sediment are presented in Table B-4

None of the chemicals detected at low frequency in pond sediments exceeded 1000 times the RBC Therefore, no special-case chemicals of concern were identified in pond sediments

# TABLE 6-1 ROCKY FLATS OU6 ORGANIC COMPOUNDS AND METALS DETECTED AT 5% OR GREATER FREQUENCY POND SEDIMENT

	Maximum Detected	Detection	
	Concentration	Frequency	Inorganic
Chemical	(mg/kg)	%	PCOC ? (1)
Organic Compounds			
2-Butanone	0 13	53	
Acenaphthene	0 59	9	
Acetone	3 3	94	
Anthracene	0 8	20	
Aroclor-1254	10	44	
Benzene	0 01	6	
Benzo(a)anthracene	1 1	38	
Benzo(a)pyrene	0 87	41	
Benzo(b)fluoranthene	3 1	45	
Benzo(g,h,1)perylene	0 66	11	
Benzo(k)fluoranthene	1	32	
Benzoic acid	4 6	27	
Bis(2-ethylhexyl)phthalate	88	91	
Butyl benzylphthalate	0 12	5	
Chrysene	19	52	
Dı-n-octyl phthalate	0 25	11	
Fluoranthene	3 5	66	
Indeno(1,2,3-cd)pyrene	0 66	14	
Methylene chloride	8 3	92	
Phenanthrene	2 6	54	
Pyrene	3 8	66	
Toluene	11	90	
Metais			
Aluminum	27400	100	No
Antimony	68 5	39	Yes
Arsenic	10 2	100	No
Barium	254	100	No
Beryllium	15 2	98	No
Cadmium	9 9	39	No
Cesium	5 8	93	No
Chromium	96 1	100	Yes
Cobalt	15 5	100	Yes

TABLE 6-1 (CONCLUDED)

	Maximum Detected	Detection		
	Concentration	Frequency	Inorganic	
Chemical	(mg/kg)	%	PCOC ? (1)	
Copper	125	100	Yes	
Lead	155	100	No	
Lithium	16 6	98	No	
Manganese	558	100	Yes	
Mercury	15	43	No	
Nickel	58 1	70	No	
Selenium	19	5	No	
Silver	345	39	Yes	
Strontium	307	100	No	
Thallıum	0 85	39	No	
Vanadium	62 7	100	Yes	
Zinc	1270	100	Yes	

<sup>(1)</sup> Based on background comparison (Appendix A)

# TABLE 6-2 ROCKY FLATS OU6 ORGANIC COMPOUNDS AND METALS DETECTED AT LESS THAN 5% FREQUENCY POND SEDIMENT

Maximum Detected	Detection	Inorganio	
· · - · · - · · - · · · · · · · · ·	• •	Inorganic	
(mg/kg)	<u>%</u>	PCOC ? (1)	
0 13	2		
0 17	2		
0 006	2		
0 054	2		
0 86	4		
0 15	2		
0 18	2		
0 46	4		
0 025	2		
0 039	1		
0 39	2		
0 29	44		
30 <b>5</b>	2	No	
	Concentration (mg/kg)  0 13 0 17 0 006 0 054 0 86 0 15 0 18 0 46 0 025 0 039 0 39	Concentration (mg/kg)         Frequency           0 13         2           0 17         2           0 006         2           0 054         2           0 86         4           0 15         2           0 18         2           0 46         4           0 025         2           0 039         1           0 39         2           0 29         4	

<sup>(1)</sup> Based on background comparison (Appendix A)

## TABLE 6-3 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN POND SEDIMENT NONCARCINOGENS

	Maximum						%
	Detected	Inhalation	l	Oral	Rısk	Rısk	of Total
Chemical	onc (mg/kg	RfD _		RfD	Factor	Index	Risk Factor
Antimony	68 5	n/a		4 0E-04	1 7E+05	6 6E-01	66 2
Silver	345	n/a		5 0E-03	6 9E+04	2 7E-01	26 7
Vanadıum	62 7	n/a		7 0E-03	9 0E+03	3 5E-02	3 5
Bis(2-ethylhexyl)phthal	88	n/a		2 0E-02	4 4E+03	1 7E-02	17
Zinc	1270	n/a		3 0E-01	4 2E+03	1 6E-02	16
Cobalt	15 5	n/a		6 0E-02	2 6E+02	1 0E-03	0 1
Methylene chloride	8 3	9 0E-01	*	6 0E-02	1 4E+02	5 3E-04	0 1
Pyrene	3 8	n/a		3 0E-02	1 3E+02	4 9E-04	0 0
Chromium	96 1	n/a		1 0E+00	9 6E+01	3 7E-04	0 0
Fluoranthene	3 5	n/a		4 0E-02	8 8E+01	3 4E-04	0 0
Acetone	3 3	n/a		1 0E-01	3 3E+01	1 3E-04	0 0
D1-n-octylphthalate	0 25	n/a		2 0E-02	1 3E+01	4 8E-05	0 0
Acenaphthene	0 59	n/a		6 0E-02	9 8E+00	3 8E-05	0 0
Toluene	1 1	1 1E-01	*	2 0E-01	5 5E+00	2 1E-05	0 0
Anthracene	08	n/a		3 0E-01	2 7E+00	1 0E-05	0 0
Benzoic acid	4 6	n/a		4 0E+00	1 2E+00	4 4E-06	0 0
Butyl benzylphthalate	0 12	n/a		2 0E-01	6 0E-01	2 3E-06	0 0
2-Butanone	0 13	3 0E-01	*	6 0E-01	2 2E-01	8 4E-07	0 0
Total Risk Factor					2 6E+05	•	

RfDs are in units of mg/kg-day

n/a = not available

<sup>\*</sup> Inhalation is an incomplete pathway because pond sediments are assumed to remain satura are not released to air. Therefore, oral toxicity factors were used in this screen

## TABLE 6-4 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN POND SEDIMENT CARCINOGENS

	Maximum						
	Detected	Inhalation		Oral	Rısk	Rısk	% of Total
Chemical	Conc (mg/kg)	Slope Factor		Slope Factor	Factor	Index	Risk Factor
Aroclor-1254	10	n/a		7 7E+00	7 7E+01	8 7E-01	87 1
Benzo(a)pyrene	0 87	n/a		7 3E+00	6 4E+00	7 2E-02	7 2
Benzo(b)fluoranthene	3 1	n/a		7 3E-01	2 3E+00	2 6E-02	26
Bis(2-ethylhexyl)phthalate	88	n/a		1 4E-02	1 2E+00	1 4E-02	1 4
Benzo(a)anthracene	1 1	n/a		7 3E-01	8 0E-01	9 1E-03	09
Indeno(1,2,3-cd)pyrene	0 66	n/a		7 3E-01	4 8E-01	5 4E-03	0 5
Chrysene	19	n/a		7 3E-02	1 4E-01	1 6E-03	0 2
Benzo(k)fluoranthene	1	n/a		7 3E-02	7 3E-02	8 3E-04	0 1
Methylene chloride	8 3	1 6E-03	*	7 5E-03	6 2E-02	7 0E-04	0 1
Benzene	0 01	2 9E-02	*	2 9E-02	2 9E-04	3 3E-06	0 0
Total Risk Factor					8 8E+01	•	

Slope factors are in units of 1/(mg/kg-day)

n/a = not available

<sup>\*</sup> Inhalation is an incomplete pathway because pond sediments are assumed to remain saturated and contaminants are not released to air. Therefore, oral toxicity factors were used in this screen

## TABLE 6-5 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN POND SEDIMENT RADIONUCLIDES

	Maximum Activity	Inhalation		Oral	Rısk	Rısk	% of Total
Chemical	(pC1/g)	Slope Factor		Slope Factor	Factor	Index	Risk Factor
Plutonium-239,240	1174	3 8E-08	*	2 3E-10	2 7E-07	8 3E-01	82 6
Americium-241	230 53	3 2E-08	*	2 4E-10	5 5E-08	17E-01	16 9
Uranium-238	26 445	5 2E-08	*	2 8E-11	7 4E-10	2 3E-03	0 2
Uranium-233,234	15 935	2 6E-08	*	1 6E-11	2 5E-10	7 8E-04	0 1
Uranium-235	0 854	2 5E-08	*	1 6E-11	1 4E-11	4 2E-05	0 0
Radium-226	1 25	3 0E-09	*	1 2E-10	1 5E-10	4 6E-04	00
Radium-228	2 3	6 6E-10	*	1 0E-10	2 3E-10	7 0E-04	0 1
Strontium-89,90	18	6 2E-11	*	3 6E-11	6 5E-11	2 0E-04	0 0
Total Risk Factor				•	3 3E-07	'	

Slope factors are in units of 1/pC1

<sup>•</sup> Inhalation is an incomplete pathway because pond sediments are assumed to remain saturated and contaminants are not released to air. Therefore, oral toxicity factors were used in the screen

## TABLE 6-6 ROCKY FLATS OU6 CHEMICALS OF CONCERN POND SEDIMENT

# OU-Wide Aroclor-1254 Benzo(a)pyrene Benzo(b)fluoranthene Bis(2-ethylhexyl)phthalate Antimony Silver Vanadium Zinc Americium-241 Plutonium-239,240

FIGURE 6-13
HISTOGRAMS FOR MANGANESE IN BACKGROUND SEEP/SPRING AND OU6 POND SEDIMENTS




FIGURE 6-14
BOX PLOTS FOR MANGANESE IN BACKGROUND SEEP/SPRING AND OU6 POND SEDIMENTS





FIGURE 6-15
HISTOGRAMS FOR MANGANESE IN BACKGROUND AND OU6 SURFACE SOIL



EG&G ROCKY FLATS RFI/RI Work Plan for OU6 Manual
Section
Page
Effective Date
Organization

21100-WP-OU6 01 Appendix L, Rev 0 42 of 53

Environmental Restoration

#### 70 POND SURFACE WATER CHEMICALS OF CONCERN

#### 7 1 POND SURFACE WATER DATA SET

Approximately 50 surface water samples were collected in the A and B series ponds in the Walnut Creek drainage, including the terminal pond at Walnut Creek and Indiana Street Samples were analyzed for metals, radionuclides, and volatile and semivolatile organic compounds. The sampling and analytical program for pond surface water (IHSS 142) is summarized in Tables 2-1 and 2-2

#### 7 2 BACKGROUND COMPARISON AND FREQUENCY OF DETECTION

Tables 7-1 and 7-2 summarize the maximum detected concentrations and detection frequencies for organic compounds and metals and the results of the background comparison for metals in pond surface water. Background data from seeps/springs reported in the Background Geochemical Characterization Report (DOE 1993) were used for comparison to pond surface water data. Seep/spring background data were preferred to background stream data for this comparison because of the similarity in flow regime (long residence time) in the seeps and ponds. The statistical comparisons of metals and radionuclide results to background data are presented in detail in Appendix A.

Analytes above background levels that were detected at 5 percent or greater detection frequency were included in concentration/toxicity screens to select OU-wide chemicals of concern, with the exception of uranium isotopes. Uranium in pond surface water is considered to be naturally occurring, for the reasons presented in Section 7.3. Compounds detected at less than 5 percent frequency were evaluated in the risk-based RBC screen to identify special-case chemicals of concern.

Manual	21100-WP-OU6 01
Section	Appendix L, Rev 0
Page	43 of 53
Effective Date	
Organization	Environmental Restoration
	Section Page Effective Date

### 7 3 EXCLUSION OF URANIUM ISOTOPES AS CHEMICALS OF CONCERN IN POND SURFACE WATER

Uranium isotopes (U-233,234, U-235, and U-238) were the only radionuclides in unfiltered pond water that exceeded background levels (based on comparison to seep/spring water, Table A-31) The detections of uranium isotope activities above the background mean plus two standard deviations are shown in Figures 7-5 and 7-6. The uranium isotopes in pond water are likely to be naturally occurring. The ratio of U-233,234 to U-238 activity is close to one in naturally occurring uranium (DOE 1992c). In all ponds except B-4 (where non-detect results for U-238 prevented an adequate analysis), the ratio of U-233,234 activity to U-238 activity ranged from 0.7 to 1.3 (overall average = 0.99). Because the ratios in individual ponds and the overall average are so close to one, it is concluded that the uranium detected in pond water samples results from naturally occurring uranium in the environment Furthermore, uranium isotopes did not exceed background levels in OU6 surface soil or in groundwater, which supports a conclusion that these isotopes are not contaminants but rather are naturally occurring. Therefore, uranium isotopes are eliminated from further evaluation as chemicals of concern.

#### 7 4 CONCENTRATION/TOXICITY SCREENS

Concentration/toxicity screens for organic compounds detected in pond surface water are presented in Tables 7-3 and 7-4. All analytes that contribute at least 1 percent of the total risk factor are retained as OU-wide chemicals of concern for quantitative risk assessment. Chemicals of concern are listed below and in Table 7-5.

#### OU-Wide Chemicals of Concern Pond Surface Water

Acetone
Chloroform
1 2-Dichloroethene
Methylene chloride
Trichloroethene

EG&G ROCKY FLATS RFI/RI Work Plan for OU6 Manual
Section
Page
Effective Date
Organization

21100-WP-OU6 01 Appendix L, Rev 0 44 of 53

Environmental Restoration

Figures 7-1 through 7-4 show the occurrence of volatile organic chemicals of concern in pond surface water The volatile organic chemicals of concern were reported in trace concentrations (0 008J to 0 036B mg/L) in some samples collected in the B series ponds Methylene chloride was also reported in one sample collected in pond A-2 Most results for chloroform, trichloroethene, and 1,2-dichloroethene were J-qualified, indicating estimated quantities below the sample quantitation limit, and most results for acetone and methylene chloride were B-qualified, indicating presence of the compound in the laboratory blank (the data validation process did not result in qualifying these results as non-detect) The very low reported concentrations and the occurrence of acetone and methylene chloride in the laboratory method blanks suggest that some or all of these compounds may not be environmental contaminants in surface water but rather sampling or laboratory artifacts or naturally occurring (chloroform) Acetone and methylene chloride are common laboratory contaminants, and it is not uncommon to detect halogenated methanes such as chloroform in surface waters These same constituents were reported in trace concentrations in stream water during base flow and storm events. The fact that the maximum concentration of acetone (0 14 B mg/L) was detected in the terminal pond at Walnut and Indiana, following surface water treatment by activated carbon at the A-4 pond, further suggests that at least this compound is a sampling or laboratory artifact because acetone would be removed by treatment at pond A-4

On the other hand, these constituents were reported in groundwater samples from OU6, and they cannot be conclusively excluded as environmental contaminants based on the available evidence. Therefore, they are retained as chemicals of concern in surface water.

## 7 5 RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS

Tetrachloroethene and 1,2-dichloroethane (detected at <5 percent frequency) were detected in pond surface water and compared to values equivalent to 1000 times chemical-specific RBCs (DOE 1994b). Although these chemicals were detected in pond surface water, the RBCs used in this screening evaluation were calculated assuming residential exposure to

EG&G ROCKY FLATS Manual 21100-WP-OU6 01
RFI/RI Work Plan for OU6 Section Appendix L, Rev 0
Page 45 of 53
Effective Date

Organization Environmental Restoration

groundwater This approach is extremely conservative, since it assumes daily ingestion of pond surface water as drinking water. The RBCs are used to identify special-case chemicals of concern, that is, infrequently detected compounds that could pose a health risk if long-term exposure were to occur to maximum concentrations in a highly localized area. The screen is discussed in Appendix B and the results for pond surface water are presented in Table B-5

Neither of the chemicals detected at low frequency in pond surface water exceeded 1000 times the RBC Therefore, no special-case chemicals of concern were identified in pond surface water

# TABLE 7-1 ROCKY FLATS OU6 ORGANIC COMPOUNDS AND TOTAL METALS DETECTED AT 5% OR GREATER FREQUENCY POND SURFACE WATER

	Maximum Detected	Detection		
	Concentration	Frequency	Inorganic	
Chemical	(mg/L)	%	PCOC ? <sup>(1)</sup>	
Organic Compounds			-	
1,2-Dichloroethene	0 003	8		
Acetone	0 14	25		
Chloroform	0 002	20		
Dı-n-butylphthalate	0 002	12		
Methylene chloride	0 034	8		
Trichloroethene	0 006	12		
Metals				
Aluminum	1 02	98	No	
Antimony	0 0205	6	No	
Arsenic	0 0066	41	No	
Barium	0 12	100	No	
Cadmium	0 0022	22	No	
Cesium	0 06	12	No	
Chromium	0 0043	16	No	
Cobalt	0 0036	35	No	
Copper	0 0047	19	No	
Lead	0 0158	78	No	
Lithium	0 0545	100	No	
Manganese	0 293	100	No	
Mercury	0 00096	33	No	
Molybdenum	0 0176	75	No	
Nickel	0 0063	47	No	
Selenium	0 0083	22	No	
Silver	0 0027	6	No	
Strontium	0 568	100	No	
Γιn	0 0119	20	No	
Vanadıum	0 0056	49	No	
Zinc	0 0748	76	No	

<sup>(1)</sup> Based on background comparison in Appendix A

# TABLE 7-2 ROCKY FLATS OU6 ORGANIC COMPOUNDS AND TOTAL METALS DETECTED AT LESS THAN 5% FREQUENCY POND SURFACE WATER

Chemical	Maximum Detected Concentration (mg/L)	Detection Frequency %	Inorganic PCOC ? (1)
Organic Compounds			
1,2-Dichloroethane	0 001	2	
Tetrachloroethene	0 012	4	
Metals			
Beryllium	0 00034	4	No

<sup>(1)</sup> Based on background comparison in Appendix A

## TABLE 7-3 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN POND SURFACE WATER NONCARCINOGENS

Chemical	Maximum Detected Conc (mg/L)	Inhalation RfD	Oral RfD	Rısk Factor	Rısk Index	% of Total Risk Factor
Acetone	0 14	n/a	1 0E-01	1 4E+00	5 6E-01	55 6
Methylene chloride	0 034	9 0E-01	6 0E-02	5 7E-01	2 2E-01	22 5
1,2-Dichloroethene	0 003	n/a	9 0E-03	3 3E-01	1 3E-01	13 2
Chloroform	0 002	n/a	1 0E-02	2 0E-01	7 9E-02	79
D1-n-butylphthalate	0 002	n/a	1 0E-01	2 0E-02	7 9E-03	08
Total Risk Factor			•	2 5E+00	-	

RfDs are in units of mg/kg-day n/a = not available

## TABLE 7-4 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN POND SURFACE WATER CARCINOGENS

	Maximum Detected	Inhalation		Orai	Rısk	Rısk	% of Total
Chemical	Conc (mg/L)	Slope Factor		Slope Factor	Factor	Index	Risk Factor
Methylene chloride	0 034	1 6E-03	*	7 5E-03	2 6E-04	7 7E-01	76 5
Trichloroethene	0 006	6 0E-03	*	1 1E-02	6 6E-05	2 0E-01	198
Chloroform	0 002	8 0E-02	•	6 1E-03	1 2E-05	3 7E-02	3 7
Total Risk Factor					3 3E-04		

Slope factors are in units of 1/(mg/kg-day)

n/a = not available

Therefore, oral toxicity factors were used in the screen

<sup>\*</sup> Inhalation of volatile organic compounds released to air in the outdoors is a negligible pathway

#### TABLE 7-5 ROCKY FLATS OU6 CHEMICALS OF CONCERN POND SURFACE WATER

1,2-Dichloroethene
Acetone
Chloroform
Methylene chloride
Trichloroethene

EG&G ROCKY FLATS	Manual
RFI/RI Work Plan for OU6	Section
	Page

Page
Effective Date
Organization

21100-WP-OU6 01 Appendix L, Rev 0 46 of 53

Environmental Restoration

#### 80 STREAM SEDIMENT CHEMICALS OF CONCERN

#### 81 STREAM SEDIMENT DATA SET

Fifteen stream sediment samples were collected in the North and South Walnut Creeks including locations upgradient of the A and B series ponds to help characterize potential contaminant transport through surface water/sediment pathways. Samples were analyzed for metals, radionuclides, volatile and semivolatile organic compounds, and pesticides/PCBs. The sampling and analytical program for stream sediments is summarized in Tables 2-1 and 2-2.

#### 8 2 BACKGROUND COMPARISON AND FREQUENCY OF DETECTION

Table 8-1 summarizes the maximum detected concentrations and detection frequencies for organic compounds and metals, and the results of the background comparison for metals and radionuclides detected in the stream sediment samples. All analytes were detected at greater than 5 percent frequency. Background data from streambeds reported in the Background Geochemical Characterization Report (DOE 1993) were used for comparison. The statistical comparisons of metals and radionuclide results to background data are presented in detail in Appendix A.

Radionuclides are assumed to be detected at 100 percent frequency (that is, both negative and positive results were used in the data set) Radionuclides above background levels are listed in the concentration/toxicity screen in Table 8-4

Organic compounds and inorganic analytes above background levels were included in concentration/toxicity screens to select OU-wide chemicals of concern, with the exception of arsenic, manganese, and barium. These metals are considered to be naturally occurring, for the reasons explained in Section 8.3

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	47 of 53
	Effective Date	
	Organization	Environmental Restoration

## 83 ELIMINATION OF ARSENIC, MANGANESE, AND BARIUM AS CHEMICALS OF CONCERN IN STREAM SEDIMENT

#### 831 Arsenic

The statistical background evaluation of arsenic in stream sediments indicated that, because of failure of the Gehan test, arsenic in stream sediments was statistically different from background and should be retained as a potential chemical of concern. However, a more indepth review of the data supports the conclusion that arsenic in stream sediments is naturally occurring and is not an environmental contaminant.

Summary statistics for arsenic in surface soil and stream sediment are shown in the table below. Arsenic in surface soil did not exceed background levels (see Appendix A). The reasons for concluding arsenic is not a contaminant in stream sediment follow.

	Arsenic in Surface	Soil, mg/kg	Arsenic in Stream Sediment, mg/kg		
	Background	OU6	Background	OU6	
Mean	5 8	53	2 4	3 6	
Std Dev	1 8	19	2 5	13	
Maximum	8 5	110	17 3	5 8	
N	18	119	59	15	
Det Freq	100%	100%	49%	93%	

- The OU6 stream sediment maximum (5 8 mg/kg) is approximately three times lower than the background maximum (17 3 mg/kg). The two highest detected values (7 3 and 17 3 mg/kg) were in the background samples
- The OU6 stream sediment maximum of 5 8 mg/kg is well below the UTL<sub>99/99</sub> of background (10 mg/kg) and below the background mean plus two standard deviations (7 4 mg/kg)

EG&G ROCKY FLATS	Manual	21100-WP-OU601
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	48 of 53
	Effective Date	
	Organization	Environmental Restoration

• Surface soil is the largest source of sediment in stream beds. Arsenic in OU6 surface soil did not differ significantly from background. Since the maximum arsenic concentration in stream sediments is equivalent to the mean background concentration in surface soil, arsenic is not considered a contaminant in stream sediments in OU6.

#### 832 Manganese

The statistical background evaluation of manganese in stream sediments indicated that, because of failure of the Gehan test, manganese in stream sediments was statistically different from background levels and should be retained as a potential chemical of concern However, a more in-depth review of the data supports the conclusion that manganese in stream sediments is naturally occurring and is not an environmental contaminant

Summary statistics for manganese in surface soil and stream sediment are shown in the table below. Manganese in surface soil did not exceed background levels (see Appendix A). The reasons for concluding manganese is not a contaminant in stream sediment follow.

	Manganese in Surface Soil mg/kg		Manganese in Stream Sediment, mg/kg	
	Background	OU6	Background	OU6
Mean	443	265	217	366
Std Dev	457	114	225	240
Maximum	2220	823	1280	1000
N	18	119	59	15
Det Freq	100%	100%	80%	100%

• The OU6 stream sediment maximum (1000 mg/kg) is lower than the background maximum (1280 mg/kg). The next highest OU6 stream sediment concentration was 639 mg/kg, which is below the maximum values detected in background and OU6 surface soils.

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	49 of 53
	Effective Date	
	Organization	Environmental Restoration

• Surface soil is the largest source of sediment in stream beds. Manganese in OU6 surface soils did not exceed background levels. The mean manganese concentration in stream sediments (366 mg/kg) is below the mean background concentration in surface soil (443 mg/kg). Therefore, manganese is not considered a contaminant in stream sediments in OU6 but is considered to be the result of naturally occurring manganese in native geologic materials.

#### 833 Barium

The statistical background evaluation of barium in stream sediments indicated that, because of failure of the Gehan test, barium in OU6 stream sediments was statistically different from background and should be retained as a potential chemical of concern. However, a more indepth review of the data supports the conclusion that barium in stream sediments is naturally occurring and is not an environmental contaminant.

Summary statistics for barium in surface soil and stream sediment are shown in the table below. Barium did not exceed background levels in surface soil. The reasons for concluding barium is not a contaminant in stream sediment follow.

	Barium in Surface Soil, mg/kg		Barium in Stream Sediment, mg/kg	
	Background	OU6	Background	OU6
Mean	194	147	78	107
Std Dev	84	52	56	32
Maximum	470	272	244	177
N	18	119	57	15
Det Freq	100%	100%	100%	100%

• The OU6 sediment maximum (177 mg/kg) is lower than the background maximum (244 mg/kg)

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	50 of 53
	Effective Date	
	Organization	Environmental Restoration

- The OU6 sediment maximum of 177 mg/kg is below the background UTL<sub>99/99</sub> of 251 mg/kg and below the background mean plus two standard deviations (190 mg/kg)
- Surface soil is the largest source of sediment in stream beds. Barium in OU6 surface soils was not statistically different from background. Since the maximum barium concentration in stream sediments is comparable to the mean concentrations in surface soil, and barium in surface soil does not exceed background levels, barium is not considered a contaminant in stream sediments in OU6.

Other metals included in the concentration/toxicity screens may also be naturally occurring but were not evaluated in detail

#### 8 4 CONCENTRATION/TOXICITY SCREENS

Concentration/toxicity screens for chemicals of concern in stream sediments are presented in Tables 8-2 through 8-4. All analytes that contribute at least 1 percent of the total risk factor are retained as OU-wide chemicals of concern for quantitative risk assessment. The metal chemicals of concern in sediment were also identified as being above background levels in surface soil. Chemicals of concern are listed below and in Table 8-5.

EG&G ROCKY FLATS RFI/RI Work Plan for OU6 Manual Section Page Effective Date

Organization

21100-WP-OU6 01 Appendix L, Rev 0 51 of 53

Environmental Restoration

### OU-Wide Chemicals of Concern Stream Sediments

Benzo(a)pyrene
Benzo(b)fluoranthene
Benzo(a)anthracene
Indeno(123-cd)pyrene
Chrysene
Cobalt
Strontium
Vanadium
Zinc
Plutonium-239,240
Americium-241

The occurrence of organic chemicals of concern in stream sediments is shown in Figure 8-1 Inorganic chemicals of concern have not been displayed because no results exceeded the background mean plus two standard deviations, which is the criterion for data display in the Phase I RFI/RI report

Chemicals of potential concern detected in stream sediments that do not have EPA-established toxicity factor are benzo(ghi)perylene, dibenzofuran, and phenanthrene Because of the lack of toxicity factors, these compounds cannot be evaluated in a toxicity- or risk-based screen to select chemicals of concern However, their potential contribution to overall risk will be evaluated qualitatively in the risk assessment for OU6

### 8 5 RISK-BASED EVALUATION OF INFREQUENTLY DETECTED COMPOUNDS

There were no compounds detected in stream sediments at less than 5 percent frequency, so the RBC screening evaluation for infrequently detected compounds was not performed

## TABLE 8-1 ROCKY FLATS OU6 ORGANIC COMPOUNDS AND METALS DETECTED AT 5% OR GREATER FREQUENCY<sup>(1)</sup> STREAM SEDIMENT

	Maximum Detected	Detection	
	Concentration	Frequency	Inorganic
Chemical	(mg/kg)	%	PCOC <sup>7 (2)</sup>
Organic Compounds			
Acenaphthene	0.13	7	
Acetone	0 063	7	
Anthracene	0 15	20	
Benzo(a)anthracene	0 43	27	
Benzo(a)pyrene	0 48	33	
Benzo(b)fluoranthene	0 65	27	
Benzo(g,h ı)perylene	0 16	13	
Benzo(k)fluoranthene	0 23	20	
Benzoic acid	0.51	33	
Benzyl alcohol	0 041	7	
Bis(2-ethylhexyl)phthalate	0 19	27	
Butyl benzylphthalate	0 12	7	
Chrysenc	0 51	33	
Dı-n-butyl phthalate	0 075	33	
Dibenzofuran	0 037	7	
Fluoranthene	1	47	
Fluorene	0 089	7	
Indeno(1 2 3-cd)pyrene	0 18	20	
Methylene chloride	0 007	7	
Naphthalene	0.046	7	
Phenanthrenc	0.75	33	
Pyrene	0 96	33	
Metals			
Aluminum	11600	100	No
Antunony	26 3	13	No
Arsenic	58	93	Yes
Barium	177	100	Yes
Beryllium	1	53	No
Cadmium	0.8	7	No
Cesium	18 1	47	No
Chromium	12 3	100	No
Cobalt	12 4	100	Yes
Copper	17 7	60	No
Lead Lead	94 8	100	No
Lithium	15 2	93	No

Sheet 1 of 2

TABLE 8-1 (Concluded)

	Maximum Detected	Detection	
	Concentration	Frequency	
Chemical	(mg/kg)	%	> Background?
Manganese	1000	100	Yes
Mercury	0 13	27	No
Nickel	19 2	47	No
Selenium	0 45	13	No
Silver	1 4	7	No
Strontium	95 8	100	Yes
Thallium	0 46	33	No
Vanadium	33 9	100	Yes
Zinc	178	100	Yes

<sup>(1)</sup> All detected analytes were detected at a frequency greater than 5 percent

<sup>(2)</sup> Based on background comparison (Appendix A)

### TABLE 8-2 ROCKY FLATS PLANT OU6 CONCENTRATION/TOXICITY SCREEN STREAM SEDIMENT NONCARCINOGENS

	Maximum					
	Detected	Inhalation	Oral	Risk	Rısk	% of Total
Chemical	Conc (mg/kg)	RfD	RfD	Factor	Index	Risk Factor
Vanadium	33 9	n/a	7 0E-03	4 8E+03	8 2E-01	82 4
Zinc	178	n/a	3 0E-01	5 9E+02	1 0E-01	10 1
Cobalt	12 4	n/a	6 0E-02	2 1E+02	3 5E-02	3 5
Strontium	95 8	n/a	6 0E-01	1 6E+02	2 7E-02	2 7
Pyrcne	0 96	n/a	3 0E-02	3 2E+01	5 4E-03	0 5
Fluoranthene	1	n/a	4 0E-02	2 5E+01	4 3E-03	0 4
Bis(2-ethylhexyl)phthalate	0 19	n/a	2 0E-02	9 5E+00	1 6E-03	0 2
Fluorene	0 089	n/a	4 0E-02	2 2E+00	3 8E-04	0 0
Acenaphthene	0 13	n/a	6 0E-02	2 2E+00	3 7E-04	0 0
Naphthalene	0 046	n/a	4 0E-02	1 2E+00	2 0E-04	0 0
Dı-n-butylphthalate	0 075	n/a	1 0E-01	7 5E-01	1 3E-04	0 0
Acetone	0 063	n/a	1 0E-01	6 3E-01	1 1E-04	0.0
Butyl benzylphthalate	0 12	n/a	2 0E-01	6 0E-01	1 0E-04	0 0
Anthracene	0 15	n/a	3 0E-01	5 0E-01	8 5E-05	0 0
Benzyl alcohol	0 041	n/a	3 0E-01	1 4E-01	2 3E-05	0 0
Benzoic acid	0.51	n/a	4 0E+00	1 3E-01	2 2E-05	0 0
Methylene chloride	0 007	9 0E-01	6 0E-02	1 2E-01	2 0E-05	0 0
Total Risk Factor				5 9E+03		

RfDs are in units of mg/kg-day n/a = not available

### TABLE 8-3 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN STREAM SEDIMENT CARCINOGENS

	Maximum					
	Detected	Inhalation	Oral	Rısk	Rısk	% of Total
Chemical	Conc (mg/kg)	Slope Factor	Slope Factor	Factor	Index	Risk Factor
Benzo(a)pyrene	0 48	n/a	7 3E+00	3 5E+00	7 8E-01	78 2
Benzo(b)fluoranthene	0 65	n/a	7 3E-01	4 7E-01	1 1E-01	10 6
Benzo(a)anthracene	0 43	n/a	7 3E-01	3 1E-01	7 0E-02	70
Indeno(1 2 3-cd)pyrene	0 18	n/a	7 3E-01	1 3E-01	2 9E-02	29
Chrysene	0 51	n/a	7 3E-02	3 7E-02	8 3E-03	0.8
Benzo(k)fluoranthene	0 23	n/a	7 3E-02	1 7E-02	3 7E-03	0 4
Bis(2 cthylhexyl)phthalate	0 19	n/a	1 4E-02	2 7E-03	5 9E-04	0.1
Methylene chloride	0.007	1 6E-03	7 5E-03	5 3E-05	1 2E-05	0.0
Total Risk Factor			_	4 5E+00	•	

Slope factors are in units of 1/(mg/kg-day)n/a = not available

## TABLE 8-4 ROCKY FLATS OU6 CONCENTRATION/TOXICITY SCREEN STREAM SEDIMENT RADIONUCLIDES

	Maximum Activity	Inhalation	Oral	Risk	Risk	% of Total
Chemical	(pCı/g)	Slope Factor	Slope Factor	Factor	Index_	Risk Factor
Plutonium-239,240	1 95	3 8E-08	2 3E-10	7 4E-08	7 6E-01	75 5
Americium-241	0 75	3 2E-08	2 4E-10	2 4E-08_	2 4E-01	24 5
Total Risk Factor			_	9 8E-08		

Slope factors are in units of 1/pCi

### TABLE 8-5 ROCKY FLATS OU6 CHEMICALS OF CONCERN STREAM SEDIMENTS

Benzo(a)anthracene
Benzo(a)pyrene
Benzo(b)fluroanthene
Ideno(1,2,3-cd)pyrene
Cobalt
Strontium
Vanadium
Zinc
Americum-241
Plutonium-239,240

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	52 of 53
	Effective Date	
	Organization	Environmental Restoration

### 90 REFERENCES

- DOE 1992a Phase I RFI/RI Work Plan for Operable Unit 6, Walnut Creek Priority Drainage Rocky Flats Plant, Golden, Colorado June
- DOE 1992b Final Historical Release Report for the Rocky Flats Plant Environmental Restoration Program, USDOE, Golden, Colorado June
- DOE 1992c Phase III RFI/RI Report Operable Unit No 1, 881 Hillside, Section 5, Contaminant Fate and Transport Draft Final October
- DOE 1993 Background Geochemical Characterization Report Rocky Flats Plant Golden, Colorado September
- DOE 1994a Draft Phase I RFI/RI Report Operable Unit No 6 Walnut Creek Priority
  Drainage Rocky Flats Environmental Technology Site Golden, Colorado In
  preparation
- DOE 1994b Programmatic Preliminary Remediation Goals Rocky Flats Plant, Golden, Colorado Draft Final June
- DOE 1994c Letter Report on Contaminant Source Areas and Risk-Based Screen, Operable Unit No 6, Walnut Creek Priority Drainage, Rocky Flats Environmental Technology Site, Golden, Colorado In preparation August
- EG&G 1991 General Radiochemistry and Routine Analytical Services Protocol (GRRASP) Part A Statement of Work Version 2.1 Environmental Management Dept Rocky Flats Plant, Golden, Colorado July 2
- EPA 1989 Risk Assessment Guidance for Superfund-Volume I, Human Health Evaluation Manual (Part A) EPA/540/1-89/002 December

EG&G ROCKY FLATS	Manual	21100-WP-OU6 01
RFI/RI Work Plan for OU6	Section	Appendix L, Rev 0
	Page	53 of 53
	Effective Date	
	Organization	Environmental Restoration

- EPA 1992 New Interim Region IV Guidance Toxicity Equivalency Factors for Carcinogenic PAHs February
- EPA 1993 Health Effects Assessment Summary Tables (HEAST) FY1993 OHEA-ECAO-CIN-909 March and Supplement No 1
- EPA 1994a Integrated Risk Information System (IRIS) On-line database
- EPA 1994b Guidance Manual for the Integrated Exposure Uptake Biokinetic Model for Lead in Children EPA/540/R-93/081 Publ No 9285 7-15-1 February
- EPA 1994c Revised Interim Soil Lead Guidance for CERCLA Sites and RCRA Corrective Action Facilities OSWER Directive #9355 4-12 July 14
- Gilbert, RO 1993 Letter report recommending process for comparing Rocky Flats Plant site analytical results to background concentrations Richard Gilbert, Batelle Pacific Northwest Laboratories, to Beverly Ramsey, Systematic Management Services, Inc July 30
- Siders, M 1994 Personal communication (fax) of M Siders, EG&G Rocky Flats, to Chuan-Mian Zhang, Woodward-Clyde Federal Services June 29

### APPENDIX A BACKGROUND COMPARISON FOR METALS AND RADIONUCLIDES

Concentrations of metals and radionuclides measured in soil, groundwater, surface water, and sediment in OU6 were compared to background concentrations in order to identify OU6 analytes whose concentrations are statistically higher than background levels. These analytes are then identified as potential chemicals of concern for further evaluation. The background data used for comparison were reported in the Background Geochemical Characterization Report (DOE 1993), except for the surface soil data, which were not available in the 1993 report. The background surface soil data were collected in the Rock Creek area during the 1991 OU1 Phase III investigation and the 1993 OU2 Phase II investigation. Analytical results from each medium sampled were pooled, and the background comparison was performed on an OU-wide basis.

The procedures applied in the background comparisons are shown in the flow chart in Figure A-1 Three major steps were involved (1) data aggregation, (2) statistical background comparisons, and (3) professional judgement of statistical results Each of these steps is discussed below

### A.1 DATA AGGREGATION

The chemical data were grouped by medium into seven categories

- Subsurface soil in the upper hydrostratigraphic unit (UHSU)
- Surface soil
- Pond sediment
- Stream sediment
- Groundwater (UHSU)
- Pond surface water
- Baseflow stream surface water

In general, each medium has 29 analytes for metals and 13 analytes for radionuclides, as unfiltered or filtered concentrations. Soil media (surface soil, subsurface soil, pond

sediment, and stream sediment) were each analyzed for metals and radionuclides, totaling eight media-analyte groups. Liquid media (groundwater and pond surface water) were each analyzed for filtered and unfiltered metals and filtered and unfiltered radionuclides. Therefore, there are a total of 16 media-analyte groups to be evaluated in the background comparisons, as shown in Table A-1

Most of OU6 media-analyte groups were compared directly to the corresponding background groups. Exceptions were pond sediment and pond surface water due to the lack of background pond data. Background data from seep/spring sampling locations (rather than from background stream locations) were adopted for comparison to OU6 pond data because of the similarity of the flow conditions for ponds and seeps/springs (both have relatively long residence time)

### A.2 STATISTICAL BACKGROUND COMPARISON

Background comparisons were performed according to the procedures given in the "Guidance Document, Statistical Comparisons of Site-To-Background Data in Support of RFI/RI Investigations" (EG&G 1994), which was primarily based on the methodology proposed by Gilbert (Gilbert 1993) The formal statistical tests were the Gehan test, Slippage test, Quantile test, and t-test. Analytical results were also compared to the upper tolerance limit (UTL<sub>99/99</sub>) of background to identify high concentrations outside of background range. The conditions for applying each of the tests are briefly discussed below

### A.2.1 Formal Statistical Tests

Four formal statistical tests were performed to test the difference between the background and site populations. If any of the four statistical tests was significant, the analyte was considered to be a potential chemical of concern. Significance was defined as a p value less than or equal to 0.05, the Type I (false positive) error rate. Non-detects of metals were treated as described below for each test. All the radionuclide results were treated as detects.

### 1 Gehan Test

The Gehan test (Gehan 1965, explained in Gilbert 1993) is a non-parametric ranking test. It was performed for all the media-analyte groups. For non-detects, the reporting limits were used for ranking purposes

### 2 Slippage Test

The slippage test (Rosenbaum 1954), a non-parametric test, was performed by comparing the OU6 measurements to the maximum background measurement (detect or non-detect). The p-value for the probability of the number of site measurements greater than the maximum background measurement was calculated. Reporting limits were used for non-detects.

### 3 Quantile Test

The Quantile test (Gilbert and Simpson 1992), a non-parametric test, was performed by first ranking the combined background and OU6 measurements from largest to smallest. If there were no non-detects among the top 20% of the combined background and OU6 measurements, the probability of the number of site measurements within the top 20% of the data set was calculated. If there were any non-detects among the top 20% of the measurements, no Quantile test was performed

### 4 t-Test

The t-test, a parametric statistical test, was performed under these conditions that (1) the non-detects in each of the data sets represent less than 20% of the measurements, and (2) <u>EITHER</u> each of the data sets contains at least 20 data points, <u>OR</u> both of the data sets are normally distributed

For simplicity, the t-test was only performed when condition (1) and the first option of condition (2) were met Non-detect results for metals were replaced by one-half the reporting limits

The homogeneity of the variance was tested following Levene's test (EPA 1992) If the variances from both data sets were the same, the standard t-test was performed If the variances were not the same, the unequal variance t-test (Helsel and Hirsch 1992) was performed

### A.2.2 Upper Tolerance Limit (UTL<sub>99/99</sub>) Comparison

For each media-analyte in the background data, an upper tolerance limit with 99% confidence and 99% coverage (UTL<sub>99/99</sub>) was calculated, assuming the background data were normally distributed (EG&G 1994) In calculating the UTL, if non-detects were less than 80% of the data, one-half the reporting limit was used as the result for non-detect samples Otherwise, the maximum background measurement, instead of the UTL<sub>99/99</sub>, was used in the comparisons. For the radionuclides, all the results were treated as detects (EG&G 1994)

Each of the OU6 measurements was compared to the UTL<sub>99/99</sub> If one or more OU6 measurements exceed the background UTL<sub>99/99</sub>, the analyte was considered as a potential chemical of concern for further evaluation, even if the analyte did not exceed background levels according to the formal statistical evaluation

### A.3 BACKGROUND COMPARISON RESULTS

The number of inorganic potential chemicals of concern in each media-analyte group resulting from the background comparisons is summarized in Table A-1. Out of 374 media-analytes, 142 media-analytes were identified as above background based on the formal statistical tests. An additional 32 media-analytes were identified as above background based on the UTL<sub>99/99</sub> comparison alone.

The summary tables for the background comparisons for each media-analyte group are presented in the remaining tables in Appendix A

### A.4 PROFESSIONAL JUDGEMENT FOR STATISTICAL RESULTS

Statistical professional judgement was applied for those media-analytes that were below background according to the formal statistical tests but failed the UTL<sub>99/99</sub> comparisons. The professional judgement consisted of performing a log-normal UTL<sub>99/99</sub> comparison if the background data were log-normally distributed

According to the background comparison methodology (EG&G 1994), the UTL<sub>99/99</sub> was calculated assuming a normal distribution of background data. However, log-normal distribution may better describe some geochemical data, as indicated in the Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities (EPA 1992). Log-normal-based UTL<sub>99/99</sub>s were calculated for media-analytes that passed the formal statistical tests but failed to pass the normal-based UTL<sub>99/99</sub> comparison. If a media-analyte passed the log-normal-based UTL<sub>99/99</sub> comparison, probability plots were generated for both normal and log-normal distributions. If the probability plots indicated that the data better fit a log-normal distribution, the media-analyte was eliminated from the potential chemical of concern list

The results of the log-normal-based UTL<sub>99/99</sub> comparisons are presented in the remark column in the summary tables Based on the results of the log-normal UTL<sub>99/99</sub> comparison, the following ten analytes were eliminated as potential chemicals of concern

Medium	Analyte
Surface Soil	Aluminum Cadmium Uranium-233,234
Subsurface Soil	Copper
Groundwater	Total (unfiltered) Tin Filtered Radium-228
Pond Sediment	Beryllium Cadmium Nickel Tritium

### References

- DOE 1993 Phase II RFI/RI Report, 903 Pad, Mound and East Trenches Area, Operable
  Unit No 2 Preliminary Draft Appendix C1 December
- EG&G 1993 Background Geochemical Characterization Report Rocky Flats Plant U S DOE, Rocky Flats Plant, Golden, Colorado September 30
- EG&G 1994 Guidance Document, Statistical Comparison of Site-Background Data in Support of RFI/RI Investigations January
- EPA 1992 Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Addendum to Interim Final Guidance June
- Gilbert, R O 1993 Letter report recommending process for comparing Rocky Flats Plant site analytical results to background concentrations Richard Gilbert, Batelle Pacific Northwest Laboratories to Beverly Ramsey Systematic Management Services, Inc July 30
- Gilbert, RO, and JC Simpson 1992 Statistical Methods for Evaluating the Attainment of Cleanup Standards Vol 3 Reference Based Standards for Soils and Solid Media Prepared for US Environmental Protection Agency Pacific Northwest Laboratory
- Helsel, DR, and RM Hirsch 1992 Statistical Methods in Water Resources Studies in Environmental Science 49 Elsevier
- Hem, J D 1989 Study and Interpretation of the Chemical Characteristics of Natural Water 3rd Edition USGS Water-Supply Paper 2254
- Rosenbaum, S 1954 Tables for a Nonparametric Test of Location Annals of Mathematical Statistics Volume 25

## FABLE A-1 ROCKY FLATS OU6 Background Comparison Summary

Media	Background Data	OU6 Data	Analyte Group	No of Analytes in Comparison	No of Analytes Significant in Tests	No of Analytes Greater than UTL 99/99	No of PCOC
Surface	Rock Creek	Surface Soil	Metals	28	6	15	91
Soil	Surface Soil	& Dry Sediment	Rads	7	2	S	4
Subsurface	UHSU Subsurface	Subsurface	Metals	28	3	∞	7
Soil	Soil	Soil	Rads	∞	'n	9	9
Groundwater	UHSU*	Historic and	Unfiltered Metals	29	25	26	25
	Groundwater	New Wells	Filtered Metals	28	13	17	17
	UHSU	Historic and	UnfilteredRads		4	\$	<b>**</b>
	Groundwater	New Wells	Filtered Rads	11	7	9	***
Pond	Seep/Spring	Pond	Metals	27	11	7	12
Sediment	Sediment	Sediment	Rads	12	10	∞	10
Pond Surface	Seep/Spring*	Pond Surface	Unfiltered Metals	29	3	_	8
Water	Surface Water	Water	Filtered Metals	28	4	4	4
	Seep/Spring	Pond Surface	Unfiltered Rads	10	4	2	4
	Surface Water	Water	Filtered Rads	7	2	2	3**
Stream	Stream	Stream	Metals	26	11	2	11
Sediment	Sediment	Sediment	Rads	12	3	1	3**

<sup>\*</sup> In these background data files non detect records with extremely high reporting limits were not used

<sup>\*\*</sup> Background data files are from 1993 Background Geochemical Characterization Report except for surface soil (DOE 1993)

<sup>\*\*\*</sup> Some sample sizes too small to draw conclusion

TABLE A-2
ROCKY FLATS OU6
Background Comparison Summary of
Surface Soil Metals
(Concentration Unit MG/KG)

REMARK	Not a PCOC by PJ (1)					Not a PCOC by PI (1)																NO site measurement							
PCOC	S N	١ES	9 7	0 N	9	0 N	\ ES	0 N	YES	\LS	) ES	) ES	) ES	<u>8</u>	\ ES	9 2	\ES	YES	) ES	9 2	0N		YES	YES	YES	0 N	<u>8</u>	) ES	YES
NGUTL	3	0	0	0	0	_	24	0	-	0	7	3	7	0	3	0		0	0	0	0		_	۳	9	0	0	4	11
UTL99	21915 4	50 0	12.9	528 0	5.2	5.0	13573 3	6308	24 8	24 8	273	281604	614	20 0	7011 5	2253 5	0 2	40 0	56 9	5256 8	14		10 0	1108 0	90 1	2.0	759	556	9 98
SIGNIFICT	z	Y	Z	z	z	Z	¥	Z	z	Y	¥	z	Z	Z	z	Z	¥	¥	<b></b>	z	Z		z	z	<b>,</b>	Z	Z	Z	<b>,</b>
P T 1	1 0000		0 7828	0 9912			0 0001		0000 1	0 0057	0 0001	0 8919	1 0000	0 9997	0 2969	66660			0 1363	1 0000					0 0397			0 5916	0 0028
P GEHAN	9266 0	0 0174	0 8614	0 9914	0 4654	0 3602	0 0001	0 2843	8666 0	0 0028	0 0007	0 9190	0 9995	0 9889	0 3266	86660	0 0303	0 0185	0 0308	1 0000	0 2903		0 2388	0 0547	0 0714	0 6887	1 0000	0 4443	0 1244
P QUAN	0 7081		0 8522	0 9975			0 0119		0 9848	0 1921	0 0119	0 4417	0 4743		0 7081	0 9557			0 4348	1 0000					69200			0 2375	0 0119
P SLIP	02120	1 0000	0 4222	1 0000	1 0000	08750	0 0001	1 0000	0 6512	0000 1	0 0099	0 6532	60600	0 1707	0 4222	1 0000	98980	1 0000	0 1228	98980	1 0000		98980	0 6532	02120	1 0000	1 0000	0 2 7 0 0	66000
DTF S	1 00	0.54	1 00	1 00	0.87	0 47	1 00	0 91	660	1 00	1 00	1 00	1 00	0 97	1 00	1 00	0 41	0 01	0 95	0 92	027	000	000	1 00	1 00	0 42	0 03	1 00	1 00
DTF B	1 00	000	1 00	1 00	0 20	0 35	1 00	0 20	1 00	100	1 00	100	<b>1</b> 00	100	1 00	1 00	000	900	100	1 00	0 72	000	000	050	1 00	0 28	0.50	1 00	1 00
S	119	103	119	119	119	119	119	114	119	119	119	119	119	119	119	119	119	119	118	119	119	0	119	119	119	118	119	119	119
M Z	18	18	18	18	18	17	18	18	18	18	18	81	18	18	18	18	18	18	18	81	18	0	81	18	18	18	18	81	18
ANALYTE	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	BERYLLIUM	CADMIUM	CALCIUM	CESIUM	CHROMIUM	COBALT	COPPER	IRON	LEAD	LITHIUM	MAGNESIUM	MANGANESE	MERCURY	MOLYBDENUM	NICKEL	POTASSIUM	SELENIUM	SILICON	SILVER	SODIUM	STRONTIUM	THALLIUM	TIN	VANADIUM	ZINC

<sup>(1)</sup> Professional judgment based on log normal UTL comparison

### ROCKY FLATS OU6 TABLE A-3

## Background Comparison Statistical Test Results of Surface Soil Metals

(Slippage Test, Quantile Test, Gehan Test, UTL Comparison) (Concentration Unit MG/KG)

ANALYTE	<b>8</b>	\$ 1	ND B	S QN	DTF B	DTF S	ND B ND S DTF B DTF S MEAN B MEAN	MEAN S	STD B	S GLS	UTI 99	NGUTL	MAX B	MAX S	NGM	P SLP	N T20 N	SITE	P QUAN	ZCAL	2 95	P VAL
ALUMINUM	18	611	0	0	1 00	1 00	128861	108433	2279 9	4325 1	219154	3	179500	241000	01	0 2320	28	24	0 7081	2 8 2 6	1 645	0 9976
ANTIMONY	18	103	81	47	000	0 54	15 5	136	8 6	8 5	20 0	0	50 0	436	0	1 0000	666	666	0000 666	2 111	1645	0 0174
ARSENIC	81	611	0	0	1 00	1 00	5 8	53	1 8	1 9	12 9	0	8 5	11 0	9	0 4222	29	24	0 8522	1 087	1645	0 8614
BARIUM	18	119	0	0	1 00	1 00	1943	1474	843	515	528 0	0	470 0	272 0	0	1 0000	28	20	0 9975	2 383	1645	0 9914
BERYLLIUM	<u>«</u>	119	6	15	0 20	0.87	16	0 8	60	0 3	5.2	0	5.0	1.5	0	1 0000	666	666	0000 666	0 087	1645	0 4654
CADMIUM	11	119	=	63	0 35	0 47	<del>7</del>	60	60	0.7	5 0		5 0	64	-	08750	666	666	0000 666	0.358	1 645	0 3602
CALCIUM	18	611	0	0	1 00	1 00	5022 2	113831	2159 2	8 6896	13573 3	54	88100	59800	59	0 0001	28	28	0 0119	4 078	164	0 0001
CESTUM	18	<u> </u>	6	10	0 20	0 91	126 2	116	127 4	17 7	8 019	0	500 0	33 4	0	1 0000	666	666	0000 666	0 570	1 645	0 2843
CHROMIUM	81	611	0	-	1 00	660	150	118	2.5	9 †	24.8	-	202	35 1	3	0 6532	29	22	0 9848	3 562	1 645	86660
COBALT	18	119	0	0	1 00	9	7 8	8.7	43	27	248	0	24 0	203	0	1 0000	30	28	0 1921	2775	1 645	0 0028
COPPER	<u>«</u>	611	0	0	1 00	1 00	13.0	179	36	8 0	27 3	7	18 5	9 19	29	0 0099	28	28	0 0 1 1 9	3 189	1 645	0 0007
IRON	18	119	0	0	1 00	1 00	15381 7	144513	3226 6	4460 8	281604	3	24900 0	34600 0	3	0 6532	29	26	0.4417	1399	1645	0 9 1 9 0
LEAD	<u>8</u>	611	0	0	1 00	90 7	37 5	292	09	15 4	19	7	510	687	16	0 0909	28	25	0 4743	3 269	1 645	0 9995
LITHIUM	18	611	0	4	1 00	0 97	11 0	9.5	23	3.4	20 0	0	150	18 1	12	0 1707	666	666	0000 666	2 288	1645	68860
MAGNESIUM	81	119	0	0	1 00	1 00	2853 3	30783	1049 9	1571 8	7011 5	3	51950	114000	9	0 4222	28	24	0 7081	0 449	1 645	0 3266
MANGANESE	81	119	0	0	1 00	1 00	+43 5	2650	457 0	114 5	2253 5	0	2220 0	823 0	0	1 0000	28	22	0 9557	3 546	1645	0 9998
MERCURY	18	119	<u>8</u>	70	000	0 41	0.1	0 1	0 0	0 0	0 2	-	0.2	0.3	-	0 8686	666	666	0000 666	1 877	164	0 0303
MOLYBDENUM	18	119	17	118	900	0 01	1+0	199	57	60	0 0+	0	40 0		0	1 0000	666	666	0000 666	2 085	1 645	0.0185
NICKEL	<del>8</del> 1	118	0	9	1 00	0 95	123	140	37	4 2	269	0	18 7	22 5	7	0 1228	53	26	0 4348	1 869	1 645	0 0308
POTASSIUM	<u>«</u>	611	0	6	1 00	0 92	2977 9	2103 5	575 4	844 0	52568	0	4205 0	44300	_	08686	28	17	1 0000	4 155	1 645	1 0000
SELENIUM	18	119	v	87	0.72	027	90	0.5	0.2	0 1	+	0	2 0	13	0	1 0000	666	666	0000 666	0 553	1 645	0 2903
SELICON(1)																						
SILVER	<u>81</u>	119	18	108	000	0 0	3.0	17	2 1	4 8	100	-	10 0	52.7	-	98980	666	666	0000 666	0.710	165	0 2388
SODIUM	18	119	6	0	0 20	90 1	305 6	1972	202 6	2167	11080	3	1000	16500	33	0 6532	666	666	0000 666	1 601	1 645	0 0547
STRONTIUM	<u>«</u>	611	0	0	1 00	100	353	158	138	29 9	90 1	9	79 1	255 0	10	02320	28	27	69200	1 465	1645	0 0714
THALLIUM	18	118	13	69	0 28	0 42	80	0.7	0 3	0 3	2.0	0	2 0	90	0	1 0000	666	666	0000 666	0.492	1 645	0 6887
NI.	81	119	6	116	0 20	0 03	31.4	202	112	1 8	759	0	100 0	38.7	0	1 0000	666	666	0000 666	4 620	1645	1 0000
VANADIUM	18	119	0	0	1 00	1 00	316	32.5	09	107	556	7	456	759		0 2700	28	26	0 2375	0 140	1645	0 4443
ZINC	18	119	0	0	1 00	100	55 8	68.5	7.8	60 7	998	-	706	650 0	29	0 0099	28	78	0 0 1 1 9	1 153	1 645	0 1244

(1) No site measurement.

# TABLE A-4 ROCKY FLATS OU6 Background Comparison Summary of Surface Soil Radionuclides (Concentration Unit pCv/G)

ANALYTE	æ Z	S	DTF B	DTF S	P SLIP	P QUAN P	N B N S DTF B DTF S P SLIP P QUAN P GEHAN P T 1 SIGNIFICT UTL99 NGUTL PCOC	SIGNIFICT	UTL99	NGUTL	PCOC	REMARK
AMERICIUM 241	15	105	1 00	1 00	0 0001	0 0277	0 0001	Y	0900	63	YES	
CESIUM 137	12	18	1 00	1 00	1 0000	1 0000	1 0000	z	3 699	0	2	
GROSS ALPHA	6	134	1 00	1 00	04760	0 9174	0 9847	z	42 220	3	YES	
GROSS BETA	18	134	1 00	1 00	0 3111	0 8711	0 9778	Z	54 120	2	YES	
PLUTONIUM 239,240	18	118	1 00	1 00	0 0001	0 0114	0 0001	Y	0 133	73	YES	
RADIUM 226	10	0	000	000								NO site measurement
RADIUM 228	10	0	000	000								NO site measurement
STRONTIUM 89 90	6	18	1 00	1 00	1 0000	1 0000	0 9992	z	2 2 1 7	0	<u>Q</u>	
TRITIUM (1)	0	27	000	000								NO BKGD measurement
URANIUM,TOTAL	0	0	000	000								NO measurements
URANIUM 233,234	13	125	1 00	1 00	0 2893	0 7453	0 9844	z	1 826	-	<u>Q</u>	Not a PCOC by PJ (2)
URANIUM 235	13	125	1 00	1 00	0 4433	0 7453	05160	z	0 179	0	<u>Q</u>	
URANIUM 238	13	125	1 00	1 00	0 4922	0 9064	0 9788	z	2 086	0	<u>Q</u>	

(1) Concentration unit pCt/L

(2) Professional judgment based on log normal UTL comparison

ROCKY FLATS 0U6 TABLE A-5

Background Comparison Statistical Test Results of Surface Soil Radionuchdes

(Slippage Test, Quantile Test, Gehan Test, UTL Comparison) (Concentration Unit pCI/G)

N B N S ND B ND S DTF B DTF S MEAN B MEAN S STD B STD S UTL99 NGUTL MAY B MAY S	B	Z	D S DI	F B	TF S A	IEAN B	MEAN S	STD B	STD S	UTL99	NGUTL	MAY B	MAYS	NGM	P SLP	N T20	SITE	NGM P SLP N T20 N SITE P OUAN Z CAL Z 95 P VAL	Z CAL	2 95	PVAL
105 0 0 100 100 0019	0 0 100 100 0019	0 100 100 0019	100 100 0019	1 00 0 019	0 0 19		0 376	0 0 0 0	0 601	0900	63	0,000	3 243	72	0 0001	ぉ	3	0 0277	4 575		0 0001
<b>18</b> 0 0 100 100 1418					1418		0 188	0 492	0 159	3 699	0	2 500	0 570	0	1 0000	9	0	1 0000	4 573	1 645	1 0000
134 0 0 100 100 20833	1 00	1 00	1 00	1 00 20 833	20833		20 027	3 969	19453	42 220	3	28 000	186 000	11	04760	53	97	0 9174	2 161		0 9847
134 0 0 100 100 32 231	901	901	901		32 231		30 173	5 527	7462	54 120	2	000 OF	71 700	6	0 3111	31	56	0 8711	2010	1 645	0 9778
<b>18</b> 118 0 0 100 100 0054	1 00	1 00	1 00		0 054		166 0	0 0 0 0 0	1 949	0 133	73	0 100	15 220	78	0 0001	83	83	0 0114	4 862	1 645	0 0001
0 0 0	0 0	0																			
0 0 0	0 0	0																			
18 0 0 100 100 0619	1 00	1 00	1 00		0 619		ま10	0 297	0 1 22	2 217	0	1 000	0 200	0	1 0000	9	0	1 0000	3 143	1 645	0 9992
27 0 0	0 0	0																			
0 0 0	0 0	0																			
125 0 0 100 100 1167	1 00	1 00	1 00		1167		1 048	0 147	0 284	1 826	-	1 470		12	0 2893	83	22	0 7453	2154	1 645	0 98-44
125 0 0 100 100 0047	90 -	90 -	90 -		0.047		0 046	0.030	0.030	0 179	0	0 100	0 160	••	04433	83	22	0 7453	0 040	1 645	0 5160
13 125 0 0 1 00 1 00 1 200	1 00	1 00	1 00		1 200		1 077	0 198	0 293	2 086	0	1 520	2 082	7	0 4922	87	な	<b>1906</b> 0	2 030	1 645	0 9788

<sup>(1)</sup> No site measurement

<sup>(2)</sup> Concentration Unit pCuL

<sup>(3)</sup> No detect record from site (4) No background measurement

## TABLE A-6 ROCKY FLATS OU6 Background Comparison Summary of Subsurface Soil Metals (Concentration Unit MG/KG)

ALL'MINUM         98         231         1 00         1 000         1 0000           ANTIMONY         66         210         0 18         0 07         1 0000           ARSENIC         99         231         0 92         1 000         1 0000           ARRINIC         99         231         0 91         0 84         1 0000           BARIUM         99         231         0 91         0 84         1 0000           CALCIUM         99         231         0 90         1 00         0 0385           CESIUM         95         231         0 78         0 68         1 0000           CALCIUM         99         231         1 00         0 98         0 7000           CALCIUM         99         231         1 00         0 98         0 7000           CALCIUM         99         231         1 00         0 98         0 7000           COPPER         99         231         1 00         0 489         1 0000           COPPER         99         231         1 00         0 489         1 0000           MACINESIUM         99         231         0 10         0 1000           MICKEL         96         231 <th>]</th> <th>1 0000</th> <th>0000</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	]	1 0000	0000						
66 210 018 007 1 99 231 081 099 1 99 231 092 100 0 99 231 091 084 1 81 211 048 008 1 99 231 100 100 0 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 073 065 1 86 231 073 066 1 87 231 073 009 1 88 230 040 060 1 89 231 074 096 066 1 89 231 073 009 1 87 231 073 009 1			200	Z	150811	0	0 2		
99 231 081 099 1 99 231 092 100 0 99 231 091 084 1 81 211 048 088 1 99 231 078 068 1 99 231 100 098 0 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 86 231 071 100 1 87 231 078 066 1 88 231 078 066 1 89 231 070 100 1 89 231 070 040 060 1 82 211 027 009 1 83 230 043 100 0 99 231 073 003 1		0 1658		z	110	0	NO		
99 231 092 100 0 99 231 091 084 1 81 211 048 008 1 99 231 090 100 0 99 231 100 098 0 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 071 100 1 86 231 073 003 1 82 211 027 009 1 83 230 040 060 1 84 231 075 200 1 85 231 075 009 1 87 231 077 009 1	08+80	0 3116	0 7957	Z	17.0	0	NO		
99 231 091 084 1 81 211 048 008 1 99 231 090 100 0 99 231 100 098 0 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 071 100 1 86 231 073 003 1 82 211 027 009 1 83 230 040 060 1 84 231 075 009 1 85 231 075 009 1 87 231 073 000 1 88 230 040 060 1 89 231 074 000 1 89 231 075 009 1 89 231 073 003 1	9000 0 0006	0 0001	0 0004	<b>&gt;</b>	1711	17	YES		
81 211 048 008 1 99 231 090 100 0 95 221 078 068 1 99 231 100 098 0 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 071 100 1 99 231 071 100 1 86 231 078 031 1 86 231 078 000 1 87 230 040 060 1 87 231 077 009 1	0000 1 0000	1 0000	1 0000	z	18 2	0	NO		
99 231 090 100 0 95 221 078 068 1 99 231 100 098 0 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 071 100 1 99 231 071 100 1 86 231 073 003 1 82 231 027 009 1 83 230 043 000 1 99 231 077 100 1 80 231 078 000 1 81 230 040 060 1 82 231 027 099 1 83 230 043 000 1 99 231 043 100 0 175 223 005 03 1	000	1 0000		Z	2.0	0	NO		
95 221 078 068 1 99 231 100 098 0 99 231 034 095 1 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 071 100 1 86 231 071 006 1 96 231 096 066 1 82 230 040 060 1 83 230 043 000 1 83 230 043 100 0 75 223 005 023 1	185 0 0001	0 0001	0 0001	Υ	53248 1	52	YES		
99 231 100 098 0 99 231 034 095 1 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 071 100 1 86 231 071 100 1 96 231 018 002 1 82 231 096 066 1 83 230 040 060 1 83 230 043 000 1 75 223 005 023 1	000	1 0000		z	10149	0	NO		
99 231 034 095 1 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 071 100 1 86 231 078 031 1 86 231 078 031 1 82 231 078 060 1 82 231 079 060 1 83 230 040 060 1 83 230 043 000 1 99 231 073 000 1 75 223 005 023 1	0000 1 0000	1 0000	86660	Z	89 1	33	YES		
99 231 097 100 1 99 231 100 100 1 99 231 100 100 1 99 231 100 100 1 99 231 071 100 1 86 231 078 031 1 86 231 078 031 1 87 231 078 000 1 88 230 040 060 1 89 231 070 000 1 87 211 027 009 1 87 223 005 029 1 98 231 023 003 1	000	9666 0		z	18 1	0	NO		
99 231 100 100 1 99 231 100 100 0 99 209 048 087 1 99 231 071 100 1 86 231 038 031 1 86 231 048 002 1 87 231 018 002 1 88 230 040 060 1 82 211 027 009 1 83 230 043 000 1 99 231 043 100 0 75 223 005 023 1	000 0 9931	8666 0	0 9978	Z	0 6†	-		Not a PCOC by PJ (1)	
231     1 00     1 00       209     0.48     0.87     1       231     0.71     1 00     1       231     1 00     1 00     1       231     0.18     0.02     1       231     0.96     0.66     1       230     0.40     0.60     1       230     0.41     0.60     1       231     0.27     0.09     1       231     0.13     1 00     1       231     0.13     1 00     1       231     0.04     0.05     1       231     0.04     0.05     1       231     0.04     0.05     1       231     0.05     0.05     1       231     0.05     0.05     1       231     0.05     0.03     1	6666 0 000	1 0000	66660	z	52385 2	0	NO		
99 209 048 087 1 99 231 071 100 1 86 231 103 100 1 86 231 018 031 1 96 231 018 002 1 98 230 040 060 1 82 211 027 009 1 83 230 043 000 1 99 231 043 100 0 75 223 005 029 1	394 0 9548	0 1262	0 2347	Z	310	2	YES		
99 231 (171 100 1 86 231 100 100 1 86 231 018 002 1 99 231 018 002 1 96 231 096 066 1 82 230 040 060 1 82 211 027 009 1 83 230 (143 000 1 99 231 043 100 0 75 223 005 029 1 92 231 023 003 1	000	1 0000		z	614	0	NO		
99 231 100 100 1 86 231 038 031 1 96 231 018 002 1 98 230 040 066 1 82 211 027 009 1 83 230 043 000 1 99 231 043 100 0 75 223 005 029 1	6998 0 000	0 5539		z	12147 1	0	NO		
SENUM 99 231 018 031 1  SENUM 99 231 018 002 1  UM 98 230 040 066 1  W 82 211 027 009 1  W 82 211 027 009 1  W 83 230 043 000 1  UM 99 231 043 100 0  UM 99 231 043 100 0  UM 99 231 023 003 1	8666 0 000	86660	0 9813	Z	11940	0	NO		
DENUM         99         231         018         002         1           96         231         096         066         1           UM         98         230         040         066         1           IM         82         211         027         009         1           83         230         043         000         1           99         231         043         100         0           IUM         99         231         043         100         0           JM         75         223         005         029         1           92         231         023         033         1	000	1 0000		z	2.1	0	NO		
96 231 096 066 1 IM 98 230 040 060 1 IM 82 211 027 009 1 83 230 043 000 1 99 231 043 100 0 IUM 99 231 043 100 0 JM 75 223 005 029 1 92 231 023 003 1	000	0 9848		z	9 19	0	NO NO		
IUM 98 230 040 060 1 M 82 211 027 009 1 83 230 043 000 1 99 231 043 100 0 IUM 99 231 043 100 0 JM 75 223 005 029 1 92 231 023 003 1	0000 1 0000	1 0000		Z	79 9	0	NO NO		
M 82 211 027 009 83 230 043 000 99 231 048 100 IUM 99 231 043 100 JM 75 223 005 029 92 231 023 003	000	1 0000		z	81623	0	NO		
83 230 043 000 99 231 018 100 1UM 99 231 043 100 JM 75 223 005 029 92 231 023 003	000	1 0000		z	7.1	0	NO		
83 230 043 000 99 231 018 100 IUM 99 231 043 100 JM 75 223 005 029 92 231 023 003							NO NO	NO site measurement	
99 231 018 100 IUM 99 231 043 100 JM 75 223 005 029 92 231 023 003	000	1 0000		Z	33.1	0	NO		
1 99 231 043 100 75 223 005 029 92 231 023 003	000	6866 0		Z	36800	0	NO		
75 223 005 029 1 92 21 023 003 1	000	0 0003		<b>&gt;</b>	569 9	9	YES		
231 023 003 1	000	0 8231		z	20 0	0	NO		
	000	1 0000		z	383 7	0	NO NO		
/ANADIUM 99 2 <sup>3</sup> 1 0.98 1.00 1.0000	8666 0 000	1 0000	0 9982	z	1128	-	YES		
ZINC 98 231 100 100 07021	0 9259	0 8970	0 6826	Z	1829	4	YES		

<sup>(1)</sup> Professional judgment based on log normal UTL comparison

TABLE A-7
ROCKY FLATS OU6
Background Comparison Statistical Test Results of
Subsurface Soil Metals
(Shppage Test, Quantile Test, Gehan Test, UTL Comparison)
(Concentration Unit MG/KG)

P VAL	1 0000	0.1658	03116	0000	1 0000	1 0000	0 0001	0000	1 0000	96660	86660	1 0000	0 1262	1 0000	0.5539	86660	1 0000	0 9848	1 0000	1 0000	1 0000		1 0000	6866 0	0 0003	0 8231	1000	1 0000	0 8970
S6 Z	35	545	25	545	55	545	645	545	25	545	545	645	545	55	25	545	ž	25	645	\$	543		545	545	645	645	545	\$5	645
Z CAL	1)		0.491	3 979	13 704	8 903	8 752	14 089	8 558	3 366	3 567	6646	1 145 1	_	_	_	_	2164	7 444	4 488	7 883		10 074	3 069 1	3 395	0 927	6 293 1	4 486	1 265 1
P QUAN	II .	0000 666	0.8480	9000 0	1 0000	0000 666	0 0001	0000 666	0000 1	0000 666	0 9931	6666 0	0 9548	0000 666	0 8663	86660	999 0000	0000 666	1 0000	0000 666	0000 666		0000 666	0000 666	0000 666	0000 666	0000 666	86660	0 9259
SITE	26	_		47	0	-		6 666		6 666	39	34	7	•	43	35	•	-	28	•	6 666		6 666	•	-	-	_		42
T20 N		666	70	99	89	666	99	666	99	666	19	19	99	666	99	19	666	666	19	666	666		666	666	666	666	666	19	99
SLP N	000	000	900	0 115	000	000	0 039	900	0 700	000	000	000	489	900	900	900	000	900	900	99	900		900	900	002 (	000	900	000	0 702
NGM P	0	0	0	9	0	0	0	0	1 0	0	0 1	0	2	0	0	0	0	0	0	0	0		0	0	1 0	0	0	0	1 0
MAX S N	24100 0	21 7	10 9	2970 0	2 1	1 8	203000 0	33.7	217 0	21 4	52 1	42000 0	6 #8	29 8	0 0609	0 406	6 0	6 LZ	41 5	3030 0	1 3		27	9 0 0 6	206 0	0.7	57 8	118 0	0 902
MAX B	102000 0	47 0	41.8	777 0	23 5	2.4	1570000	28300	1760	93 9	123 0	132000 0	8 68	83 2	32500 0	33300	5.9	9 19	193 0	187000	13.7		6 01	3680 0	184 0	20 0	<del>14</del>	283 0	486 0
GUTL	0	0	0	17	0	0	52	0	3	0	-	0	2	0	0	0	0	0	0	0	0		0	0	9	0	0	-	7
LILES NGUTL	45083 1	47 0	17.0	371 1	18 2	2 0	53248 1	10149	89 1	38 1	49 0	52385 2	31 0	41 9	12147 1	11940	2 1	9 19	6 62	83623	7.1		33 1	3680 0	569 9	20 0	383 7	1128	182 9
S GLES	35214	27	1 8	2465	03	0.2	455526	6 <del>1</del>	186	3.0		52120			970 5	8 611	0.1	61	67	4732	0.1		0 1	1293	748	03	34	118	53 5
STD B	113106	5.4	9 †	0 96	11	<del>+</del> 0		2734	243	103	127	3257 3	7.0	9.5	33064	3420	90	16	206	2356 1	1 9		<b>†</b> 6	111	703	1.2	1102	28 5	51.1
MEAN S	7249 3	67	36	1608	0.7	0.5	367249	34.5	108	64	6 7	91714	11 5	9.5	24504	143 4	0 1	19 8	10 5	9138	0.5		10	1580	813	0 8	20 4	22 7	33 9
ND S DTF B DTF S MEAN B MEAN	12752 0	7 0	4 0	0 16	<b>4</b>	60	8 5669	230 7	196	8 6	12.7	145320	109	147	2706 5	217 6	03	183	20 9	1627 4	1.5		5.8	8 998	69 2	13	9 99	31 \$	369
DTF S	96 -	0 07	66 0	9	0 84	0 08	90	89 0	86 0	0 95	1 00	9	00 1	0.87	1 00	1 00	0 31	0 02	99 0	09 0	60 0		00 0	1 00	1 00	0 29	0 03	1 00	00 1
TF B	1 00	0 18	18 0	0 92	16 0	8 <del>+</del> 0	06-0	0 78	1 00	0 34	0 97	90 <u>.</u>	90 1	87-0	0 71	98	98 0	810	96 0	0+0	0 27		0 43	0 18	0 +3	0 05	0 23	86 0	90 •
ND S	0	195	7	0	11	195	0	7.1	7	12	0	0	-	27	0	0	159	227	4	93	192		229	0	-	158	223	0	0
ND B	0	24	19	∞	6	47	10	21	0	65	e	0	0	51	53	0	53	81	4	89	99		47	81	26	71	71	7	0
NS	231	210	231	231	231	211	131	221	231	231	231	231	231	509	231	231	231	231	231	230	211		230	231	231	223	231	231	231
N B	86	99	66	66	66	81	66	95	66	66	66	66	66	66	66	66	86	66	96	86	82		83	66	66	75	92	66	86
ANALYTF	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	BERYLLIUM	CADMIUM	CALCTUM	CESIUM	CHROMILIM	COBALT	COPPER	RON	LEAD	LITHIUM	MAGNESIUM	MANGANESE	MERCURY	MOLY BDENUM	NICKEL	POTASSIUM	SELENTUM	SILICON(1)	SILVER	SODIUM	STRONTIUM	THALLIUM	ZI.	VANADIUM	ZINC

(1)No site measurement.

TABLE A-8
ROCKY FLATS OU6
Background Comparison t-Test Results of
Subsurface Soil Metals
(Concentration Unit MG/KG)

		8	2			8	2	26	<u>:</u>	5	!			8	÷ 8		8	· **	5 kg	, Pe	2 25	Jent	2	£4 9	2 14	4 9	ર પ્ર	2	
REMARK		NNDT more than 20%				NNDT more than 20%		NNDT more than 20%		NNDT more than 20%				NNDT more than 20%	NNDT more than 20%		NNDT more than 20%	NO BKGD measurement	NNDT more than 20%										
RE		DT more				DT mon		DT more		DT more				DT more	DT more		DT more	BKGD	DT more	DT more	DT more								
1	90			0 0004	1 0000			Z		Z		666	347		Z			2		Z	Z	ON		Z	Z		Z		326
<u>a</u> .	1 66 1 0000	•	0 7957	00	10		0 0001		86660		0 9978		0 2347			0 9813												0 9982	0 6826
T 1 99	199		1 66	1 65	1 66		1 65		1 65		1 65	1 66	1 65			1 66												1 66	165
DF T CAL T 1 95 P T 1	4 720		0 829	3 382	-8 613		8 716		-3 570		-2874	-3 896	0 724			2 107												2 979	0 475
DF	201		111	326	86		320		328		328	111	328			108												113	327
TAB	3.8		3.8	38	38		3.8		38		3.8	38	38			38												38	38
CAL F TAB	25.7		94	6.7	1822		78 1		26		36	59	15			67												63	0 1
SF	4 1	2.7	1 8	2465	03	0.2	9 7	449	186	3.0	5 9	7 0	8 /	9 9	) 5	1198	0 1	61	67	3.2	0 1		0 1	1293	748	03	3.4	118	535
STD S	3521 4			24			455526	4	Ξ	` '	٠.	52120	•	• ,	9705	11	_		·	4732	_		_	129	7	_	(,,	=======================================	53
STD B	113106	54	46	096	47	0.4	161989	2734	243	103	127	132573	7.0	9 5	33064	3420	90	76	206	23561	19		94	441 1	703	12	1102	28 5	51 1
MEAN S	72493	67	36	1608	0.7	0.5	367249	34 5	108	64	67	91714	115	9 5	24504	1434	0 1	198	105	9138	0.5		10	1580	813	80	204	22.7	339
EAN B	127520	7.0	4 0	970	4 8	60	8 5669	2307	196	8 6	127	145320	109	147	27065	2176	03	183	209	16274	1.5		5 8	8998	69 2	13	9 99	315	369
ND S M	0	195	2	0	37	195	0	71	4	12	0	0	-	27	0	0	159	227	79	63	192	0	229	0	1	158	223	0	0
ND B ND S	0	54	19	∞	6	42	10	21	0	65	3	0	0	51	53	0	53	81	4	29	8	0	47	81	99	71	71	7	0
S	231	210	231	231	231	211	231	221	231	231	231	231	231	503	231	231	231	231	231	230	211	0	230	231	231	223	231	231	231
B Z	86	99	66	66	66	81	66	95	66	66	66	8	8	66	66	66	98	66	96	86	82	0	83	66	66	75	92	66	86
ANALYTE	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	BERYLLIUM	CADMIUM	CALCTUM	CESTUM	CHROMIUM	COBALT	COPPER	IRON	LEAD	LITHIUM	MAGNESIUM	MANGANESE	MERCURY	MOLYBDENUM	NICKEL	POTASSIUM	SELENIUM	SILICON	SILVER	SODIUM	STRONTIUM	<b>THALLIUM</b>	NI.	VANADIUM	ZINC

NNDT ≈ Number of non-detects

# TABLE A-9 ROCKY FLATS OU6 Background Comparison Summary of Subsurface Soil Radionuclides (Concentration Unit pCi/G)

ANALYTE N B N S DTF B	e Z	I S N		DTF S	P SLIP	P QUAN P	GEHAN	P T 1 SI	GNIFICT	UTL99	DTF S P SLIP P QUAN P GEHAN P T 1 SIGNIFICT UTL99 NGUTL PCOC	REMARK
AMERICIUM 241	28	28 208	90	1 00	1 00 0 0001	60000	0 0001 0 0228	0.0228	Υ	0 022	21 YES	
CESIUM 137	66	0										NO site measurement
<b>GROSS ALPHA</b>	66	500	1 00	1 00	0 4597	1 0000	1 0000	0000 1 0000	Z	51 423	2 YES	
<b>GROSS BETA</b>	66	223	1 00	1 00	1 0000	1 0000	1 0000	1 0000	Z	42 022	ON O	
PLUTONIUM 239 240	66	506	1 00	1 00	0 0001	0 0001	0 0001	0 0001	Y	0 025	43 YES	
RADIUM 226	83	0										NO site measurement
RADIUM 228	83	0										NO site measurement
STRONTIUM 89 90	66	0										NO site measurement
TRITIUM (1)	66	12	1 00	1 00	1 0000	0 9479	0 9564		z	503 616	ON O	
URANIUM TOTAL	0	0										NO site measurement
<b>URANIUM 233 234</b>	66	230	1 00	1 00	1 0000	0 0256	0 0344	0 2701	Y	3 441	0 YES	
URANTUM 235	66	230	1 00	1 00	1 0000	0 4617	0 0001	60000	Y	0 153	1 YES	
<b>URANIUM 238</b>	66	230	00	1 00	0 6991	0 8497	0 3157	0 2637	z	1 807	2 YES	

(1) Concentration Unit pCt/L

TABLE A-10
ROCKY FLATS OU6
Background Comparison Statistical Test Results of
Subsurface Soil Radionuclides

(Shppage Test Quantile Test, Gehan Test UTL Comparison) (Concentration Unit pCt/G)

ANALYTE	Z 8	S	N B C	S DI	F B D	NBNS ND B ND S DTF B DTF S MEAN B	LEAN B	MEAN S	IEAN S STD B	•	UTL99	NGUTL	MAX B	MAX S	NGM	P SLP	N T20	N SITE	STD S UTL99 NGUTL MAX B MAX S NGM P SLP N T20 N SITE P QUAN Z CAL Z 95 P VAI	Z CAL	S6 Z	PVAL
AMERICIUM 241	28	308	0	0	1 00	1 00	0 002	0.013	0 007	0.040	0 022	21	0 010	0.440	63	0 0001	61*	49	60000	6 390	1645	0 0001
CESIL'M 137(1)	66	Ũ	0	0	001		0 0 1 2		0 041													
GROSS ALPHA	. 66	506	0	0	1 00	1 00	24915	14138	9 284	10 768	51 423	2	48 000	143 000	7	0 4597	I	6	1 0000	10 266	165	1 0000
GROSS BETA	66	.23	0	0	1 00	00 1	24717	20 794	6 061	5 275	42 022	0	4 000	36 560	0	1 0000	29	28	1 0000	5 530	164	00001
PL1 TONIUM 239 240	66	506	O	0	1 00	100	0000	0 0 2 9	0 007	0 085	0 025	43	0 030	0880	37	0 0001	61	53	0 0001	5 355	1 <u>8</u>	10000
RADIUM 226(1)	83	0	0	0	1 00		0 746		0 231													
RADIUM 228(1)	83	0	0	0	1 00		1 402		0 318													
STRONTIUM 89 90(1)	86	0	0	0	1 00		0.031		0 358													
TRITIUM (2)	8	12	0	0	1 00	1 00	141 717	79 093	126 747	101 881	503 616	0	000 OFF	250 500	0	1 0000	23	-	0 9479	1 710	1645	0 9564
URANIUM.TOTAL(3)	0	0	0	0																		
URANIUM 233 234	8	230	O	0	<b>1</b> 00	8	0 779	0.715	0 932	0305	3 441	0	8 900	3 050	0	1 0000	99	53	0 0256	1 819	1645	0 0344
URANIUM 235	66	230	0	0	1 00	100	0 0 0 2 2	0.037	0.046	0 032	0 153	-	0 200	0160	0	1 0000	99	41	0 4617	7 487	1645	0 0001
I RANIUM 238	86	230	0	0	1 00	100	0 733	1 333	0 376	9254	1 807	7	3 200	141 000	_	16690	76	20	0 8497	0.480	1645	03157

<sup>(1)</sup> No sitemeasurement

<sup>(2)</sup>Concentration Unit pCi/L

<sup>(3)</sup> No background measurement

## TABLE A-11 ROCKY FLATS OU6 Background Comparison Summary of UHSU Groundwater Unfiltered Metals (Concentration Unit UG/L)

																											(I) IA		
REMARK																											Not a PCOC by PJ (1)	•	
PCOC	YES	YES	) ES	YES	YES	YFS	YES	0 N	YES	YES	YES	YES	YES	YES	YES	YES	) ES	ON.	YES	YES	) ES	YES	YES	YES	YES	ON	ON	YES	YES
NGUTL	81	7	9	32	6	9	32	0	7	7	20	81	21	17	17	30	6	0	12	19	81	12	6	56	33	0	ĸ	19	22
UTL99	25624 6	55 8	∞ ∞	300 4	5.0	11 11	1453530	934 7	186 4	200	453	31518 5	193	172 3	33005 6	626 4	0.2	195 1	97.5	51788	127 5	613900	10 0	1442260	1085 4	0 6	1792	68 2	1792
SIGNIFICT	γ	<b>&gt;</b>	<b>,</b>	<b>&gt;</b>	<b>&gt;</b>	<b>&gt;</b>	<b>*</b>	Z	<b>&gt;</b>	<b>\</b>	<b>&gt;</b>	٨	Y	<b>X</b>	λ	Y	<b>,</b>	Z	<b>&gt;</b>	¥	¥	<b>&gt;</b>	<b>*</b>	¥	<b>&gt;</b>	Z	z	<b>*</b>	¥
P T 1	0 0007						0 0001					0 0012			0 0001	0 0001						0 0005		0 0001	0 0001				0 0142
P GEHAN	0 0001	0 0211	0 0001	0 0001	0 0001	0 0177	0 0001	0 1380	0 0001	0 0001	0 0001	0 0001	0 0001	0 0001	0 0001	0 0001	0 9745	0 0 0 3 8	0 0001	0 0001	0 0001	0 0258	0 0017	0 0001	0 0001	0 5107	0 2361	0 0001	0 0001
P QUAN	0 0001			10			100		10			01	10		_	=					Ξ	_		_	_				=
_				0 0001			1000 0		0 0001			0 0001	0 0001		0 0001	0 0001					0 0001	0 0001		0 0001	0 0001				0 0001
	0 0001	0600 0	2+100	0 0001 0 000	0 0002	6tu0 0	0 0001	0000 1	0000 0000 1	0 0020	0 0001	0 0 0 6100 0	0 0000 0 000	0 0008	0 0001 0 000	0 0001 0 000	0 0008	0000 1	67710	0 0001	0 4223 0 000	0 00 11 0 000	0 0003	0 0001 0 000	0 0001 0 0000	1 0000	0 1718	0 0003	0 0000 0 0000
DTF S P SI IP		0 16 0 0090	0 52 0 0147		0 30 0 0002	0 26 0 0019		0 00 1 0000		0 45 0 0020	0 54 0 0001			0 93 0 0008			0 10 0 0008	0 27 1 0000	6/2/1 0 99 0	0 94 0 0001			0 20 0 0003			0 05 1 0000	0 19 0 1718	0 74 0 0003	
P SI IP	0 0001			0 0001			0 0001	-	0000 1			0 0019	0 0002		0 0001	0 0001					0 4223	0 0011		0 0001	0 0001				0 0008
DTF S P St IP	0 95 0 0001	910	0 52	0 0 0 0 0 0 0 0 0 0	030	0 26	1 00 0 0001	0 02	0 75 1 0000	0 45	0 54	0 95 0 0019	0 73 0 0002	0 93	1 00 0 0001	0 94 0 0001	010	0 27	990	0 94	0 58 0 4223	1 00 0 0011	0.70	1 00 0 0001	1 00 0 0001	0 05	0 19	0 74	0 83 0 0008
DTF B DTF S P SI IP	0.95 0.95 0.0001	038 016	0 28 0 52	074 098 00001	012 030	0 2 0 0 2 6	100 100 00001	0 25 0 02	0 48 0 75 1 0000	016 045	0.74 0.54	0 98 0 95 0 0019	070 073 00002	0 77 0 93	100 0 0001	0 89 0 94 0 0001	0.00 0.10	034 027	990 860	071 094	030 058 04223	0 99 1 00 0 0011	016 020	0 99 1 00 0 0001	0 89 1 00 0 0001	0 24 0 05	035 019	077 074	0 0 0 0 83 0 0 0 0 0 0 0 0 0 0

<sup>(1)</sup> Professtional judgment based on log normal UTL comparison

## Background Comparison Statistical Test Results of ROCKY FLATS OU6 TABLE A-12

(Slippage Test, Quantile Test, Gehan Test, UTL Comparison)
(Concentration Unit UG/L) **UHSU Groundwater Unfiltered Metals** 

VAL	0 0001	0 0211	0 0001	100000	0 0001	0 0177	0 0001	0 1380	0 0001	0 0001	0 0001	0 0001	0 0001	0 0001	0 0001	0 0001	0 9745	0 0738	0 0001	0 0001	0 0001	0 0258	0 0017	0 0001	0 0001	0 5107	0 2361	0 0001	0 0001
2 95	543	64	£ 6.	645	645	645	643	645	645	643	545	64	643	44	644	643	645	64,	\$	\$	645	645	645	645	643	645	645	645	1 645
Z CAL	4 719	2 031	5 257	8 551	4 077	2 104	10 444	1 089	6 240	3 641	4 018	4 778	4 611	8 382	11 518	4 532	1 951	1 448	6 817	8 295	5 289	1 946 1	2 922	9 348	10 770	0 027	0 719	6 708	3 747
P QUAN	0 0001	0000 666	0000 666	0 0001	0000 666	0000 666	0 0001	0000 666	0 0001	0000 666	0000 666	0 0001	0 0001	0000 666	0 0001	0 0001	0000 666	0000 666	0000 666	0000 666	0 0001	0 0001	0000 666	0 0001	0 0001	0000 666	0000 666	0000 666	0 0001
SITE	35	666	666	47	666	666	42	666	42	666	666	35	38	666	48	42	666	666	666	666	36	23	666	40	43	666	666	666	39
N T20 N	15	666	666	52	666	666	\$2	666	51	666	666	51	20	666	52	52	666	666	666	666	51	30	666	52	21	666	666	666	52
P SIP	0000	600 0	5100	0000	0000	0 005	0000	1 000	1 000	0 002	0000	0 002	0000	0 001	0000	0000	0 001	1 000	0 178	00000	0 422	0 001	0000	0000	0000	1 000	0 172	0000	0 001
NGM P	01	5	S	10	6	9	24	0	0	7	=	7	10	œ	25	12	œ	0	7	21	-	<b>∞</b>	6	18	21	0	7	6	••
MAX S	456000 0	1940	081	2060	320	329	7150000	1500	5800	228 0	64300	0 000959	2540	4560	2350000	6200 0	1.5	29 5	10700	389000	4750	2880000	30400	5490000	0 0969	27	2670	7540	8000
MAX B	639000	9 98	10 0	752 0	0	111									479000			200 0					10 0		17700	100	200 0	167 0	198 0
NGUTL	18	7	9	32	6	9	۲۲	0	7	1	70	18	5	1.1	77	30	6	0	12	39	18	12	6	26	33	0	33	19	22
UTL99	256246	558	80	300 7	5.0	111	1453530	9347	1864	200	453	31518 5	193	1723	33005 6	6264	0.2	1951	97.5	51788	127 5	<b>61390</b> 0	100	1442260	10854	0.6	1792	68 2	1792
STD S	539688	303	3.0	608 5	4 4	42	1726740	101 5	91 2	17 T	6469	756394	393	101	566544	12041	0 7	45.7	1180	66136	1043	55239 6	342 8	1130200	1742 5	16	44 7	107 6	8500
STD B	7758 2	102	1.7	68 2	90	1 0	8 L991t	195 1	9 09	7.4	11 9	9680 1	2.4	48 5	79546	187 2	0 0	453	27 6	1169 5	41 7	15401 0	1 0	400197	2709	1 8	38 2	18 6	49 8
MEAN S	208100	351	9 †	3537	3.4	7.4	1771299	<b>448</b> 6	694	241	1178	26939 2	185	859	52059 5	6973	0.2	<del>†</del> 19	525	57974	48 9	404533	597	1105377	14922	7	820	575	6 612
ND B ND S DTF B DTF S MEAN B MEAN S	34965	268	3 9	105 9	23	2.5	55030 2	378 2	13 \$	219	11 4	3909 1	3 8	340	10317 4	92 4	0.1	0 99	18.7	1843 2	8 5	16575 3	47	300819	3129	3.9	704	151	37.1
TF S N	0.95	0 16	0 52	860	030	0 26	00 1	0 02	0.75	0.45	0 54	0 95	0.73	0 93	1 00	0 94	010	027	990	0 94	0.58	1 00	0 20	1 00	1 00	0 05	0 19	0.74	0.83
TF B D	960	0 38	0 28	0.74	0 12	0 2 0	00 I	0 25	0 48	910	0.74	860	0.70	110	0 97	680	0 7 0	0 34	0 38	0.71	030	660	0 16	660	680	0 24	0.35	<i>111</i> 0	160
DS D	v	11	51	۲1	70	78	0	95	27	59	6†	v	56	<b>∞</b>	0	9	96	28	36	9	7	0	83	0	0	102	86	28	81
D B N	∞	87	66	39	130	611	0	107	75	124	39	3	43	34	7	17	118	66	91	7	101	_	123	71	91	Ξ	44	35	<b>=</b>
N N	106	92	106	107	100	106	107	16	107	107	107	106	107	107	107	107	107	107	107	107	106	99	101	107	106	107	106	107	107
B	149	141	138	149	148	148	149	142	145	148	148	149	141	149	149	149	148	150	146	150	145	84	147	149	146	146	149	149	149
ANALYTE	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	BERYLLIUM	CADMIUM	CALCIUM	CESIUM	CHROMIUM	COBALT	COPPER	IRON	LEAD	LITHIUM	MAGNESIUM	MANGANESE	MERCURY	<b>MOLYBDENUM</b>	NICKEL	POTASSIUM	SELENIUM	SILICON	SILVER	SODIUM	STRONTIUM	THALLIUM	NE NE	VANADIUM	ZINC

## TABLE A-13 ROCKY FLATS OU6

Background Comparison t-Test Results of UHSU Groundwater Unfiltered Metals (Concentration Unit UG/L)

REMARK		NNDT more than 20%		NNDT more than 20%		NNDT more than 20%	NNDT more than 20%			NNDT more than 20%		NNDT more than 20%			NNDT more than 20%	NNDT more than 20%	NNDT more than 20%												
T	0 0007						0001					0 0012			0001	0001						0 0005		0 0001	0 0001				0 0142
T CAL T 1 95 P T 1	1 66						1 66 0 0001					166			1 66 0 000	1 66 0 000						167 (		165	1 66 (				1 66 (
T T	33						82					17			28	22						6		53	80				22
TCA	3 283						7 228					3 117			7 568	5 152						3 409		7 053	908				2 222
DF	108						1111					107			109	110						73		125	109				107
TAB	3.8						38					3.8			3 8	38						39		3.8	3.8				3.8
STD S F CAL F TAB DF	32.4						1109					29 7			1214	1062						39 1		9 6/	1047				158
STD S	53968 8	303	3.0	608 5	4 4	42	1726740	101 5	912	Z7 7	6469	756394	393	101	56654 4	1204 1	0.2	45 7	1180	66136	1043	55239 6	3428	1130203	17425	16	44 7	1076	8500
STD B	77582	102	17	68 2	90	10	316678	1951	9 09	74	119	96801	54	48 5	79546	1872	00	453	276	11695	41 7	154010	10	400197	2709	1 8	38 2	186	49 8
EAN B MEAN S	208300	35 1	4 6	3537	34	34	1771299	4486	469	24 1	1178	269392	18 5	85 9	520595	6973	0.2	61 4	52.5	57974	48 9	404533	59 7	1105377	14922	4 1	820	575	2199
MEAN B	34965	268	3.9	1059	23	2.5	550302	3782	13.5	21 9	11 4	3909 1	3 8	340	103174	92 4	0.1	0 99	18 7	18432	8 5	165753	47	300819	3129	3.9	70 4	15 1	37 1
	~	11	51	7	70	78	0	95	27	59	49	5	29	∞	0	9	96	78	36	9	4	0	83	0	0	102	98	28	18
ND B ND S	∞	87	66	39	130	119	0	107	75	124	39	33	43	34	4	17	118	66	91	44	101	-	123	7	16	111	16	35	14
	106	92	106	107	100	106	107	62	107	107	107	106	107	107	107	107	107	107	107	107	106	99	104	107	106	107	106	107	107
N B N	149	141	138	149	148	148	149	142	145	148	148	149	141	149	149	149	148	150	146	150	145	84	147	149	146	146	149	149	149
ANALYTE	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	BERYLLIUM	CADMIUM	CALCTUM	CESIUM	CHROMIUM	COBALT	COPPER	IRON	LEAD	LITHIUM	MAGNESIUM	MANGANESE	MERCURY	MOLYBDENUM	NICKEL	POTASSIUM	SELENIUM	SILICON	SILVER	SODIUM	STRONTIUM	THALLIUM	ALL N	VANADIUM	ZINC

NNDT = Number of non-detects

TABLE A-14
ROCKY FLATS OU6
Background Comparison Summary of UHSU Groundwater Filtered Metals (Concentration Unit UG/L)

### Background Comparison Statistical Test Results of UHSU Groundwater Filtered Metals (Slippage Test Quantile Test, Gehan Test UTL Comparison) (Concentration Unit UG/L) ROCKY FLATS OU6 TABLE A-15

P VAL	0 5488	0 1747	0 6269	0 0001	16660	0 9885	0 0001	06660	0 2697	68960	0 7052	0 5773	6666 0	0 0001	0 0001	0 0012	1 0000	0 3284	0 0001	0 0001	0 0001		0 9965	0 0001	0 0001	0 9961	0 9664	08380	0 9799
56 Z	1645	1 645	1 645	1 645	1645	1 645	I 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1645	1 645	1 645	1 645	1 645		1 645	1 645	1645	1 645	1645	1 645	1 645
Z CAL	0 123	0 936	0 324	7 171	3 231	2 274	12 955	3 094	0 614	1 865	0 539	0 195	3 767	8 450	14 199	3 026	4 063	0 44	4 587	8 413	6 376		2 696	12 142	13 34	2 662	1 830	986 0	2 052
P QUAN	0000 666	0000 666	0000 666	0000 666	0000 666	0000 666	0 0001	0000 666	0000 666	0000 666	0000 666	0000 666	0000 666	0000 666	0 0001	0 0001	0000 666	0000 666	0000 666	0000 666	0 0001		0000 666	0 0001	0 0001	0000 666	0000 666	0000 666	0000 666
SITE	666	666	666	666	666	666	71	666	666	666	666	666	666	666	83	55	666	666	866	666	\$		8	7	73	666	666	666	666
T20 N	666	866	666	666	666	666	8	666	666	666	666	666	666	666	88	8	666	666	666	666	82		666	8	68	666	86	666	666
SLP N	1 000	0 001	000 1	0000	000 1	0 194	0000	1 000	0 003	000	000	000	000	0000	0000	0000	000 1	000 1	0 003	0431	000		000	0000	000	000	000	000 1	0 033
NGM	0	∞	0	93	0	7	36	0	7	0	0	0	0	20	4	11	0	0	7	-	0		0	83	0	0	0	0	4
MAX S N	48300	162.0	4 0	2860	2.0	139	6590000	1600	460	133	618	55000	34	6500	2570000	45200	03	484	2950	94500	4600		102	8970000	70000	24	1290	273	3140
M11 B	00198	0 09	150	2030	5.0	8 6	1840000	25000	232	200	1750	87900	Ī	2500	163000	9340	0.7	2000	100	81100	0 2 0 9		136000	2520000	79300	3280	88300	200	1370
NGUTL	-	œ	0	30	0	7	20	0	15	0	7	9	0	52	99	45	0	0	7	25	53		0	47	31	0	0	0	=
UTL99 NO	1816 5	512	15.0	1765	5.0	5.1	48383 0	1122 4	15 0	20 0	53.8	1682 7	15 8	190 7	33721 2	282 1	0.7	1881	35 4	46839	1368		2586 6	56322 0	1968 2	72.1	1734 3	40 4	8 48
STD S	347.2	191	17	9 89	8 0	13	1279880	1596	67	10 2	10 6	597 9	0.5	107 2	56083 1	892 1	0 0	46 1	38 1	1666 3	0 %		14	1275320 1	17187	1.7	39 9	10 4	37.8
STD B	5 265	<b>†</b> 6	9 1	31.2	90	6 0	32667 6	237 9	3.1	8 4	151	557 1	4.7	53 6	83198	87.4	0 1	46 3	7 0	1090 3	<b>∞</b>		8850	436277	999	23.2	572 2	10 1	17.7
MEAN S	943	28.1	3.9	1200	2.1	7.7	1615560	4019	67	17.7	109	1930	7	752	479416	3445	0.1	909	215	26080	462		7	1174000	14075	40	208	138	182
ND B ND S DTF B DTF S MEAN B	1130	245	4	874	23	56	552087	4438	09	209	10 7	93.7	24	380	99914	32.7	0.1	56 1	154	15743	92		625	318875	3538	89	1023	118	144
TF S	0 43	0 20	0 12	0 97	0 05	0 11	1 00	0 05	0 26	0 14	0 29	0 45	0 0	0 91	1 00	9 0	0 01	0 21	0 37	0 85	0 59	1 00	0 10	1 00	1 00	90	0 18	0 36	0 51
TF B D	0 77	0 48	0 07	0 71	010	0 22	1 00	0 21	98 0	0 18	0 39	9/ 0	0 23	0 74	まっ	0 61	0 10	0 37	0 33	0 72	0 32		0 29	86 0	0 92	0 22	0 43	9 0	0 79
S ON	109	151	168	9	181	169	0	166	139	2	#1	103	<u>z</u>	81	0	8	8	149	120	87	79	0	171	0	0	181	1 26	122	93
8 0	\$	128	203	73	81	187	-	191	091	681	152	79	192	Z	15	101	186	151	159	2	6+1	0	168	3	12	991	135	88	<b>J</b>
S	161	189	191	191	161	189	161	174	189	161	961	188	161	161	161	161	161	189	161	161	161	122	190	191	161	161	18	191	191
æ Z	248	877	219	256	212	240	257	211	250	231	250	256	250	250	254	256	206	241	236	252	219	0	236	255	253	213	236	249	256
ANALYTE	ALUMINUM	ANTIMONY	ARSFNIC	BARIUM	BERYLLIUM	CADMILIM	CALCIUM	CESILIM	CHROMIUM	COBALT	COPPER	IRON	I EAD	ГІТНІСМ	MAGNESIUM	MANGANESE	MFRCURY	MOLY BDENUM	NICKEL	POTASSIUM	SELENTUM	SELICON(1)	SILVER	SODIUM	STRONTIUM	THALLIUM	TI.	VANADIUM	ZINC

(1) No background measurement

TABLE A-16
ROCKY FLATS OU6
Background Comparison t-Test Results of UHSU Groundwater Filtered Metals
(Concentration Unit UG/L)

REMARK	NNDT more than 20%	NNDT more than 20%	NNDT more than 20%		NNDT more than 20%	NNDT more than 20%		NNDT more than 20%			NNDT more than 20%		NNDT more than 20%		NNDT more than 20%			NNDT more than 20%											
T 1 95 P T 1							1 65 0 0001								1 65 0 0001									1 65 0 0001	1 65 0 0001				
T CAL							9 159								9 275									8 885	8 146				
F 1AB DF							3 8 202								38 196									3 8 223	3 8 221				
- 1							1320								1623									6 66	1166				
STD S F CAL	3472	191	17	63 6	0 8	13	1579877	1596	67	102	10 6	5979	0.5	1072	560831	892 1	0 0	46 1	38 1	16663	0 96	18961	1 4	127532 2	17187	17	39 9	10 4	37 8
STD B	5973	94	16	31.2	90	60	326676	2379	3.1	84	151	5571	47	536	83198	874	0.1	463	7.0	10903	44 8		8850	436277	9999	232	5722	101	177
IEAN B MEAN S	943	28 1	39	1200	2.1	24	1615560	4079	67	177	109	1930	14	752	479416	3445	0.1	909	215	26080	462	71860	44	1174000	14075	40	708	138	182
MEAN B	1130	24 5	44	874	23	26	552087	4438	9	209	107	93.7	24	380	99914	32.7	0.1	561	154	15743	9.2		625	318875	3538	59	1023	118	144
S QN	109	151	168	9	181	169	0	166	139	<u>2</u>	134	103	<u>\$</u>	18	0	99	190	149	120	28	79	0	171	0	0	184	156	122	93
ND B	56	128	203	73	190	187	-	167	160	189	152	62	192	2	15	101	186	151	159	70	149	0	168	3	21	166	135	88	54
S	161	189	161	161	191	189	191	174	189	161	190	881	161	161	161	161	191	189	191	191	191	122	190	191	191	191	190	191	191
Z B	248	248	219	256	212	240	257	211	250	231	250	256	250	250	254	256	206	241	236	252	219	0	236	255	253	213	236	249	256
ANALYTE	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	BERYLLIUM	CADMIUM	CALCTUM	CESIUM	CHROMIUM	COBALT	COPPER	IRON	LEAD	LITHIUM	MAGNESIUM	MANGANESE	MERCURY	MOLYBDENUM	NICKEL	POTASSIUM	SELENTUM	SILICON	SILVER	SODIUM	STRONTIUM	THALLIUM	AL.	VANADIUM	ZINC

NNDT = Number of non-detects

## TABLE A-17 ROCKY FLATS 0U6

Background Comparison Summary of UHSU Groundwater Unfiltered Radionuclides

(Concentration Unit pCu/L)

ANALYTE	e Z	S	DTF B	DTF S	P SLIP	P QUAN	P GEHAN	N B N S DTF B DTF S P SLIP P QUAN P GEHAN P T I SIGNIFICT	UTL99 NGUTL PCOC	UTL P	COC	REMARK
AMERICIUM 241	183	131	1 00	1 00	0 00 00	0 0018	00151	Y	0 037	16	YES	
CESIUM-137	156	89	1 00	1 00	0 0912	0 3756		Z	1 065	7	YES	
GROSS ALPHA	23	7	1 00	1 00	1 0000	0 1201		Z	390 578	0	NO ON	
<b>GROSS BETA</b>	23	7	1 00	1 00	1 0000	0 1201		Z	221 307	0	Q Q	
PLUTONIUM 239 240	194	138	1 00	1 00	0 0003	0 0001	0 0001	>	0 064	12	YES	
RADIUM 226	9	9	1 00	1 00	0 0303	60600	0.0547	>	1 295	-	YES	
RADIUM 228	0	3	000	000							ž	NO BKGD measurement
<b>STRONTIUM 89</b> 90(1)	32	3	1 00	1 00	0 0857			Y	1 154	_	YES	
TRITIUM	84	238	1 00	1 00	1 0000	0 3271	0 1193	Z	12982 300	0	Q Q	
URANIUM TOTAL	0	0	000	00 0							ž	NO measurements
URANIUM-233 234(1)	35	4	1 00	1 00	1 0000	1 0000	0 3730	Z	144 836	0	0 <u>N</u>	
URANIUM-235(1)	35	4	1 00	1 00	1 0000	1 0000	0 7981	Z	5 233	0	Q Q	
URANIUM-238(1)	22	4	1 00	1 00	1 0000	0 6759	0 1776	Z	114 171	0	SON ON	

(1) Sample size is too small

ROCKY FLATS 0U6 TABLE A-18

(Slippage Test Quantile Test, Gehan Test, UTL Comparison) (Concentration Unit  $pC \mathcal{U} L$ ) Background Comparison Statistical Test Results of **UHSU Groundwater Unfiltered Radionuchdes** 

ANALYTE	Z Z	Z S Z	0 8	I S OF	TF B	DTF S	N B N S ND B ND S DTF B DTF S MEAN B MEAN S	MEAN S	STD B	STD S	UTL99 NO	NGUTI.	MAX B	MAX S	NGM	P SLP	N T20	N SITE	P SLP N T20 N SITE P QUAN Z CAL	Z CAL	2 95	-1
AMERICIUM 241	183	131	0	0	8	18	9000	0500	0011	0 297	0 037	91	0 097	3 200	7	0 00 00	63	37	0 0018	2 166	1645	15100
C ESIUM 137	156	89	0	0	8	8	0.120	0 231	0 331	0 628	1 065	7	1160	4499	7	0 0912	4	15	03756	1 280	<u>.</u>	0 1002
GROSS ALPHA	23	7	0	0	90	90 1	43 497	64 329	94 285	99 739	390 578	c	362 000	280 000	0	1 0000	9	3	0 1201	1 422	<u>1</u>	2//00
GROSS BETA	ß	7	0	0	1 00	00	24 945	40 003	53 342	55 787	221 307	С	220 000	160 000	0	1 0000	9	33	0 1201	1 251	_	0 1056
PLUTONIUM 239,240	¥	138	0	0	1 00	90	000	0 081	0 0 0 2 1	0 388	0.064	12	0 224	3 650	6	0 0003	19	4	0 0001	5 104	1645	0 0001
RADIUM 226	9	9	0	0	90	90 -	0358	2 0 7 0	0 128	3 3 1 9	1 295	-	0.520	8 800	4	0 0303	3	3	0600	1 601	164	0.0547
RADIUM 228(1)	0	٣	0	0																		
STRONTIUM 89 90	32	3	0	0	1 00	1 00	0.215	0.837	0 276	0 563	1154	_	1120	1 220	-	0 0857	7	7	0 0952	1 945	1g	0.0259
TRITIUM	¥	238	O	O	1 00	1 00	624 852	216 280	4246 750	260 340	12982.300	0	39030 000	1088 650	0	1 0000	۶۶	20	0 3271	1 179	<u>ş</u>	0 1193
URANTUM TOTAL(2)	0	0	0	0																		
L'RANIUM 233 234	35	4	0	O	1 00	1 00	15618	4313	38 753	3 982	144 836	0	164 000	9 700	0	1 0000	∞	0	1 0000	0 324	1645	03730
URANIUM 235	35	4	0	0	00	00 1	0617	0 005	1384	0 0 0 0	5 233	0	6 2 9 0	0.170	0	1 0000	8	0	1 0000	-0 835	1645	0 7981
URANIUM 238	23	4	0	0	1 00	1 00	10 840	3 985	F27 F2	3 849	114171	0	108 000	9400	0	1 0000	9	1	0 6759	0 925	<u>2</u>	01776

(1) No detect record from site (2)No background measurement

### Background Comparison Summary of ROCKY FLATS OU6 TABLE A-19

UHSU Groundwater Filtered Radionuclides (Concentration Unit pCi/L)

ANALYTE	N B N S DTF B	S		DTF S	P SLIP	P QUAN F	DTF S P SLIP P QUAN P GEHAN P T 1 SIGNIFICT	1 SIGNIFICT		UTL99 NGUTL PCOC	REMARK
AMERICIUM-241	2	4	II _	1 00	0 4000	0 4000	0 3217	z		0 NO(1)	
CESIUM-137	38	12	1 00	1 00	1 0000	0 7636	0 6161	z	2 143		
GROSS ALPHA	213 167	167	1 00	1 00	1 0000	0 0001	0 0001	<b>X</b>	100 522	0	
GROSS BETA	196	171 96	1 00	1 00	1 0000	0 0001	0 0001	<b>X</b>	39 774	4 YES	
PLUTONIUM-239 240	1	4	1 00	1 00	0 8000	0 8000	0 7602	z	0 011	1 YES(1)	
RADIUM-226	36	36 85	1 00	1 00	0 0001	0 0001	0 0001	Y	0 626	18 YES	
RADIUM 228	9	18	1 00	1 00	0 5543	6098 0	0 9713	Z	5 935		Not a PCOC by PI
STRONTIUM-89 90	180	80 128	1 00	1 00	04156	0 0004	0 0007	*	1 210		
TRITIOM	165 0	0	000	000							NO site measurement
URANIUM TOTAL	0	0	000	000						CX.	NO measurements
URANIUM-233 234	207	172	1 00	1 00	1 0000	0 0001	0 0001	Y	79 470		
URANIUM-235	207	172	1 00	1 00	1 0000	0 0001	0 0001	Y	2 006	2 YES	
URANIUM-238	177	172	1 00	1 00	1 0000	0 0001	0 0001	Y	55 240	0 YES	

(1) Sample size is too small (2) Professional Judgment based on log-normal UTL companson

### TABLE A-20 ROCKY FLATS OU6

Background Comparison Statistical Test Results of UHSU Groundwater Filtered Radionuclides (Shppage Test, Quantile Test, Gehan Test, UTL Comparison) (Concentration Unit pCvL)

ANALYTE	s Z	SZ	8 9	ND S	DTF B	DTF S	MEAN B	MEAN S	STD B	STD S	N B N S ND B ND S DTF B DTF S MEAN B MEAN S STD B STD S UTL99 NGUTL MAX B MAX S NGM P SLP N T10 N SITE P QUAN 2 CAL 2 95 P VAL	SUTL	MAX B	MAX S	KGM	P SLP	Z T20 N	SITE	P QUAN	Z CAL	2 95	P VAL
A MERICIUM 241	12	7	0	0	28	90 -	0 0 11	0 129	0 011	0 228	10 068	0	0 019	0 471 2 0 4000	7	0 1000	2	2	0 4000	0.463 1.645	1.645	0 3217
CESTUM 137	38	12	0	0	1 00	1 00	0.420	0.348	0 525	0 389	2 143	0	2 600	1 160	0	1 0000	10	7	0 7636	0 295	1645	0 6161
GROSS ALPHA	213	167	0	0	1 00	1 98	8 354	16 928	32 315	17 208	100 522	0	312 700	74 490	0	0000	91	62	0 0001	9 523	1 645	0 0001
GROSS BETA	196	177	0	0	90 1	1 00	7 89Z	10 299	12 230	10858	39 774	4	135 900	000 06	0	1 0000	75	62	0 0001	8 790	1 645	0 0001
PLUTONIUM 239 240	-	4	0	0	1 00	1 00	0 0 11	0 035		0 067	0 011	1	0 011	0 136	-	0 8000	-	1	0 8000	0 707	1 645	0 7602
RADIUM 226	36	8	0	0	1 00	<b>1</b> 00	0.258	0 475	0 111	0 225	0 626	18	0 530	1 199	53	0 0001	25	25	0 0001	5 355	1 645	0 0001
RADIUM 228	9	18	0	0	90	1 00	2 1 2 2	1 614	0 520	1 888	5 935	-	3 000	7 700	7	0 5543	9	4	0 8609	1 901	1 645	0 9713
STRONTIUM-89 90	180	128	0	0	1 00	1 00	0 338	0 449	0 306	0359	1 210	4	1 800	1 804	_	0 4156	62	38	0 000	3 196	1 645	0 0007
TRITIUM(1)	165	0	0	0																		
URANIUM, TOTAL(2)	0	0	0	0																		
URANIUM 233 234	207	172	0	0	90 1	90 1	6914	12 997	25 439	13 602	19 470	0	199 500	63 000	0	0000 1	9/	19	0 0001	6 997	1 645	0 0001
URANIUM 235	207	172	0	0	1 00	1 00	0 195	0 438	0 635	0 491	2 006	7	4 803	2 100	0	1 0000	16	09	0 0001	8 501	1 645	0 0001
URANIUM 238	177	172	0	0	1 8	1 08	1 832	9 395	17 673	9 620	55 240	0	135 600	39 000	0	1 0000	70	19	0 0001	9166	1 645	1000 0

(1) No site measurement

(2) No background measurement

## TABLE A-21 ROCKY FLATS OU6 Background Comparison Summary of Pond Sediments Metals (Concentration Unit MG/KG)

8	S Z	DTF B	DTF S	P SLIP	P QUAN	P GEHAN	P T 1	SIGNIFICT	UTL99	NGUTL	PC 0C	C REMARK
27		90	8	000+0	0 3476	01135	0 2025	Z.	29553 4	0	0 N	
28		0 44	0 39	0 6087		0 3327		Z	550	-	YFS	
20 57		0 0	1 00	1 0000		05749	0 9802	Z	2 99	0	ON	
20 57		1 00	90 1	00000 1	0 9300	0 5577	0 8872	z	7949	0	0N	
16 57		0 81	0 98	0 4629		0 1331		Z.	56	7	0 N	Not a PCOC by PJ (1)
95 91		0 88	0 39	0 6025		11660		Z	90 90	_	0 N	Not a PCOC by PJ (1)
57		90	80 -	0 7403	0 9300	0 4400	0 7545	Z	809413	0	NO NO	•
57		90	0 93	00000 1		1 0000		Z	1259 1	0	0 N	
23		1 00	1 00	0 0377	0 0704	0 0 172		<b>X</b>	312	9	YES	
57		0 95	1 00	1 0000	0 8358	0.0340	0 3018	٨	351	0	YES	
57		96 1	90 -	1 0000	0 6377	0 0047	0 3555	٨	1747	0	YES	
57		90	00 1	1 0000	0 9440	0 0235	9868 0	_	1438620	0	YES	
57		1 00	1 00	00001	0 9859	0 7115	6+88 0	Z	2611	0	<u>Q</u>	
57		1 00	0 98	1 0000		0 9875		Z	1067	0	0N	
23		90 1	1 00	0 0785	0 0365	0 0001	0 0001	~	6328 5	0	YES	
57		0 70	1 00	1 0000	0 9300	0 0238		<b>,</b>	1993 1	0	YES	
99		7 00	0 43	0 7887	0 9467	0 9994		z	11	0	0N	
												NO site measurement
99		90 -	0 70	0 7671	0 5169	0 1637		z	443		0 N	Not a PCOC by PJ (1)
99		1 00	68 0	0 0496	0 0662	0 0008		,	38722	0	YES	
2.2		68 0	0 05	1 0000		1 0000		z	53	0	NO	
												NO site measurement
27		0 87	0 39	0 0054	0 0191	03114		~	115	19	YES	
20 57		0 85	1 00	1 0000	0 5983	0 0110	0 5326	Υ	26103	0	YES	
20 57		90	90	1 0000	0 9962	0 8340	0 9479	z	6217	0	NO NO	
95		69 0	0 39	1 0000		1 0000		z	136	0	S N	
95		0 95	0 02	1 0000		0 9953		z	103 3	0	ON N	
15 61		8	8	0 7500	0 6377	0 0028	0 0762	<b>&gt;</b>	830	0	YES	
20 57		9	1 00	0 0001	0 0042	0 0001	0 0001	7	1430	61	YES	

(1) Professional judgment based on log normal UTL companson

ROCKY FLATS OU6 **TABLE A-22** 

Background Comparison Statistical Test Results of Pond Sediment Metals
(Slippage Test Quantile Test, Gehan Test UTL Comparison)
(Concentration Unit MG/KG)

ANALYTE	e Z	S N	ND B N	O S O	TF B I	TF S	ND S DTF B DTF S MEAN B	MEAN S	STD B	STD S	UTL99 NGI TI		MAX B	MAX S	NGM	P SLP N	T20 N	SITE	P QUAN	ZCAL	\$6.2	P VAI
ALUMINUM	20	7	0	0	1 00	1 00	103543	11428 5	50107	4909 6	29~53.4	0	216000	27400 0	3	0.4000	16	13	0 3476	1 208	<u>.</u>	01135
ANTIMONY	18	38	10	1.1	0 4	039	126	191	107	151	0 55	-	009	68 5	_	0 6087	666	666	0000 666	0 432	ž.	0 3327
ARSENIC	20	ř	7	0	060	100	129	09	140	16	667	0	492	10 2	0	1 0000	666	666	0000 666	-0 189	1645	0 < 749
BARIUM	20	7	0	0	1 00	1 00	207 9	15.7	153 2	31.7	6 1767	c	0902	2540	0	1 0000	91	01	0 9300	-0 145	ž	0 \$577
BERYLLIUM	91	€	3	1	081	860	1.4	8 -	10	2.5	9 \$	4	50	15 2	4	0 3629	666	666	0000 666	1 112	1645	0 1331
CADMIUM	16	۶	۲1	*	0.88	0 39	23	17	16	2.0	œ œ	-	6.1	66	7	0 6025	666	666	0000 666	2 371	164	0 9911
CALCIUM	20	ŗ	0	0	100	100	19407 \$	6 86991	160596	11030 5	80941 3	0	0 00019	681000	-	0 7403	16	10	0 9300	0 151	<u>.</u>	04400
CESIUM	17	7	0	7	300	0 93	3416	96	2273	251	12591	0	7250	5 8	0	1 0000	666	666	0000 666	-6 426	1645	1 0000
CHROMIUM	¥ ¥	,	O	0	100	100	11 2	17.8	50	153	31 2	¢	22.5	96 1	11	0 0377	15	14	0 0704	2115	164	0.0172
COBALT	19	77	-	0	0 95	90	9.8	103	99	1 8	35.1	0	273	15 5	0	1 0000	16	11	0 8358	1 825	1645	0.0340
COPPER	19	7.7	0	0	1 00	1 00	27.5	30 1	378	21 5	1747	0	1780	1250	0	1 0000	91	12	0 6377	2 597	1645	0 0047
IRON	61	ts	0	0	100	100	25565 8	16540 2	303914	35414	143861 5	0	120000	26500 0	0	1 0000	91	10	0.9440	1 985	2	0.0235
LEAD	19	57	0	0	1 00	1 00	47.9	36.4	% \$4	270	261 1	0	2550	1550	0	1 0000	16	6	0 9859	-0 558	1645	07115
LITHIUM	18	5	0	-	1 00	860	21 6	83	215	3.1	1067	0	702	166	0	0000 1	666	666	0000 666	2 240	1645	0 9875
MAGNESTUM	20	5	0	0	1 00	001	24468	34360	10131	8465	6328 5	0	47300	56500	· •	0 0785	91	15	0 0365	4 235	255	0 0001
MANGANESE	20	15	¥	0	0.70	100	3180	283 2	437.2	856	1 6661	0	17400	5580	0	1 0000	91	10	0 9300	1 981	1645	0 0 238
MERCURY	1	ξ,	0	32	100	043	03	0.2	03	0.3	1.7	æ	13	1.5	-	0 7887	15	01	0 9467	3 261	1645	1666 U
MOLYBDENUM(1)																						
NICKEL	11	26	0	11	001	0 20	139	154	75	10 0	44.3		29 9	58 1	_	0 7671	15	12	0 5169	0 979	1645	0 1637
POTASSIUM	18	ş	0	9	100	0.89	12998	1924 1	6495	7846	3872.2	0	27300	35400	2	0 0496	15	41	0 0662	3 175	1645	0 0008
SELENTUM	19	12	7	75	680	0 05	1.5	0.5	10	0.2	53	0	35	1 9	0	1 0000	666	666	0000 666	5 405	16. A	1 0000
SILVER	15	15	2	35	0.87	0 39	27	39 6	2.1	6 08	11.5	61	89	345 0	19	0 0054	15	15	16100	0.492	16.45	03114
SODIUM	20	7.5	3	0	0.85	1 00	3706	359 7	5845	157 9	2610 3	υ	27300	761 0	0	1 0000	16	12	0 5983	2 260	1645	00119
STRONTIUM	20	L5	0	0	100	1 00	1297	800	1284	7	621 7	0	5460	3070	0	1 0000	91	<b>0</b> 0	0 9962	-0 970	1 645	0.8340
THALLIUM	13	ş	4	34	690	0 39	2.0	80	2.6	0.2	13.6	c	92	60	0	1 0000	666	666	0000 666	4 156	1645	1 0000
NIL	19	\$6	-	55	0 95	0 02	27 6	203	194	26	103 3	0	702	39 \$	0	0000 1	666	666	0000 666	2 599	1645	0 9953
V ANADIUM	19	7	0	0	100	8	276	32 8	142	9 8	830	0	612	62.7	-	0 7500	16	12	0 6377	2 765	1645	0 0028
ZINC	20	۲۶	0	0	100	100	56 1	165 8	22.7	181	143 0	16	1120	12700	200	0 0001	91	16	0 0042	5 321	1645	10000

(1) No site measurement

### Background Comparison Summary of ROCKY FLATS OU6 TABLE A-23

Pond Sediment Radionuclides (Concentration Unit pCI/G)

ANALYTE	e Z	S Z	N B N S DTI B	- 1	P SLIP	P QUAN	DTF S P SLIP P QUAN P GEHAN P T 1 SIGNIFICT	1 SIGNIFICT	LTI 99	NGUTL	PCOC	NGUTL PCOC REMARK
AMERICIUM 241	7	4 8	1 00	1 00	0 0005	0 0232	0 0001	Y	1 472	22	YES	
CESIUM 137	13	46	1 00	1 00	1 0000	0 9833	9966 0	z	3 510	0	8	
GROSS ALPHA	15	55	00 1	1 00	0 0062	0 0225	0 0016	Y	78 829	6	YES	
GROSS BETA	14	99	1 00	1 00	0 0688	0 4299	9000 0	Y	45 966	3	YES	
<b>PLUTONIUM 239,240</b>	16	47	00 I	1 00	0 0018	0.0134	0 0001	Y	7 678	17	YES	
RADIUM 226	6	S	1 00	1 00	0 0005	0 000 0	0 0013	Y	1 973	0	YES	
RADIUM 228	6	5	1 00	1 00	_	0 0275	0 0013	Y	2 884	0	YES	
STRONTIUM 89 90	14	25	1 00	1 00	0 6410	0 7033	0 0188	Y	2 649	0	YES	
TRITIUM (1)	13	41	1 00	1 00	0 4298	0 1853	0 7110	z	769 750	2	S S	Not a PCOC by PJ (2)
URANIUM TOTAL	0	0	00 0	000								NO HIT
URANIUM 233,234	16	50	1 00	1 00	0 0001	0 0121	0 0001	Y	2 389	80	YES	
<b>URANIUM 235</b>	17	50	1 00	1 00	0 2194	0 0712	0 0015	Y	0 248	5	YES	
<b>URANIUM 238</b>	14	50	1 00	1 00	0 0016	0.0270	0 0001	Y	2 540	8	YES	

(1) Concentration Unit pCi/L
(2) Professional judjment based on log normal UTL comparison

### ROCKY FLATS 0U6 **FABLE A-24**

Background Comparison Statistical Test Results of Pond Sediment Radionuclides

(Shppage Test, Quantile Test, Gehan Test, UTL Comparison) (Concentration Unit pCdG)

ANALYTF	¤ Z•	s Z	S CN	S QN	DTF B	TF S	NB NS ND B ND S DTF B DTF S MEAN B	MEAN S	STD B	STD S	UTL99	NGUTL	MAX B	MAX S	NGM	P SLP	N T20	N STTE	P QUAN	Z CAL		P VAL
AMERICIUM 241	14	55	=	0	18	1 00	0 127	23 184	0.00	63 598	1 472	56	1 072	389 400	30	10000	17	14	0 0282	4 864		
CESIUM 137	13	23	c	Ü	1 00	1 00	0 812	0 447	0.603	0.512	3510	0	2 300	2810	-	0 8143	7	6	0 9827	2 651	1645	
GROSS AL PHA	15	57	G	d	1 00	1 00	19 709	106 743	14002	261 135	78 829	91	47 600	1735 000	19	0 0054	15	٧.	0 0 191	3 030	1645	
GROSS BETA	1	77	ε	0	3	1 00	23 728	31 807	5 080	12 186	45 966	7	32 500	98 170	12	0 0552	15	13	0 3854	3 281	3	0 0005
PLLTONIUM 239 240	16	20	٥	0	1 00	1 00	0 613	16 252	1713	32 798	2 678	61	1999	180 200	20	0 0012	14	14	0 0121	4 893	1645	_
RADIL'M 226	0	6	0	0	8 ~	1 00	0 705	628 0	0.235	9800	1 973	0	1 100	1016	0	1 0000	4	<b>E</b>	0 2882	2 253	1645	_
RADIUM 228	6	6	C	0	1 00	1 00	1 179	1 622	0316	0 147	2 884	0	1 600	1 835	2	0 0147	4	7	0.0412	2 693	1645	0 0035
STRONTIUM 89 90	7	22	٥	Û	90	90	0 353	0 446	0.525	0 44	2649	0	1727	1 800	1	06410	8	S	0 7033	2 079		-
TRITIUM	13	20	С	C	98	1 00	198 538	220 083	127 731	325 297	769750	3	540 0n0	1729 000	S	0 3014	13	12	0 1847	49/0	1645	-
URANTUM TOTAL(1)	0	0	0	0																		
URANIUM 233 234	16	<b>2</b> 8	0	0	9	1 00	0 822	3 232	0380	4618	2389	13	1 427	25 220	¥	0 0001	15	15	0.0141	4 727	_	_
URANIUM 235	17	38	0	Û	7 00	1 8	0 039	0 153	0.052	0.250	0 248	10	0212	1 302	10	0.0573	15	4	0 0 0 7 9 0	3 328	1645	0000
URANIUM 238	7	26	0	0	90 •	7 00	0 733	4 331	0413	7 736	2 \$40	13	1610	43 090	27	0 0004	14	14	0 0300	2 066	162	•

(1) No Background measurement

FABLE A-25
ROCKY FLATS OU6
Background Comparison Summary of
Pond Surface Water Unfiltered Metals
(Concentration Unit UG/L)

ANALYTE	N N	Z	DTF B	DTF S	P SLIP	P QUAN	P GEHAN	P T 1	SIGNIFIC T	UTL99	NGUTL	PCOC	REVIARK
ALUMINUM	7	67	0 91	860	1 0000	1 0000	1 0000	0 9937	z	1760570	0	Ş	
ANTIMONY	30	5	0 37	90 0	1 0000		0 9952		z	448 7	0	SN SN	
ARSENIC	10	51	0 65	0 41	1 0000		9666 0		z	727 \$	0	S N	
BARIUM	0+	7.	0 83	9	1 0000	1 0000	1 0000	0 9992	z	6 2699	0	0 N	
BERYLLIUM	34	5	0 38	0 04	1 0000		0 9983		Z	146	0	Q Q	
CADMIUM	29	<b>5</b> 1	0 34	0 22	1 0000		1 0000		Z	73.2	0	Q Q	
CALCIUM	<del>**</del>	51	1 00	1 00	1 0000	1 0000	1 0000	0 9997	z	5216690	0	Q Q	
CESIUM	29	7	0 28	0 12	1 0000		0 9735		Z	1942 1	0	ON ON	
CHROMIUM	36	51	0 44	910	1 0000		1 0000		Z	9 961	0	N <sub>O</sub>	
COBALT	31	7	0 39	0 35	1 0000		66660		Z	375 2	0	ON ON	
COPPER	07	47	0 58	0 19	1 0000		0000 1		Z	3859	0	<u>Q</u>	
IRON	91	7	86 0	1 00	1 0000	00001	1 0000	00660	Z	19153870	0	S N	
LEAD	7	20	0.71	0 78	1 0000	1 0000	0 9995		Z	796 4	0	Q N	
LITHIUM	31	5	0 55	1 00	1 0000		0 8200		Z	125 0	0	ON.	
MAGNESIUM	9†	71	0 87	1 00	1 0000	0.0657	0 0655	0 0188	>	35266 9	0	YES	
MANGANESE	47	51	0 87	1 8	1 0000	95760	0 3282	86860	Z	184049	0	<u>Q</u>	
MERCURY	29	51	0 21	0 33	1 0000	0 5002	0 3482		Z	1.1	0	ON O	
MOLYBDENUM	29	51	0 31	0 75	1 0000		0 9538		z	197 2	0	0 N	
NICKEL	31	51	0 42	0 47	0000 1		1 0000		z	4760	0	0 N	
POTASSIUM	37	51	0 54	00 1	1 0000	0.0478	0 0002		<b>&gt;</b>	137190	0	YES	
SELENIUM	32	46	0 38	0 22	1 0000		0 9575		z	9 91	0	Q N	
SILICON	11	51	00 1	8	1 0000	1 0000	1 0000		z	23029 6	0	9 N	
SILVER	28	11	0 36	90 0	1 0000		9666 0		Z	1 /01	0	o N	
SODIUM	48	21	86 0	1 00	0 0001	0 0001	0 0001	0 0001	>	27145 6	30	YES	
STRONTIUM	37	51	0 70	1 00	1 0000		00660		z	2167 9	0	o N	
THALLIUM	35	51	0 11	000									NO HIT
TIN	31	21	0 45	0 20	1 0000		96660		Z	794 7	0	Q Q	
VANADIUM	37	51	0 57	0 49	1 0000		1 0000		Z	1096 5	0	0N	
ZINC	97	51	68 0	92 0	1 0000	1 0000	1 0000		z	1625 9	0	S N	

## TABLE A-26 ROCKY FLATS OU6

Background Comparison Statistical Test Results of Pond Surface Water Unfiltered Metals (Suppage Test Quantile Test, Gehan Test, UTL Comparison) (Concentration Unit UG/L)

P VAL	1 0000	0 9952	9666 0	1 0000	0 9983	1 0000	1 0000	0 9735	1 0000	0 9999	1 0000	1 0000	0 9995	0 8200	0 0655	0 3282	0 3482	0 9538	1 0000	0 0002	0 9575	1 0000	96660	0 0001	00660		9666 0	1 0000	1 0000
2 95	1645	1645	1645	1645	1645	1645	1 645	1645	1645	1645	1645	185	1645	1 645	1645	1 645	1645	1 645	1 645	1645	1 645	1645	1 645	1645	1 645		1645	1645	1 645
Z CAL	4 890	2 588	3 331	\$ 974	2 930	3 925	6 438	1 935	-4 862	3 879	4 301	\$ 788	3 279	0 915	1 510	0 445	0 390	1 682	-4 237	3 494	1 722	4 524	3 379	8 388	2 327		3 348	4 593	5 351
P QUAN	1 0000	0000 666	0000 666	1 0000	0000 666	0000 666	1 0000	0000 666	0000 666	0000 666	0000 666	1 0000	1 0000	0000 666	0 0657	0 9756	0 5002	0000 666	0000 666	0 0478	0000 666	1 0000	0000 666	0 0001	0000 666		0000 666	0000 666	1 0000
SITE	0	666	666	0	666	666	33	666	666	666	666	0	1	666	<b>±</b>	7	12	666	666	2	666	3	666	20	666		666	666	~
T20 N	61	666	666	61	86	666	20	866	666	<b>66</b>	666	8	61	666	70	8	82	666	86	18	666	13	666	8	666		666	666	82
SLP N	000	000 1	000	000 1	000 1	000	000	000	000	000	000	000	000	000	000	000 1	000	000 1	000	000 1	000	000	000	0000	000		000	000	000
NGM P	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	₹ **	0		0	0	0
MAYS	10200	20 5	99	1200	0 3	22	836000	0 09	43	36	47	12100	158	\$4.5	275000	2930	10	176	63	112000	8 3	0 0889	27	1780000	268 0		119	56	748
MAX B	2930000	6430	10300	7070 0	14 0	<del>1</del> 89	803000 0	25300	2750	489 0	0 209	3220000 0	9500	1400	303000	277000	13	203 0	0440	135000	16 5	127000	1480	261000	21000		0 696	16500	26800
יייני	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	30	0		0	0	0
UTL99 NGUTL	1760570	4487	727 5	6 2699	146	73.2	5216690	1942 1	9 961	3752	3859	915387 0	796 4	1250	352669	184049	11	197.2	4760	137190	166	23029 6	107 1	271456	21679		7947	1096 5	16259
s als	2196	56	8.0	1 /2	70	0.3	141755	1459	90	110	3.7	3	2.5	155	82726	84 5	0.2	418	8 2	28042	10	19340	90	538912	815		366	108	122
STD B	49035 1	1149	200 5	17559	3.4	181	1332160	4308	51 4	95 2	1040	5434540	215 5	26 2	7677 2	52155	0 3	∞ ∓	122 5	3018 7	3.8	30278	273	4622 3	4663		2004	293.4	47.1
MEAN S	2 652	767	47	47.5	24	23	311225	447 3	47	16 9	10 7	303 3	3.5	191	143601	1120	0.2	29 4	12.4	61202	5 9	2897 6	4 8	61372 5	239 3		82 1	146	15 6
ND S DTF B DTF S MEAN B MEAN	194934	52 5	763	9937	3.2	10.2	101452 1	4489	261	49 5	419	1935604	99 5	35.2	109430	1940 6	0.2	41 6	21 0	37649	3.7	8408 2	11 5	125650	531 2		1089	1289	209 4
TFS	860	900	041	1 00	900	0 22	90 1	0 12	910	0 35	610	1 00	0 78	00 1	1 00	1 00	0 33	0.75	047	00 I	0 22	100	900	1 00	1 00	000	0.20	610	0.76
TF B D	0 91	0.37	590	0.83	0 38	0.34	1 00	0 28	<del>1</del> 0	0 39	0 58	860	0.71	0.55	0.87	0.87	0 21	0 31	0.42	0.54	0 38	1 00	036	860	0 70	011	0.42	0.57	680
o s o	-	84	30	0	6†	0	0	45	43	33	38	0	Ξ	0	0	0	34	13	27	0	38	0	1	0	0	51	4	56	12
ND B N	4	19	14	7	71	19	0	21	97	19	11	1	12	14	9	9	23	82	18	11	70	0	18	-	11	31	18	16	ۍ
NS	\$	51	51	51	51	51	51	51	15	51	41	51	20	51	51	51	51	51	51	15	49	21	41	21	15	21	51	21	51
æ	7	30	07	9	ま	53	8 <del>4</del>	53	36	31	9	46	7	31	9†	47	53	29	31	37	32	=	87	48	37	35	31	37	94
ANAI YTF	ALLIMINUM	ANIIMONY	ARSENIC	BARRIM	BERYI LIUM	CADMIUM	CALCILIM	CESTUM	CHROMINIM	COBALT	COPPER	IRON	LEAD	LITHRYM	MAGNESIUM	MANGANESE	MERCURY	MOLYBDENUM	NICKEL	POTASSIUM	SELENIUM	SILICON	SILVER	SODIUM	STRONTIUM	THALL TUM(1)	TIN	VANADIL'M	ZINC

(1) No detect record from site

TABLE A-27
ROCKY FLATS OU6
Background Comparison t-Test Results of
Pond Surface Water Unfiltered Metals
(Concentration Unit UG/L)

REMARK		NNDT more than 20%	NNDT more than 20%		NNDT more than 20%	NNDT more than 20%		NNDT more than 20%		NNDT more than 20%	NNDT more than 20%			NNDT more than 20%		NNDT more than 20%		NNDT more than 20%											
PT1	0 9937			0 9992			0 9997					00660			0.0188	86860			_		_			0 0001			_		_
1 1 95	1 68			1 69			1 68					1 68			1 66	1 68								1 68					
T CAL	2 602			3 408			3 638					2412			2 110	-2 403								6 443					
- 1	43			39			48					45			95	46								51					
F TAB DF	39			40			39					39			39	39								39					
CAL	187			525			222					227			09	232								604					
STD S F	2196	26	0.8	27 1	0.4	03	141755	1459	90	110	3.7	250 3	2.5	155	82726	845	0.2	418	8 2	28042	10	19340	90	538912	818	00	366	108	12.2
STD B	49035 1	1149	200 5	17559	3.4	181	133216 1	4308	51 4	95 2	1040	5434544	215 5	262	7677 2	5215 5	03	44 8	122 5	30187	3 8	3027 8	27 3	46223	4963	11	2004	293 4	447 1
MEAN S	2592	29 4	47	47.5	24	23	311225	4473	47	169	107	3033	3.5	191	143601	1120	0 2	29 4	124	61202	29	2897 6	4 8	613725	2393	2 0	82 1	14 6	156
MEAN B	194934	525	763	993 7	32	10 2	1014521	4459	26 1	49 5	47.9	1935604	99 5	35 2	109430	1940 6	0.2	41 6	57 0	37649	3.7	8408 2	11 5	125650	531 2	4 0	1089	1289	209 4
ND S		48	30	0	49	40	0	45	43	33	38	0	Ξ	0	0	0	34	13	27	0	38	0	4	0	0	51	41	56	12
ND B N	4	19	14	7	21	19	0	21	20	19	17	-	12	14	9	9	23	20	18	17	20	0	18	1	11	31	18	16	2
S	49	51	51	51	51	51	51	51	51	51	41	51	20	51	51	51	51	51	51	51	49	51	41	51	51	51	51	51	51
N 8 /	44	30	40	40	34	59	48	56	36	31	40	46	41	31	46	47	56	56	31	37	32	11	28	48	37	35	31	37	46
ANALYTE	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	BERYLLIUM	CADMIUM	CALCIUM	CESIUM	CHROMIUM	COBALT	COPPER	IRON	LEAD	LITHIUM	MAGNESIUM	MANGANESE	MERCURY	MOLYBDENUM	NICKEL	POTASSIUM	SELENIUM	SILICON	SILVER	SODIUM	STRONTIUM	THALLIUM	NE NE	VANADIUM	ZINC

NNDT = Number of non detects

TABLE A-28
ROCKY FLATS OU6
Background Comparison Summary of
Pond Surface Water Filtered Metals
(Concentration Unit UG/L)

																						Ħ							
REMARK																						NO BKGD measurement				HIT			
)C		_	_	_	_	_	_	_	_	_	_	_	S	_	S	_	_	_	_	S	_	NO NO	_	S	_	TIH ON	_	_	_
PCOC	NON.	S N	S N	NO	NO NO	S N	ž	ON	ON.	ž	0 N	ž	YE	ON	NE NE	NO	NO NO	NO NO	ON N	YES	N <sub>O</sub>		N N	YES	ON N		8 8	S S	ON ON
NGUTL	°	0	0	0	0	0	0	0	0	0	0	0	2	0	-	0	0	0	0	28	0		0	28	0		0	0	0
UTL99	1851	123 9	180	9 8 8 1	5.0	20	1594630	25000	148	200	26 0	14947 5	47	962	233998	7286	4 4	2138	400	69114	0 61		12.5	297933	1763 4		200 0	200	829
FICT																													
SIGNIFICT	z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	Z	<b>X</b>	Z	<b>&gt;</b>	Z	Z	Z	Z	Y	Z		Z	Y	Z		Z	Z	Z
P T 1							0 9997									0 9943								0 0001					
P GEHAN	98690	69660	0 1529	1 0000	0 2000	0 5000	1 0000	0 9959	0 8954	0 8347	0 8546	0000	0.0143	03195	0 0001	0 6805	0 9575	0 8586	09178	0 0001	0 8495		89880	0 0001	09745		0 9964	0 9821	0 8665
P QUAN							1 0000					1 0000			0 0001	89660				0 0001				0 0001	1 0000				
P SLIP	1 0000	0000 1	1 0000	0000 1	1 0000	1 0000	1 0000	1 0000	1 0000	1 0000	0000 I	1 0000	0 5495	1 0000	0 0721	0000 1	1 0000	1 0000	0000 1	0 0001	1 0000		1 0000	0 0001	1 0000		1 0000	0000 I	1 0000
DTF S	190	0 18	0 3 <i>7</i>	1 00	90 0	010	00 1	810	80 0	0 33	0 02	96 0	91-0	00 1	1 00	1 00	0 22	69 0	0 53	1 00	0 15	1 00	0 02	1 00	1 00	00 0	0 16	0 45	0 55
DTF B	0 26	0 31	0 18	0 43	00 0	000	1 00	0 13	0 07	0 07	0 25	0 71	0 22	0 33	0 74	0 88	0 27	0 21	0 13	0 42	0 19		0 16	1 00	080	0 04	0 17	91 0	0 47
S	48	51	51	51	51	51	51	51	51	51	44	50	50	51	51	51	51	51	51	51	48	51	20	51	51	51	51	15	51
e Z	42	29	34	46	21	26	6†	30	27	30	40	48	Ŧ	42	9#	43	22	33	23	38	27	0	31	6†	77	26	35	37	45
ANAI YTE	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	BERYLLIUM	CADMIUM	CALCIUM	CESIUM	CHROMIUM	COBALT	COPPER	IRON	LEAD	LITHIUM	MAGNESIUM	MANGANESE	MERCURY	MOLYBDENUM	NICKEL	POTASSIUM	SELENIUM	SILICON	SIL VER	SODIUM	STRONTIUM	THALLIUM	NIL	VANADIUM	ZINC

## ROCKY FLA IS OU6 TABLE A-29

Background Comparison Statistical Test Results of Pond Surface Water Filtered Metals (Suppage Test, Quantile Test Gehan Test, UTL Comparison)
(Concentration Unit UG/L)

P VAL	0 6986	0 9963	0 1529	0000 1	0 5000	0 5000	0000 1	0 9959	0 8954	0 8347	0 8546	1 0000	0 0143	0 3195	0 0001	0 6805	0 9575	0 8586	0 9178	0 0001	0 8495		0 8868	0 0001	0 9745		0 9964	0 9821	0 8665
Z 95	2645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1645	1645	1 645	1 645	1 645	1 645	1 645		1 645	1 645	1 645		1 645	1 645	1 645
CAL	0 520	2 675	1 024	8†I†	0000	0000	4 651	2646	1 256	0 973	1 056	6 083	2 188	691-0	4 608	0 469	1 723	1 074	1 390	5 797	1 034		1 210	8 354	1 951		2 690	2 099	1110
7		9	90	8	9	8	-	_	8	8	8		_	_			8	8	90	10	90		8		8				8
P QUAN	0000 666	0000 666	0000 666	0000 666	0000 666	0000 666	1 0000	0000 666	0000 666	0000 666	0000 666	1 0000	0000 666	0000 666	0 0001	89660	0000 666	0000 666	0000 666	0 0001	0000 666		0000 666	0 0001	1 0000		0000 666	0000 666	0000 666
SITE	666	666	866	86	666	666	3	86	666	666	866	-	666	666	18	9	66	666	66	18	86		86	20	-		666	666	666
T20 N	666	666	666	88	866	666	8	86	666	666	666	50	666	86	8	প্ত	86	666	666	81	666		666	8	16		66	666	666
SLP N	000	000	000	000	000	000	000	000	000	000	000	000	) 550	900	0 072	000	000	000	000 1	0000	000		000	0000	000		000	000	000
NGM P	0	0	0	0	0	0	0	0	0	0	0	0	1 0	0	0	0	0	0	0	28 0	0		0	27 0	0		0	0	0
MAX S NO	1540	203	74	1250	0 3	22	0 00	1200	34	4 1	3.7	7650	6.5	573	295000	2620	90	8 8 1	303	2000 0	45		32	000	5970		118	8	267
					_	_	300998			_										_				192000			_		
MAX B	2000	1040	180	2110	50	50	2160000	25000	148	500	278	167000	54	1000	274000	7600	51	2000	400	70730	190		12.5	352000	10000		2000	500	1050
LT.	0	0	0	0	0	0	0	0	0	0	0	0	7	0	7	0	0	0	0	82	0		0	87	0		0	0	0
LLF99 NGUTE	1851	1239	18 0	9881	5.0	5.0	59463 0	2500 0	14 8	20 0	26 0	14947 5	47	<b>3</b> 6 2	231998	728 6	7 7	2138	40 0	69114	19 0		12.5	297933	17634		200 0	50 0	82 9
1		_	_	_		~.	159	74		_		5+1		_				-		56				83	17				
STD S	38 (	7	50	25.4	0	0	14541	166	0	10	=	106	_	16 (	85238	55 8	0.1	4	8	Z972 7	0.5		0 3	55702 2	83 2		33 9	108	59
STD B	334	255	28	287	90	03	345477	7010	22	72	45	41127	0 8	182	5112.5	1865	11	404	50	1362.3	3.7		1.8	55124	3973		353	8 9	206
MEAN S	53.9	27 8	<b>₹</b>	43.9	2.4	2.4	318137	4237	4 9	17.4	12 3	#3	22	19 2	147188	533	0 1	35 3	121	6 68 29	27		5.0	633725	245 1		85 5	153	12.1
li li	2 11	35.5	11	7 16	2 3	7.4	<b>₹0869 4</b>	7 > 0 0	2.0	22 3	11 3	1974 3	2.1	37.5	7202 0	1 30 8	0 1	9 11	176	2442 4	33		*	12466 2	8 161		81 2	707	17.4
ND S DTF B DTF S MEAN B	190	810	0 37	1 00	900	010	1 00	0 18	800	033	0 02	960	0.46	1 00	1 00	1 00	0 22	690	0.53	1 00	015	1 00	0 02	1 00	1 00	000	0 16	045	0 55
F B DT	0 26	031	0 18	043	000	000	1 00	013	0 0 7	0 07	0 25	0.71	0 22	033	0.74	880	0 27	021	013	042	0 19		016	00 1	080	200	017	910	047
S DT	91	42	32 (	0	48	46	0	42 (	47 (	¥	43 (	7	27 (	0	0	0	40	16 (	2	0	41 (	0	49 (	0	0	51 (	43 (		23 (
l li	31	20	28	56	21	26	0	56	25	87	30	14	32	87	12	5	16	26	20	22	77	0	92	0	6	25	29	31	₹
S ND B	<b>∞</b>	=	۲۱	51	<u></u>	==	=	=	=	<u>۲</u> ا	<b>‡</b>	20	50		51		51	=	=	=	8#		20	=		=	=	51	21
BNS	75	20	" ₹	9	717	56	67	30	27	<b>3</b> 000	구 우	87	7	45	9+	43	22 5	33 5	23 5	38 5	27 4	0	31 5	5 64	7	26 5	35 5	37 5	45 5
Z																													
ANALYTE	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	BERYLLIUM	CADMIUM	CALCIUM	CESIUM	CHROMIUM	COBALT	COPPER	IRON	LEAD	LITHIUM	MAGNESIUM	MANGANESE	MERCURY	MOLYBDENUM	NICKEL	POTASSIUM	SELENIUM	SILICON(1)	SILVER	SODIUM	STRONTTUM	THALLIUM(2)	Z	VANADIUM	ZINC

(1) No background measurement (2) No detect record from site

## 1 ABLE A-30 ROCKY FLATS OU6 Background Comparison t-Test Results of Pond Surface Water Filtered Metals (Concentration Unit\_UG/L)

T 1 REMARK	NNDT more than 20%	2666 0	NNDT more than 20%	0 9943	NNDT more than 20%	NO BKGD measurement	NNDT more than 20%	0 0001	NNDT more than 20%																				
95 P							0 29									1 68 0								168 0					
1							1																						
T CAL T 195							3 569									2 629								6 494					
ı							64									48								51					
TAB							39									39								39					
LF							64									7													
F CA							9									31 7								60 1					
STD S F CAL F TAB DE	380	47	60	254	0.5	0.2	14541 1	1666	0.5	109	13	1066	11	160	85238	558	0.1	443	8 4	29727	0.5	18785	03	557022	832	00	339	108	59
STD B	33.4	25 5	2 8	28 7	90	0.3	34547 7	7010	22	72	45	41127	0 8	182	51125	1865	11	404	5.0	1362 3	3.7		1.8	55124	3973	3.2	353	8 9	20 6
B MEAN S	53.9	27 8	4 8	43 9	2.4	2.4	318137	4237	4 9	17 4	12 3	44 3	22	192	147188	533	0 1	35 3	12.1	6 68 69	27	2939 5	5.0	63372 5	245 1	2.0	85 5	153	12 1
MEAN B N	77.5	35 5	47	1 L	23	24	508694	7500	2 0	22 3	11 3	1974 3	2 1	37.5	7202 0	1308	0 4	9 11	176	2442 4	33		4 8	124662	464 8	53	81 2	20 1	17 4
SN	16	42	32	0	48	46	0	42	41	34	43	7	27	0	0	0	40	16	24	0	41	0	49	0	0	51	43	28	23
ND B ND S	==	00	8	9;	11	56	0	56	25	28	30	4	22	28	7	5	91	56	20	22	22	0	56	0	6	25	53	31	4.
	6.	(4	(4	(4	(4	(4		.,	(1	.,	(°)		6,1	7	_		_	.,	(7	.,						•	,,	σ,	
Z	48		51	51	51	51	51	51	51	51	4	20	50	51	51	51	51	51	51	51	48	51	20	51	51	51	51	51	51
Z E Z	42	29	34	46	21	26	49	30	27	30	40	48	41	42	46	43	22	33	23	38	27	0	31	49	4	56	35	37	45
ANALYTE	ALUMINUM	ANTIMONY	ARSENIC	BARIUM	BERYLLIUM	CADMIUM	CALCIUM	CESIUM	CHROMIUM	COBALT	COPPER	IRON	LEAD	LITHIUM	MAGNESIUM	MANGANESE	MERCURY	MOLYBDENUM	NICKEL	POTASSIUM	SELENIUM	SILICON	SILVER	SODIUM	STRONTIUM	THALLIUM	NIL	VANADIUM	ZINC

NNDT = Number of non-detects

### Background Comparison Summary of ROCKY FLATS OU6 TABLE A-31

Pond Surface Water Unfiltered Radionuclides (Concentration Unit pC/L)

ANALYTE	N	S	N B N S DTF B		P SLIP	P QUAN	DTF S P SLIP P QUAN P GEHAN P T 1 SIGNIFICT	1 SIGNIFICT	CTL99	NGUTL PCOC	REMARK
AMERICIUM 241	37	49	1 00	1 00	1 0000	0 5703	0 1674	z	0800	ON 0	
CESIUM 137	37	18	1 00	1 00	1 0000	1 0000		z	7 157	ON O	
GROSS ALPHA	3,6	48	1 00	1 00	1 0000	1 0000	_	Z	340 129	ON O	
GROSS BETA	10	51	00 1	1 00	0 0001	0 0725	0 0001	Y	9 742	13 YES	
PLUTONIUM-239,240	33	51	1 00	1 00	1 0000	0 9825	0 9268	z	2 849	ON O	
RADIUM-226	12	0	00 0	_							NO site measurement
RADIUM-228	5	0	000	000							NO site measurement
STRONTIUM-89 90	32	51	1 00	1 00	0 2267	0 4931	0 1420	Z	1 614	ON O	
TRITIUM	31	46	1 00	1 00	1 0000	0 5178	0 4917	z	4277 820	ON O	
URANIUM TOTAL	0	0	00 0	000							NO measurements
URANIUM-233,234	33	51	1 00	1 00	1 0000	0 0352	_	Y	4 988	0 YES	
URANIUM-235	32	51	1 00	1 00	0 0161	0 0266	0 0032	Y	0 307	4 YES	
<b>URANIUM-238</b>	78	51	1 00	1 00	1 0000	0 0995	0 0008	٨	4 885	0 YES	

## TABLE A-32 ROCKY FLATS OU6 Background Comparison Statistical Test Results of

Pond Surface Water Unfiltered Radionuclides (Slippage Test Quantile Test Gehan Test, UTL Comparison)

(Concentration Unit pCv/l)

ANALYTE	æ Z	SZ	NO B	S QN	DTF B	DTF S	N B N S ND B ND S DTF B DTF S MEAN B ME	MEAN S	STD B	STDS	UTL99	NGUTL	MAX B	MAYS	NGM	P SLP	N T20	N SITE	NGUTL MAX B MAY S NGM P SLP N T20 N STTE P QUAN Z CAL Z 95	ZCAL	2 95	P VAL
AMERICIUM 241	37	49	0	0	1 00	1 00	0 0 13	0100	0.020	010 0	0800	0	0010	0.038	0	0 1 0000	19	=	0 \$703	)	0 964 1645	0 1674
CESIUM 137	37	18	0	0	9	1 00	0.584	0.033	1 993	0.295	7 157	0	12 000	0331	0	1 0000	12	0	1 (4100	2 045	1645	96260
GROSS ALPHA	36	<b>₹</b>	0	0	1 00	1 00	42 517	3 0 7 8	89 767	1 63-1	340 129	0	440 000	7.879	0	00001	17	2	1 00:00	1.464	1645	0 9284
GROSS BETA	10	51	0	0	80 1	1 90	2 149	7715	1 496	3 038	9 742	13	4 300	15 000	4	0 0001	13	13	0.0725	4 784	1645	0 0001
PLUTONIUM 239 _40	33	21	0	0	1 33	1 00	0 214	0015	0.781	610 o	2 849	0	4 400	9700	0	1 0000	17	,	0.9425	1 452	1645	0 9268
RADIUM 226(1)	12	0	0	0																		
RADIUM 228(1)	S	0	0	0																		
STRONTIUM 89 90	32	51	0	0	1 30	1 00	0317	0412	0382	0.376	1 614	0	1 100	1451	٣	0 2267	17	=	04331	1 071	1645	0 1420
TRITIUM	31	#	0	0	8 1	1 00	87 722	126 463	1275 950	134 620	4277 820	0	475 000	430 000	0	1 0000	16	10	0.5178	0 021	1645	0 4917
URANIUM TOTAL(2)	0	0	0	0																		
URANIUM 233 234	33	51	0	0	e -	1 00	0 637	1 244	1 289	1 040	4 988	0	9 900	3 688	0	1 0000	17	17	0.0352	3 907	1645	0 0001
URANIUM 235	32	21	0	0	1 30	1 00	0 0 0 2 2	0 104	0.084	0.120	0 307	4	0 100	0950	∞	0 0161	18	15	99700	2 723	1645	0 0032
URANIUM 238	78	21	0	0	00 1	1 00	0 642	1 393	1212	1 395	4 885	0	5 930	4475	0	1 0000	16	13	96600	3 147	1645	0 0008

(1) No site measurement

(2) No background measurement

TABLE A-33
ROCKY FLATS OU6
Background Comparison Summary of
Pond Surface Water Filtered Radionuclides
(Concentration Unit pCvL)

ANALYTE	æ Z	S	NB NS DTFB	DTF S	P SLIP	P QU'AN	DTF S P SLIP P QUAN P GEHAN P T 1 SIGNIFICT UTL99 NGUTL PCOC	7 T	SIGNIFICT	UTL99	NGUTL	PCOC	REMARK
AMFRICIUM 241	×	2	188	100	1 0000	0 9904	0 8733		z	1755	0	2	
CESIUM 137	"	8-	00 1	1 00	0 0075	0 4211	0 0104		Y	4 708	0	YES(1)	
()ROSS ALPHA	13	0	000	000									NO site measurement
GROSS BETA	-	0	000	000									NO site measurement
PLUTONIUM 239 240	∞	۲۱	00 I	1 00	1 0000	0 9539	0 9662		z	1 016	0	8 8	
RADIUM 226	2	0	000	000									NO site measurement
RADIUM 228	-	0	000	000									NO site measurement
STRONTIUM 89 90	20	6†	1 00	1 00	0 1697	0 9761	0 9430		z	2 013	-	YES	
TRITIUM	13	0	000	000									NO site measurement
URANIUM TOTAL	0	0	000	000									NO measurements
URANIUM 233 234	13	6+	1 00	1 00	0 1013	01760	0 0640		z	4 192	0	S N	
I'RANIUM 235	12	<b>6</b> <del>+</del>	1 00	1 00	0 8033	0 9861	0 8972		Z	0 716	0	0 N	
URANIUM 238	13	<b>%</b>	100	1 00	0 0 155	0 0 0 2 9 4	0 0091		¥	3 032	7	YES	

(1) Sample size is too small

# TABLE A-34 ROCKY FLATS OU6 Background Comparison Statistical Test Results of

Pond Surface Water Filtered Radionuclides (Shppage Test, Quantile Test, Gehan Test, UTL Comparison) (Concentration Unit pC/L)

(1) No site measurement

(2) No background measurement

FABLE A-35
ROCKY FLATS OU6
Background Comparison Summary of
Stream Sediment Metals
(Concentration Unit MG/KG)

100         10000         064358         007055         N         208801         0         NO           033         10000         08810         00197         Y         560         0         NO           100         10000         08810         00197         Y         2508         0         NO           053         10000         08810         00197         Y         2508         0         NO           067         10000         09908         N         315         0         NO           100         10000         09908         N         313         0         NO           100         10000         09436         00001         Y         279644         0         NO           100         10000         0436         00014         Y         279644         0         NO           100         10000         0436	ANALYTE	2	7	DTF B	DTF S	P SLIP	P QUAN	P GEHAN P T I	I SIGNIFICT	UT L99	NGUTL	PCOC	REMARK
National N	UMENUM	59	-	1 00	1 00	1 0000	0 6358	0 0 0 0 5	Z	208801	0	NO	
The color   The	VIIMONY	52	7	0 17	0 13	1 0000		0 4121	Z	0 09	0	9N	
ILIM	SENIC	59	<u>-</u>	0 49	0 93	1 0000		0 0007	*	101	0	YES	
ILM	ARIUM	57	15	1 00	00 I	1 0000	01880	0 0 197	λ	2508	0	YES	
MA         51         15         0.29         0.07         10000         0.9998         N         35         0         N           MA         59         15         100         100         0.2027         0.0998         N         5135         0         N           MA         59         15         100         1000         0.8947         0.9998         N         5135         0         NO           MM         59         15         0.88         100         10000         0.8947         0.9988         N         5135         0         NO           MM         59         15         0.88         100         10000         0.8947         0.7164         N         3131         0         NO           M         59         15         100         10000         0.8471         0.7164         N         3133         0         NO           M         50         15         100         10000         0.438         0.0014         Y         27964         N         N           SIUM         57         15         0.80         100         10000         0.438         0.0014         N         3242         0 <t< td=""><td>RYLLIUM</td><td>57</td><td>1,5</td><td>0 53</td><td>0 53</td><td>1 0000</td><td></td><td>0 5367</td><td>Z</td><td>116</td><td>0</td><td>8</td><td></td></t<>	RYLLIUM	57	1,5	0 53	0 53	1 0000		0 5367	Z	116	0	8	
MA         59         15         100         100         2027         0 0001         Y         178883         1         YES           IUM         56         15         0.86         0.47         1 0000         0.8947         0.4866         N         513 5         0         NO           IUM         59         15         0.88         1.00         1 0000         0.8947         0.4866         N         311         0         NO           IUM         59         15         0.88         1.00         1 0000         0.8841         0.7164         N         311         0         NO           IV         15         0.80         1.00         1.0000         0.4371         0.7164         N         1.9564         0         NO           A         77         15         0.91         1.000         0.436         0.0014         N         4.13         0         NO           SIUM         59         15         1.00         1.000         0.0436         0.0014         Y         27964         N         Y         28220         N         N           SIUM         59         15         1.00         1.000         0.0436	ADMIUM	51	15	0 29	0 07	1 0000		80660	Z	3.5	0	0N	
1	ALCIUM	59	15	1 00	1 00	0 2027	0 0005	0 0001	<b>&gt;</b> -	178883	-	YES	
59         15         0.83         1 00         1 0000         0.8947         0.4866         N         311         0         NO           59         15         0.88         1 00         1 0000         0.6871         0.7164         N         360         0         VES           59         15         0.80         0.60         1 0000         0.6378         0.0602         N         360         0         NO           40         15         1.00         1 0000         0.6378         0.0602         N         1343         0         NO           E         59         15         1.00         1.0000         0.6378         0.0602         N         1343         0         N           M         59         15         1.00         1.0000         0.6378         0.0602         N         1343         0         N           IUM         59         15         1.00         1.0000         0.0436         0.0024         Y         252620         0         NO           IUM         0         0         0.00         0.00         0.003         0.0136         0.0024         Y         252620         0         NO	SSIUM	99	15	98 0	0 47	0000 I	1 0000	86660	Z	5135	0	NO NO	
59         15         0.88         1 00         1 0000         0.6871         0.7164         N         193         0         YES           59         15         0.80         0.60         1 0000         0.4371         0.7164         N         340         0         N           59         15         1 00         1 00         1 0000         0.4371         0.0012         N         279664         0         N           11         57         1 5         1 00         1 000         0.436         0.002         N         1343         0         N         N         143         0         N         N	<b>-IROMIUM</b>	59	15	0 83	1 00	1 0000	0 8947	0 4866	Z	31.1	0	NO	
59         15         0.80         0.60         1.000         0.6871         0.7164         N         36.0         0         NO           59         15         1.00         1.000         0.1471         0.0001         Y         279664         0         YES           11         57         15         1.00         1.000         0.1471         0.0001         Y         279664         0         YES           11         57         15         1.00         1.0000         0.0436         0.0014         Y         279664         0         YES           11         50         1.00         1.0000         0.0436         0.0014         Y         279664         0         YES           11         5         1.5         1.00         1.0000         0.0436         0.0014         Y         279664         0         YES           11         5         1.00         1.0000         0.0436         0.0024         Y         27620         0         YES           11         1.0000         0.01         0.000         0.01         0.000         0.01         0.000         0         0         Y         27948         0         YES	OBALT	49	15	0 88	1 00	1 0000		0 0021	<b>&gt;</b>	193	0	YES	
MA         59         15         100         1000         01471         00001         Y         279664         0         YES           MA         57         15         100         1000         06358         00602         N         1343         0         NO           SIUM         59         15         100         1000         0436         00014         Y         52620         0         YES           NASE         59         15         100         1000         0436         00014         Y         52620         0         YES           RY         49         15         086         100         1000         0436         00024         Y         52620         0         YES           RY         49         15         0.86         0.27         10000         0436         00024         Y         52620         0         YES           RY         49         15         0.86         0.27         10000         0.0100         0.0024         Y         52620         0         YES           III/M         58         15         100         0.00         0.000         0.000         0.000         0.000         0.000	OPPER	49	15	080	090	1 0000	0 6871	0 7 1 6 4	Z	16.0	0	8 8	
A         59         15         100         1000         0 6358         0 6602         N         1343         0         NO           SIUM         57         15         0 91         0 93         1 0000         0 0436         0 0014         Y         52620         0         YES           SIUM         59         15         100         1 000         0 0436         0 0014         Y         52620         0         YES           RY         49         15         0 86         1 0         1 0000         0 0436         0 0024         Y         52620         0         YES           RY         49         15         0 86         0 7         1 0000         0 0436         0 0024         Y         52620         0         YES           RY         49         15         0 86         0 7         1 0000         0 0100         0 002         0	NO	59	15	1 00	1 00	1 0000	0 1471	0 0001	<b>X</b>	279664	0	YES	
M         57         15         091         093         10000         06436         00014         Y         52620         0         YES           NASE         59         15         100         100         06436         00014         Y         52620         0         YES           RY         49         15         0.80         100         1000         06436         00024         Y         52620         0         YES           RY         49         15         0.80         100         1000         06436         00024         Y         52620         0         YES           PENUM         0 </td <td>SAD</td> <td>65</td> <td>15</td> <td>1 00</td> <td>00 1</td> <td>1 0000</td> <td>0 63 48</td> <td>0 0602</td> <td>Z</td> <td>1343</td> <td>0</td> <td>0N</td> <td></td>	SAD	65	15	1 00	00 1	1 0000	0 63 48	0 0602	Z	1343	0	0N	
SILUM         59         15         1 00         1 000         0 0436         0 0024         Y         52620         0         YES           INASE         59         15         0 86         1 00         1 0000         0 0436         0 0024         Y         9050         1         YES           DENUM         0	THIUM	57	7	0 91	0 93	0000		0 7018	Z	413	0	<u>N</u>	
RY         49         15         08         100         00436         00024         Y         905         1         YES           RY         49         15         086         027         10000         10000         N         05         0         NO           DENUM         0         0         0         0         0         0         0         0         0         0         0         0         0         0         NO         NO<	AGNESIUM	59	15	00 1	90 1	1 0000	0 0436	0 0014	¥	52620	0	YES	
RY         49         15         086         027         10000         10000         N         05         0         NO           DENUM         0	ANGANESE	49	15	080	1 00	1 0000	0.0436	0 0024	<b>&gt;</b>	9050	-	YES	
DENUM         0 <td>ERCURY</td> <td>67</td> <td>15</td> <td>98 0</td> <td>0 27</td> <td>1 0000</td> <td></td> <td>1 0000</td> <td>Z</td> <td>0.5</td> <td>0</td> <td>NO NO</td> <td></td>	ERCURY	67	15	98 0	0 27	1 0000		1 0000	Z	0.5	0	NO NO	
Fig.	OLYBDENUM	0	0	000	000								NO site measurement
ILIM	CKEL	57	15	0 88	0 47	1 0000		0 3626	Z	242	0	NO NO	
UM         58         15         040         013         10000         08914         N         35         0         NO           N         0	TASSIUM	58	15	1 00	0 93	1 0000	00100	0 0000	*	31125	0	YES	
Mathematical Continuous   Mathematical Con	LENIUM	58	15	040	0 13	1 0000		0 8914	Z	3.5	0	8	
4         15         048         007         10000         09170         N         120         0         NO           MUM         58         15         069         087         10000         00079         Y         2948         0         YES           UM         50         15         040         033         10000         08391         N         23         0         NO           IUM         50         15         070         1000         00144         00005         Y         3078         0         YES	LICON	0	0	000	000								NO site measurement
10   10   10   10   10   10   10   10	LVER	54	15	0 48	0 07	1 0000		0 9 1 7 0	Z	120	0	0 2	
58         15         0.88         1 00         1 0000         0 0079         Y         294.8         0         YES           50         15         0.40         0.33         1 0000         0 8391         N         2.3         0         NO           0         0         0.00         0.00         0         0         0         NO         N	DIUM	59	15	690	0 87	1 0000		90800	z	17451	0	8	
50     15     040     033     10000     08391     N     23     0     NO       0     0     0     0     0     0     0     0     0     0       57     15     0.70     100     10000     0     0     144     0     0005     Y     3078     0     YES	RONTIUM	58	15	0 88	1 00	1 0000		0 0079	<b>&gt;</b>	2948	0	YES	
ADRUM 57 15 070 1000 000144 00005 Y 634 0 YES 59 15 095 100 10000 00144 00005 Y 3078 0 YES	HALLIUM	50	15	040	0 33	1 0000		0 8391	Z	23	0	<u>N</u>	
ADIUM 57 15 070 100 1000 0014 00005 Y 634 0 59 15 095 100 10000 00144 00005 Y 3078 0	z	0	0	000	000								NO site measurement
59 15 095 100 10000 00144 00005 Y 3078 0	ANADIUM	57	15	0.40	1 00	1 0000		0 0128	¥	634	0	YES	
	Q Z	49	15	0 95	00 I	1 0000	0 01 44	0 0005	<b>&gt;</b>	3078	0	YES	

ROCKY FLATS OU6 **FABLE A-36** 

Stream Sediment Metals
(Shppage Test, Quantile Test, Gehan Test, UTL Comparison)
(Concentration Unit MG/KG) Background Comparison Statistical Test Results of

P VAL	0 0705	04121	0 0007	0 0197	0 5367	0 9908	0 0001	86660	0 4866	0 0021	07164	0 0001	0 0602	0 7018	0 0014	0 0024	0000 1		0 3626	0 0005	0 8914		09170	90800	0 0079	0 8391		0 0128	0 0005
Z 95	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1 645	1645	1 645	1 645	1 645		1 645	1 645	1 645		1 645	1 645	1 645	1 645		1 645	1 645
Z CAL	1 472	0 222	3 198	2 059	0.092	2 3 5 9	4 054	3 499	0 034	2 8 5 9	0 572	3812	1 553	0 529	2 978	2816	4 175		0 352	3 489	-1234		1 385	1 401	2412	0 991		2 232	3 268
P QUAN	0 6358	0000 666	0000 666	0.8810	0000 666	0000 666	00005	1 0000	0 8947	0000 666	0 6871	0 1471	0 6358	0000 666	0 0436	0.0436	0000 666		0000 666	00100	0000 666		0000 666	0000 666	0000 666	0000 666		0000 666	0 0 144
N SI FL	٣	666	666	(٦	666	666	7	0	ĊΙ	666	~	v	۳,	666	9	9	666		666	7	666		666	666	666	666		666	7
N T20	15	666	666	15	666	666	15	15	16	666	16	15	15	666	15	15	666		666	15	666		666	666	666	666		666	16
SLP	0000	0000	0000	0000	0000 1	0000 1	0 2027	0000	0000 1	0000	0000	0000	0000	0000	0000	0000 1	0000		0000	0000	1 0000		0000 1	0000	0000	0000		1 0000	1 0000
NGM P	0	0	0	0	0	0	~	0	0	0	0	0	0	0	0	0	0		0	0	0		0	0	0	0		0	0
MAX S N	11600 0	263	2 8	177 0	1 0	8 0	95700 0	181	12.3	12.4	17.7	215000	8 +6	15 2	35800	1000 0	0 1		19 2	2660 0	0.5		7	483 0	95 8	0.5		33 9	178 0
MAX B	25200 0	0 09	17 3	2440	260	2.0	171000	621 0	29 7	200	367	314000	2440	45 8	58500	12800	90		40 0	37700	2 0		25 0	5000 0	421 0	26		73 0	639 0
NGUTL	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0	-	0		0	0	0		0	0	0	0		0	0
UTL99 1	20880 1	0 09	101	2508	116	3.5	17888 3	513 5	31 1	19 3	36 0	27966 4	1343	41 3	5262 0	905 0	0.5		242	3112 5	3.5		12 0	1745 1	2948	23		63 4	307 8
S LD S	2881 1	5 9	1 3	32.5	0.2	0 1	230461	43 9	3.5			1237 4		3.0	8483	2404	0.0		5.4	559 1	00		0 1	1354	25 1	0 3		67	35 9
STD B	49127	7.9	ر د د	t 95	*	80	16624	121 4	7 <	7 7	8 8	62612	368	66	13345	2255	0 1		53	7200	80		3.1	4723	8 6 2	<b>5</b> 0		9+1	830
MEAN S	6922 3	8	36	1066	90	0.5	13263 7	60 3	69	8 2	9 8	138100	20 9	7 0	2317 0	366 5	0 1		8 3	1492 4	0.5		1 0	258 0	48 7	0 8		23 4	75 3
ND S DTF B DTF S MEAN B	5887 6	7.4	24	6 <i>LL</i>	1 2	60	36598	1399	83	6.5	11 0	88526	22 0	11 0	14947	2169	0 1		8 1	2 606	60		23	303 9	208	0.7		18.7	543
DTF S	1 00	0 13	0 93	1 00	0 53	0 07	1 00	0.47	00 <b>I</b>	1 00	090	1 00	1 00	0 93	1 00	1 00	0 27		0 47	0 93	0 13		0 07	0 87	1 00	0 33		00 1	1 00
TF B	8	0 17	610	1 00	0 53	0 29	90	98 0	0 83	88 0	080	98	1 00	0 91	8	0.80	98 0		0 88	1 00	0 40		0 48	69 0	0 88	0 40		0.70	0 95
D S D	0	13	-	0	7	7	0	<b>%</b>	0	0	9	0	0	-	0	0	11		<b>∞</b>	-	13		14	7	0	10		0	0
ND B	0	43	30	0	27	36	0	<b>∞</b>	10	7	12	0	0	'n	0	12	1		7	0	35		28	18	7	30		17	3
S	2	15	15	15	15	15	15	15	15	15	1.5	15	15	15	15	15	15		15	15	15		15	15	15	15		15	15
Z B Z	59	52	59	57	57	51	59	99	59	59	59	59	65	57	59	89	6†		57	58	28		54	89	28	20		23	59
ANALY TI	ALUMINUM	ANTIMONY	AR SENIC	BARIUM	BERYLLIL M	CADMITYM	CALCILIM	CESIUM	CHROMIUM	COBALT	COPPER	RON	LEAD	LITHIUM	MAGNESIUM	MANGANESE	MERCURY	MOLYBDENUM(1)	NICKEL	POTASSIUM	SELENIUM	SIL ICON(1)	SIL.VER	SODIUM	STRONTIUM	THALLIUM	TIN(I)	VANADIUM	ZINC

(1) No site measurement

## TABLE A-37 ROCKY FLATS OU6 Background Comparison Summary of Stream Sediment Radionuclides (Concentration Unit pCVG)

ANALYTE	N	S	N B N S DTF B D	DTF S	P SLIP	P QUAN	TF S P SLIP P QUAN P GEHAN P T I SIGNIFICT	1 SIGNIFICT	UTL99	UTL99 NGUTL PCOC	REMARK
AMERICIUM 241	37	15	1 00	1 00	1 0000	0 3923	0 0031	¥	1 770	0 YES	
CESIUM 137	35	15	1 00	1 00	1 0000	0 9821	0 5551	Z	1 541	0N 0	
GROSS ALPHA	45	15	1 00	1 00	1 0000	1 0000	91190	z	88 058	<b>ON</b> 0	
GROSS BETA	43	15	1 00	1 00	1 0000	1 0000	1 0000	Z	67 337	<b>ON</b> 0	
PLUTONIUM 239,240	45	15	1 00	1 00	1 0000	0.0355	0 0059	<b>X</b>	5 658	0 YES	
RADIUM 226	21	-	1 00	1 00	1 0000	1 0000	0 3466	Z	2 2 1 6	0 NO(1)	
RADIUM 228	20	-	1 00	1 00	1 0000	1 0000	0 4344	Z	4 547	0 NO(1)	
STRONTIUM 89 90	43	∞	1 00	1 00	1 0000	0 5572	0 6464	Z	1 087	<b>ON</b> 0	
TRITIUM(2)	42	15	1 00	1 00	0 2632	0 0460	0 5576	<b>&gt;</b>	1047 685	1 YES	
URANIUM TOTAL	0	0								N	NO site measurement
URANIUM-233 234	47	15	1 00	1 00	1 0000	1 0000		z	5 293	0 <b>N</b> 0	
URANIUM 235	49	15	1 00	1 00	1 0000	1 0000	0 9351	Z	0 212	ON 0	
URANTUM 238	36	15	1 00	1 00	1 0000	1 0000	0 9530	Z	4 817	0 NO	

(1) Sample size is too small


(2) Concentration Unit pCi/L

## Background Comparison Statistical Test Results of ROCKY FLATS OU6 TABLE A-38

Stream Sediment Radionuclides
(Shppage Test, Quantile Test Geban Test UTL Comparison)
(Concentration Unit pCv/G)

ANALYTE	œ Z	7 1	O B A	I S O	DTF B	DTF S	N B N S ND S DTF B DTF S MEAN B MEAN S STD B	MEAN S	STD B	STD S	STD S (TI 99 NGUTL	UTL	MAX B	MAX S	NGN	SLP	MAX S NGM P SI.P N T20 N SITE P QUAN 2 CAL 2 95 P VAL	SITE P	QUAN	Z CAL	خ 2	P VAL
AMERICIUM 241	r:	₹.	0	0	901	001	0.173	0 125	0.484	0 200	077.1	0	2 526	0 75	0	0000 1 0	11	4	0 3923	2 738	ž.	0 0031
CESTUM 137	35	١,	0	0	98	1 00	0 262	0 141	0 383	0 107	12	0	1 500	0 4	0	0000 1	10	-	0 9821	0 138	<u>£</u>	0 5551
GROSS ALPHA	¥	١,	0	0	1 00	1 00	22 976	13 065	20.463	3446	8 0 8	0	72 000	18 00	0	0000 I	12	0	1 0000	19+0	55	0 6776
GROSS BETA	÷	۲	0	0	1 00	1 00	35 349	24 608	8 6 6 8	2 202	788 193	0	29 000	27 80	0	0000 1	12	0	1 0000	4 271	549	1 0000
PLUTONIUM 239 240	¥	۲	0	0	1 00	1 00	0 537	0 287	1 610	0 509	859 5	0	8 933	1 95	0	0000 1	12	9	0.0355	2 519	55	0 0029
RADIUM 226	77	-	0	0	98	1 00	0 849	0 6 3 0	0 362		2 216	0	1 800	0 93	0	0000 1	\$	0	1 0000	395	1645	0 3466
RADIUM 228	8	-	0	0	1 00	00 1	1 701	1 600	0 743		<b>/</b> ブ ブ	0	3 4 53	1 60	0	0000 1	v	0	1 0000	0 165	1 645	04344
STRONTIUM 89 90	+3	×	0	0	98	00 1	0 206	0 190	0 275	0 171	1 087	0	1 165	0 49	0	1 0000	Ξ	7	0 5572	0 376	1645	19190
TRITIUM (1)	77	7.	0	0	1 00	90	194 297	977 603	265 068	2844 995	1047 685	_	1770 000	11200 00	-	0 2632	12	9	0 0460	0 145	1645	0 5576
URANIUM TOTAL(2)	0	0	0	0																		
URANIUM 233 234	11	15	0	0	1 00	1 00	1 677	0 904	1 145	108 0	5 293	0	4 500	<u>.</u>	0	1 0000	13	0	1 0000		1645	0 9942
URANIUM 235	6†	7	0	0	1 00	1 00	0 00	0.040	0 048	970 0	0 212	0	0 191	0 08	0	0000 1	13	0	1 0000	1 515	545	0 9351
URANIUM 238	<b>9</b>	15	0	0	1 08	1 00	1 399	0 868	1 031	0 260	4 817	0	3 820	1 42	0	0000 1	=	0	1 0000	1 675	1645	0 9530

(1) Concentration Unit pList (2) No background measurement



### **B.1** PURPOSE AND APPROACH

The chemicals of concern evaluated in a quantitative human health risk assessment are the subset of all site-related chemicals that are thought to pose the greatest potential risk to human health. The determination that these chemicals may pose the greatest potential risk is generally based on an evaluation of the following three criteria.

- The inherent toxicity of the chemical
- The concentrations of the chemical found on-site and
- The potential for human exposure to the chemical (e.g., whether or not the chemical is widely distributed across the site or could readily migrate from the site)

In general, compounds found at low frequency (<5% of all samples for a particular media) are not included as chemicals of concern because the potential for human exposure is limited. However, all infrequently detected compounds were evaluated according to the procedures shown in Figure 2-1 so as not to neglect infrequently detected chemicals that could contribute significantly to risk if they were co-located with other potentially hazardous compounds at source areas or locations where routine exposure could occur

This evaluation examines those metals (detected above background) and organic chemicals that were initially excluded from the chemicals of concern based on low frequency of detection, using a health-based screening approach. A screening evaluation was performed using risk-based concentrations (RBCs) calculated in guidance provided by DOE (1994). The screening evaluation was performed for all low-frequency chemicals for which RBCs were available. As a benchmark, it was assumed that any infrequently detected chemical whose maximum concentration was greater than 1000 times the RBC warrants further evaluation. The purpose is to identify those infrequently detected chemicals that may pose an

unacceptable health risk (cancer or non-cancer) if chronic exposure were to occur. These chemicals are retained for separate evaluation in the risk assessment. Since they are not characteristic of contamination in OU6, risk will be assessed separately at the locations where the special case chemicals are found.

RBCs for surface soil were calculated assuming a residential exposure scenario, using standard toxicity values (RfDs and SFs) established by EPA, and using the exposure assumptions outlined below (DOE 1994). For surface soils, pond sediments, and stream sediments, multiple pathway exposure was assumed (ingestion and inhalation of particulates) in calculating RBCs. The RBC for residential soil (surface soil) is used for surface soil, pond sediment, and stream sediment in this evaluation. For carcinogenic effects the target excess lifetime cancer risk is assumed to be 10 <sup>6</sup> (1 in 1,000,000), the exposure frequency is 350 days/year, exposure duration is 30 years, averaging time is 70 years, daily inhalation rate is 20 m<sup>3</sup>/day, the particulate emission factor (for non-volatile organics and inorganics) is 4 63 x 10<sup>9</sup> m<sup>3</sup>/kg, body weight is 70 kg, and the age-adjusted soil ingestion factor is 114 mg-yr/kg-day. All exposure parameters are EPA standard default exposures for adult residents, except for soil ingestion, which is a time-weighted average for child and adult exposures. For noncarcinogenic effects, all of the exposure parameters are the same as the carcinogenic exposure parameters except the averaging time is 30 years and instead of a target excess lifetime cancer risk, the target hazard index is 1

RBCs for subsurface soil were calculated assuming a construction worker exposure scenario, using standard toxicity factors and the exposure assumptions outlined below (DOE 1994) Multiple pathway exposure, including ingestion of soil and inhalation of particulates and VOCs, were used to calculate RBCs. The carcinogenic RBC for construction worker exposures to subsurface soil assumes the following: the target excess lifetime cancer risk is  $10^6$  (1 in 1,000,000), the exposure frequency is 30 days/year, exposure duration is 1 year, averaging time is 70 years, daily inhalation rate is 6.64 m³/day, the particulate emission factor is 4.63x10° m³/kg, body weight is 70 kg, the soil ingestion factor is 50 mg/day and the soil-to-air volatilization factor is chemical-specific. All exposure parameters are EPA standard default exposures for construction workers. For noncarcinogenic effects, all of the exposure parameters are the same as the carcinogenic exposure parameters except the averaging time is 30 years and instead of a target excess lifetime cancer risk, the target hazard index is 1

The RBCs for groundwater assume a residential scenario including ingestion and inhalation of volatile organic chemicals released during use. The residential groundwater RBCs are also used in the evaluation of pond surface water, even though surface water is not expected to be used for domestic drinking water. The RBCs for residential groundwater are more conservative than the RBCs for residential surface water (based on swimming exposures), therefore providing more stringent screening criteria for chemicals found in pond surface water. The exposure parameters for groundwater are target excess lifetime cancer risk of  $10^6$  (1 in 1,000,000), body weight of 70 kg, averaging time of 70 years, exposure frequency of 350 days/yr, exposure duration of 30 years, daily indoor inhalation rate of 15 m³/day, a volatilization factor (for volatile organic chemicals) of 0.5 L/m³, and a daily ingestion rate of 2 L/day. All exposures are EPA standard default exposures for adult residents. For noncarcinogenic effects, all of the exposure parameters are the same as the carcinogenic exposure parameters except the averaging time is 30 years and instead of a target excess lifetime cancer risk, the target hazard index is 1

### **B.2** SURFACE SOIL

One metal (molybdenum) and one PCB (Aroclor-1254) were detected at low frequency (<5% detection) in surface soil samples. Table B-1 presents a comparison of the maximum detected concentrations to the health-based screening criteria (both cancer and non-cancer). Chemicals whose maximum detected concentration were greater than 1000 times either the cancer or non-cancer RBCs will be retained for further evaluation as special case chemicals of concern Table B-1 shows that neither molybdenum nor Aroclor-1254 had concentrations above 1000 times the RBC, and therefore they will not require further evaluation in the risk assessment

### **B.3** SUBSURFACE SOIL

Twelve VOCs and SVOCs were reported at less than 5 percent frequency in subsurface soils. These are listed in Table B-2. None of the twelve chemicals exceeded the 1000 times the RBC, and therefore they will not require further evaluation in the risk assessment.

### **B.4** GROUNDWATER

Table B-3 lists 13 organic chemicals detected at less than 5 percent frequency in groundwater Of these, two (1,2,4-trimethylbenzene and 2-hexanone) do not have RBCs. Table B-6 shows the two additional chemicals detected at low frequency in all media for which there are no RBCs. Vinyl chloride was the only chemical detected at concentrations exceeding the screening level criteria and it will require further evaluation in the risk assessment.

### **B.5 POND SEDIMENT**

Twelve VOCs, SVOCs, pesticides and PCBs were detected at less than 5 percent frequency in pond sediments. Dibenzofuran and 2-methylnaphthalene were detected at low frequency, but do not have RBCs and are listed on Table B-6. The remaining ten chemicals are listed on Table B-4. None of the 10 chemicals were detected at concentrations exceeding 1000 times the RBC, and they will not require further evaluation in the risk assessment.

### **B.6 POND SURFACE WATER**

Table B-5 lists the two chemicals (1,2-dichloroethane and tetrachloroethene) detected at low frequency in pond surface water. Neither chemical exceeded the screening-level criteria, and they will not require further evaluation in the risk assessment.

### **B.7** STREAM SEDIMENT

No chemicals were detected at low frequency in stream sediments, therefore, a screening-level evaluation was not performed

### References

Department of Energy (DOE) 1994 Programmatic Preliminary Remediation Goals Draft Final Rocky Flats Plant Golden, CO June 1994

## TABLE B-1 ROCKY FLATS OU6 INFREQUENTLY DETECTED COMPOUNDS COMPARISON TO RBCs SURFACE SOIL

Chemical	Maximum Detected Conc (mg/kg)	Residential Soil RBC (mg/kg)	Max Conc > RBC?	Max Conc > 1000 x RBC?
Organic Compounds Aroclor-1254	0 425	8 32E-02	YES	NO
Metals Molybdenum	99	1 37E+03	МО	NO

## TABLE B-2 ROCKY FLATS OU6 INFREQUENTLY DETECTED COMPOUNDS COMPARISON TO RBCs SUBSURFACE SOIL<sup>(1)</sup>

	Maximum	Construction		
	Detected	Worker	Max Conc >	Max Conc >
Chemical	Conc (mg/kg)	RBC (mg/kg)	RBC?	1000 x RBC?
Organic Compounds	·			
1,4-Dichlorobenzene	0 064	4 97E+04	NO	NO
4-Methyl-2-pentanone	0 004	8 52E+05	NO	NO
Acenaphthene	0 056	1 02E+06	NO	NO
Benzene	0 006	3 27E+00	NO	NO
Benzo(a)anthracene	0 099	1 63E+03	NO	NO
Benzo(k)fluoranthene	0 06	1 63E+03	NO	NO
Chlorobenzene	0 074	2 11E+01	NO	NO
Chloroform	0 002	1 70E+05	NO	NO
Chrysene	0 12	1 63E+05	NO	NO
Diethyl phthalate	03	1 36E+07	NO	NO
Dı-n-octyl phthalate	0 072	3 41E+05	NO	NO
Indeno(1,2,3-cd)pyrene	0 099	1 63E+03	NO	NO
Pentachlorophenol	0 66	9 93E+03	NO	NO
Phenol	0 055	1 02E+07	NO	NO
Styrene	0 001	3 41E+06	NO	NO
Trichloroethene	0 021	1 08E+05	NO	NO
Xylenes, total	0 002	3 41E+07	NO	NO

<sup>(1)</sup> Excluding Old Outfall (IHSS 143)

## TABLE B-3 ROCKY FLATS OU6 INFREQUENTLY DETECTED COMPOUNDS COMPARISON TO RBCs UHSU GROUNDWATER

	Maximum	Residential		
	Detected	Groundwater	Max Conc >	Max Conc >
Chemical	Conc (mg/l)	RBC (mg/l)	RBC?	1000 x RBC?
Organic Compounds				
1,1-Dichloroethene	0 005	1 67E-05	YES	NO
1,2-Dichloroethane	0 002	1 97E-04	YES	NO
1,2-Dichloroethene, trans(1)	0 009	3 28E-01	NO	NO
2-Butanone	0 001	2 47E+00	NO	NO
4-Methyl-2-pentanone	0 002	1 98E-01	NO	NO
Benzene	0 003	6 15E-04	YES	NO
Carbon disulfide	0 004	2 76E-02	NO	NO
Carbon tetrachloride	0 008	2 60E-04	YES	NO
Chloromethane	0 00025	2 32E-03	NO	NO
Ethylbenzene	0 001	1 58E+00	NO	NO
Styrene	0 00011	2 01E+00	NO	NO
Vinyl chloride	0 86	2 81E-05	YES	YES
Xylenes (total)	0 014	7 30E+01	NO	NO

<sup>(1)</sup> The RBC for 1,2-Dichloroethene, total was used

## TABLE B-4 ROCKY FLATS OU6 INFREQUENTLY DETECTED COMPOUNDS COMPARISON TO RBCs POND SEDIMENT

	Maximum Detected	Residential Soil	Max Conc >	Max Conc >
Chemical	Conc (mg/kg)	RBC (mg/kg)	RBC?	1000 x RBC?
Organic Compounds				
1,2,4-Trichlorobenzene	0 13	2 74E+03	NO	NO
4-Methyl-2-pentanone	0 006	1 37E+04	NO	NO
Aldrın	0 054	3 77E-02	YES	NO
Aroclor-1260	0 86	8 32E-02	YES	NO
Dibenzo(a,h)anthracene	0 15	8 77E-02	YES	NO
Fluorene	0 46	1 10E+04	NO	NO
gamma-BHC (Lindane)	0 025	4 93E-01	NO	NO
Heptachlor	0 039	1 42E-01	NO	NO
Naphthalene	0 39	1 10E+04	NO	NO
Phenol	0 29	1 65E+05	NO	NO

## TABLE B-5 ROCKY FLATS OU6 INFREQUENTLY DETECTED COMPOUNDS COMPARISON TO RBCs POND SURFACE WATER

Chemical	Maximum Detected Conc (mg/l)	Residential Groundwater RBC (mg/l)	Max Conc > RBC?	Max Conc > 1000 x RBC?
Organic Compounds		-		
1,2-Dichloroethane	0 001	1 97E-04	YES	NO
Tetrachloroethene	0 012	1 43E-03	YES	NO

### TABLE B-6 ROCKY FLATS OU6 INFREQUENTLY DETECTED COMPOUNDS WITHOUT RBCs

Chemical

Groundwater

1,2,4-Trimethylbenzene 2-Hexanone

**Pond Sediment** 

2-Methylnaphthalene

Dibenzofuran

### APPENDIX C TOTAL SUSPENDED AND DISSOLVED SOLIDS IN GROUNDWATER

location	fieldid	date sampled	analyte	result	rep_lim	units	qual_lab	qual_wc
02691	(1W02172IT	12/19/91	TOTAL SUSPENDED SOLIDS	660 00	4 00	MG/L		V
02691	(1W02513IT	2/27/92	TOTAL SUSPENDED SOLIDS	410 00	4 00	M(1/L		V
02691	GW02856IT	5/14/92	TOTAL SUSPENDED SOLIDS	350 00	4 00	MG/L		V
02691	GW03215[]	8/3/92	TOTAL SUSPENDED SOLIDS	564 00	5 00	M(ı/L		V
02691	GW0382617	11/9/92	TOTAL SUSPENDED SOLIDS	830 00	4 00	MG/L	1	ν
02691	GW00260WC	2/22/93	TOTAL SUSPENDED SOLIDS	420 00	5 00	MG/L		V
02691	GW00693WC	5/4/93	TOTAL SUSPENDED SOLIDS	360 00	5 00	MG/L		JA
02691	GW01218W0	8/30/93	TOTAL SUSPENDED SOLIDS	411 00	5 00	MG/L		ν
02691	GW01630WC	11/30/93	TOTAL SUSPENDED SOLIDS	100 00	4 00	MG/L		V
0486	GW01456IT	6/20/91	TOTAL SUSPENDED SOLIDS	950 00	4 00	MG/L		v
0486	GW01763IT	9/12/91	TOTAL SUSPENDED SOLIDS	1400 00	4 00	MG/L		V
0486	GW02027IT	11/14/91	TOTAL SUSPENDED SOLIDS	4400 00	4 00	MG/L		V
0486	(1W02613IT	4/1/92	TOTAL SUSPENDED SOLIDS	150 00	4 00	MG/L		v
0486	GW02957IT	6/11/92	TOTAL SUSPENDED SOLIDS	820 00	5 00	MG/L		
04\6	GW033911T	9/15/92	TOTAL SUSPENDED SOLIDS	1100 00		MG/L		V
0486	GW03807IT	11/18/92	TOTAL SUSPENDED SOLIDS	860 00	5 00	MG/L		V
0586	GW01538IT	7/18/91	TOTAL SUSPENDED SOLIDS	19 00	4 00	MG/L		V
0586	GW02670IT	4/23/92	TOTAL SUSPENDED SOLIDS	50 00	4 00	MG/L		V
0586	GW00549WC	4/15/93	TOTAL SUSPENDED SOLIDS	15 00	5 00	MG/L		V
0686	GW02671IT	4/15/92	TOTAL SUSPENDED SOLIDS	36 00	4 00	MG/L		V
0686	GW03150IT	<del></del>	TOTAL SUSPENDED SOLIDS	40 00		MG/L		v
1186	GW00998IT	<del> </del>	TOTAL SUSPENDED SOLIDS	400 00		MG/L		
1186	GW01225IT	<del> </del>	TOTAL SUSPENDED SOLIDS	290 00		MG/L		V
1186	GW01539IT	<del> </del>	TOTAL SUSPENDED SOLIDS	60 00		MG/L		v
1186	GW01902IT	<del> </del>	TOTAL SUSPENDED SOLIDS	210 00		MG/L		V
1186	[GW02242f]	<del></del>	TOTAL SUSPENDED SOLIDS	220 00		MG/L		V
1186	GW0266911		TO FAL SUSPENDED SOLIDS	580 00	·	MG/L		V
1186	GW0315211	7/14/92	TOTAL SUSPENDED SOLIDS	750 00	4 00	MG/L	<del> </del>	V
11146	GW036[8]]	<del></del>	TOTAL SUSPENDED SOLIDS	150 00		MG/L		V
1286	GW02245IT	1/20/92	TOTAL SUSPENDED SOLIDS	730 00		MG/L		ν
1286	GW02677IT	4/15/92	TOTAL SUSPENDED SOLIDS	21000 00	4 00	MG/L		V
1286	GW030951T	<del></del>	TOTAL SUSPENDED SOLIDS	1400 00		MG/L		V
1386	GW00972IT	<del> </del>	TOTAL SUSPENDED SOLIDS	28 00		MG/L		
1386	GW01210IT	<del> </del>	TOTAL SUSPENDED SOLIDS	12 00		MG/L		v
1386	GW01482IT	<del> </del>	TOTAL SUSPENDED SOLIDS	33 00		MG/L		
1386	GW01880IT	10/22/91	TOTAL SUSPENDED SOLIDS	35 00		MG/L		V
1386	GW02237IT	<del></del>	TOTAL SUSPENDED SOLIDS	38 00		MG/L		v
1386	GW02659IT	<del> </del>	TOTAL SUSPENDED SOLIDS	15 00		MG/L		V
1386	GW03232IT	<del>+</del>	TOTAL SUSPENDED SOLIDS	6 00		MG/L		V
1346	GW0362117	<del></del>	TOTAL SUSPENDED SOLIDS	44 00		MG/L		v
1386	GW00145W0	<del></del>	TOTAL SUSPENDED SOLIDS	20 00		MG/L		V
1386	GW00562WC	<del></del>	TOTAL SUSPENDED SOLIDS	14 00		MG/L		V
1386	GW01132WC	<del></del>	TOTAL SUSPENDED SOLIDS	58 00		MG/L		ν
1386	GW01421WC	<del> </del>	TOTAL SUSPENDED SOLIDS	27 00		MG/L		v
1386	GW00046GA	<del> </del>	TOTAL SUSPENDED SOLIDS	37 00		MG/L		Y
1586	GW00904IT	<del> </del>	TOTAL SUSPENDED SOLIDS	760 00		MG/L		
1586	GW01120IT		TOTAL SUSPENDED SOLIDS	130 00		MG/L		v
1586	GW015091F	<del> </del>	TOTAL SUSPENDED SOLIDS	130 00		M(1/L		
1586	GW0183211	+	TOTAL SUSPENDED SOLIDS	100 00		MG/I		V
1586	'GW02240[[		TOTAL SUSPENDED SOLIDS	170 00		MG/L	<del> </del>	v
<del></del>		1/1 1/2		177700	4 170		l	<del></del>

loc ition	tieldid	date sampled	unalyte	· · · · · · · · · · · · · · · · · · ·	result	rep_lim	units	qual_lab	qual_wc
1586	GW02676IT	4/13/92	TOTAL	SUSPENDED SOLIDS	110 00	4 00	MG/L		V
1586	GW03182IT	7/16/92	TOTAL	SUSPENDED SOLIDS	360 00	4 00	MG/L		V
1586	GW03627IT	10/7/92	TOTAL	SUSPENDED SOLIDS	5 00	5 00	MG/L	U	V
1586	GW00136WC	2/5/93	TOTAL	SUSPENDED SOLIDS	280 00	4 00	MG/L		v
1586	GW00555WC	4/13/93	TOTAL	SUSPENDED SOLIDS	47 00	5 00	MG/L		v
1586	GW01125WC	8/2/93	TOTAL	SUSPENDED SOLIDS	504 00	5 00	MG/L		v
1586	GW01415WC	10/20/93	TOTAL	SUSPENDED SOLIDS	250 00	4 00	MG/L		V
1786	GW00905IT	3/4/91	TOTAL	SUSPENDED SOLIDS	1380 00	)	MG/L		V
1786	GW01116IT	4/18/91	TOTAL	SUSPENDED SOLIDS	1200 00	4 00	MG/L		V
1786	GW01474IT	7/9/91	TOTAL	SUSPENDED SOLIDS	2100 00	4 00	MG/L		
1786	GW01878IT	10/10/91	TOTAL	SUSPENDED SOLIDS	1300 00	4 00	M()/L		٧
1786	GW02210IT	1/9/92	TOTAL	SUSPENDED SOLIDS	3300 00	4 00	MG/L		V
1786	GW02640IT	4/7/92	TOTAL	SUSPENDED SOLIDS	1500 00	4 00	MG/L		V
1786	GW03190IT	7/27/92	TOTAL	SUSPENDED SOLIDS	2100 00	4 00	MG/L		V
1786	GW03630IT	10/7/92	TOTAL	SUSPENDED SOLIDS	1590 00	5 00	MG/L		V
1786	GW00138WC	<del></del>	<del> </del>	SUSPENDED SOLIDS	11000 00	5 00	MG/L	1	V
1786	GW00557WC	4/16/93	TOTAL	SUSPENDED SOLIDS	6700 00	4 00	MG/L	1	
1786	GW01127WC			SUSPENDED SOLIDS	1274 00		MG/L		V
1786	GW01416WC	10/29/93	TOTAL	SUSPENDED SOLIDS	1500 00	+	MG/L		v
3586	(1W00976IT			SUSPENDED SOLIDS	130 00	4 00	MG/L	1	
3546	GW01221IT	<del></del>		SUSPENDED SOLIDS	170 00	<del></del>	MG/L	1	v
3556	GW01461IT	7/9/91	TOTAL	SUSPENDED SOLIDS	54 00	4 00	M(1/L		1
3556	GW01818IT	10/8/91	TOTAL	SUSPENDED SOLIDS	160 00	4 00	MG/L		v
3546	GW02195IT			SUSPENDED SOLIDS	100 00	+	MG/L	1	v
3546	GW02631IT	-+		SUSPENDED SOLIDS	62 00	+	MG/L	1	v
3586	GW03217IT			SUSPENDED SOLIDS	5 00	<del></del>	MG/L	U	V
3586	GW03828IT			SUSPENDED SOLIDS	120 00	<del></del>	MG/L	<u> </u>	v
3586	GW00262WC	3/5/93	TOTAL	SUSPENDED SOLIDS	69 00	<del> </del>	MG/L	1	ν
3586	GW00695WC	5/6/93	TOTAL	SUSPENDED SOLIDS	69 00	<del></del>	MG/L	1	V
3586	GW01244WC	9/22/93	TOTAL	SUSPENDED SOLIDS	32 00	4 00	MG/L	1	V
3586	GW01701WC	12/13/93	TOTAL	SUSPENDED SOLIDS	42 00	+	MG/L	<del> </del>	Y
3646	GW01222IT	4/30/91	TOTAL	SUSPENDED SOLIDS	38 00	+	MG/L		V
1656	GW02632IT	4/8/92	TOTAL	SUSPENDED SOLIDS	33 00	+	MG/L		V
3756	GW00995IT			SUSPENDED SOLIDS	23 00	+	MG/L	1	
3786	GW01223IT	4/30/91	TOTAL	SUSPENDED SOLIDS	60 00	4 00	MG/L	1	v
3786	GW01521IT			SUSPENDED SOLIDS	26 00		MG/L		v
3786	GW01899IT	10/15/91	TOTAL	SUSPENDED SOLIDS	22 00	4 00	M(ı/L	<b>†</b>	V
3786	GW02656IT	4/14/92	TOTAL	SUSPENDED SOLIDS	32 00	+	MG/L	<del> </del>	v
3786	GW03233IT	9/18/92	TOTAL	SUSPENDED SOLIDS	25 00	·	MG/L	1	V
3786	GW03641IT			SUSPENDED SOLIDS	49 00	<del> </del>	MG/L		v
3786	GW01362W(	9/23/93	TOTAL	SUSPENDED SOLIDS	50 00	<del></del>	MG/L		v
3786	GW01685WC	<del></del>		SUSPENDED SOLIDS	19 00	<del></del>	MG/L	1	Y
3786	GW00155GA	+		SUSPENDED SOLIDS	44 00	<del></del>	MG/L		Y
3886	GW01224I1	<del></del>		SUSPENDED SOLIDS	40.00	<del>+</del>	MG/L	1	v
3886	GW02657IT	· <del> </del>		SUSPENDED SOLIDS	28 00	<del></del>	MG/L		V
3456	GW00128WC	·· <del> </del>		SUSPENDED SOLIDS	20 00	<del></del>	MG/L	1	v
3446	GW00552W0			SUSPENDED SOLIDS	61 00	+	MG/L	<del> </del>	v
4087	GW01529IT			SUSPENDED SOLIDS	32 00	<del></del>	MG/L	<del> </del>	<del> </del>
4087	GW02313IT			SUSPENDED SOLIDS	39 00	+	MG/L		v
4087	GW02790IT	<del></del>		SUSPENDED SOLIDS	19 00	<del> </del>	MG/L	<del> </del>	v

foc ition	fieldid	date sumpled (analyte	result	rep_lim u	mits	qual_lab	gurl_wc
4087	GW00501W0	4/20/93 TOTAL SUSPENDED	SOLIDS 34 00	5 00 N	MG/L		v
41091	GW021711T	12/20/91 TOTAL SUSPENDED	SOLIDS 330 00	4 00 N	MG/L		V
41091	GW02609IT	3/17/92 TOTAL SUSPENDED	SOLIDS 250 00	4 00 N	MG/L		V
41091	GW03050IT	6/11/92 TOTAL SUSPENDED	SOLIDS 130 00	5 00 N	MG/L		
41091	GW03153IT	7/22/92 TOTAL SUSPENDED	SOLIDS 660 00	4 00 N	MG/L		v
41091	(,W03616IT	10/9/92 TOTAL SUSPENDED	SOLIDS 287 00	5 00 N	A(I/L		٧
41091	GW00125WC	2/18/93 TOTAL SUSPENDED	SOLIDS 190 00	4 00 N	N(1/L		V
41091	GW00550W0	5/11/93 TOTAL SUSPENDED	SOLIDS 42 00	5 00 N	NG/L		V
41091	GW01172W0	8/13/93 TOTAL SUSPENDED	SOLIDS 110 00	4 00 N	AG/L		v
41091	GW01286WC	9/16/93 TOTAL SUSPENDED	SOLIDS 4 00	4 00 N	A(1/L	U	V
41091	GW01475W(	11/8/93 TOTAL SUSPENDED	SOLIDS 80 00	5 00 N	AG/L		Y
41691	GW02090IT	12/7/91 TOTAL SUSPENDED		4 00 N			V
41691	GW02615IT	4/1/92 TOTAL SUSPENDED		4 00 N			V
41691	GW02953IT	6/11/92 TOTAL SUSPENDED		5 00 N			
41691	GW03396IT	9/16/92 TOTAL SUSPENDED		5 00 N			V
41691	GW03806IT	11/18/92 TOTAL SUSPENDED		4 00 N			V
41691	GW00440WC	3/17/93 TOTAL SUSPENDED		4 00 N			V
41691	GW01010WC	6/22/93 TOTAL SUSPENDED		4 00 N			V
41691	GW01357WC	9/20/93 TOTAL SUSPENDED	<del></del>	5 00 N			v
41691	GW01549WC	12/9/93 TOTAL SUSPENDED	<del></del>	5 00 N			Y
41691	GW00247GA	2/16/94 TOTAL SUSPENDED		4 00 N			Ÿ
41691	GW00247GA	2/16/94 TOTAL SUSPENDED	· <del></del> -	<del></del>			Y
41691	GW00275GA	2/18/94 TOTAL SUSPENDED		4 00 N			· Y
41691	GW00274GA	2/18/94 TOTAL SUSPENDED		5 00 N			<u>.</u> Y
41691	GW00290GA	2/21/94 TOTAL SUSPENDED	<del></del>	4 00 N			<u>,</u> Y
41691	GW00291GA	2/24/94 TOTAL SUSPENDED	<del></del>	4 00 N			Y
41691	GW00400GA	3/3/94 TOTAL SUSPENDED		4 00 N			Y
4287	GW01231IT	5/3/91 TOTAL SUSPENDED	<del></del>	4 00 N			v
4287	GW02246IT	1/16/92 TOTAL SUSPENDED		4 00 N			v
4287	GW02672IT	4/21/92 TOTAL SUSPENDED	<del></del>	4 00 N			v
4287	GW00122WC	2/17/93 TOTAL SUSPENDED		4 00 N			v
4287	GW00548W(	5/11/93 TOTAL SUSPENDED		<del></del>			<u>v</u>
}	GW00031GA	1/18/94 TOTAL SUSPENDED	<del></del>	5 00 N			<u>Y</u> Y
142\7	GW0154017		<del></del>				V
70\7		7/19/91 TOTAL SUSPENDED		·			v V
7057	GW01957[7]	-+ <del></del>	<del></del>				·
7087	GW0230317	2/21/92 TOTAL SUSPENDED		4 00 N			<u>v</u>
7087	GW02776IT	4/28/92 TOTAL SUSPENDED					<u>v</u> V
7087	GW03094IT	7/23/92 TOTAL SUSPENDED		4 00 N			<u>v</u>
7087	GW03608IT	10/6/92 TOTAL SUSPENDED		5 00 N			V
7087	GW00523WC	4/12/93 TOTAL SUSPENDED		5 00 N		<u> </u>	<u>v</u>
7087	GW01117WC	8/10/93 TOTAL SUSPENDED	<del></del>	5 00 N			<del></del>
7087	GW00037GA	1/20/94 TOTAL SUSPENDED		4 00 N		<del>   </del>	Y
7187	GW00903IT	3/4/91 TOTAL SUSPENDED		4 00 N			<del></del>
7147	GW01183IT	4/22/91 TOTAL SUSPENDED	<del></del>	4 00 N			V
7147	GW0154117	7/17/91 TOTAL SUSPENDED		4 00 N			V
71\7	GW0188611	10/9/91 TOTAL SUSPENDED	<del></del>				V
7187	GW0227917	1/16/92 TOTAL SUSPENDED		<del></del>			V
7147	GW02681IT	4/20/92 TOTAL SUSPENDED				-	V
7187	GW03148IT	7/22/92 TOTAL SUSPENDED					V
7187	GW03580IT	10/9/92 TOTAL SUSPENDED	SOLIDS 51 00	5 00 N	AG/L		V

location	fieldid	date sampled	analyte	<del></del>	result	rep_lim	units	qual_lab	qual_wc
7187	GW00091WC	2/19/93	TOTAL	SUSPENDED SOLIDS	45 50	4 00	MG/L		V
7187	GW00502WC	<del> </del>	<del> </del>	SUSPENDED SOLIDS	79 50		MG/L		ν
7187	GW01094WC	<del> </del>	<del> </del>	SUSPENDED SOLIDS	227 00	<del></del>	MG/L		v
7187	GW01434WC	<del> </del>	<del>                                     </del>	SUSPENDED SOLIDS	16 00	<del></del>	MG/L	<del> </del>	v
7287	GW00944IT	<del>}</del>		SUSPENDED SOLIDS	580 00		MG/L		<del> </del>
72\7	GW01212IT	<del></del>		SUSPENDED SOLIDS	640 00	ļ	M(1/L		v
72\7	GW01524IT	+		SUSPENDED SOLIDS	360 00	<del></del>	MG/L		
7287	[GW02309I]	<del></del>	<del> </del>	SUSPENDED SOLIDS	1800 00		MG/L		V
7287	GW02783IT	<del></del>		SUSPENDED SOLIDS	1800 00		MG/L		V
7287	GW03089JT	<del></del>		SUSPENDED SOLIDS	3000 00		MG/L		v
7287	GW03604IT	<del> </del>	<del></del>	SUSPENDED SOLIDS	619 00		MG/L	<b> </b>	v
7287	GW00113WC	<del> </del>		SUSPENDED SOLIDS	17000 00		MG/L		V
7287	GW00519WC	<del></del>		SUSPENDED SOLIDS	2500 00	<del></del>	MG/L	<del> </del>	V
7287	GW01113WC	<del> </del>	<del></del>	SUSPENDED SOLIDS	9382 00		M(1/L	<del> </del>	V
7287	GW01391WC	<del> </del>		SUSPENDED SOLIDS	5000 00		MG/L		v
76292	GW00467WC	<del></del>		SUSPENDED SOLIDS	20 00		M(1/L	<del> </del>	-
76292	GW00533WC	<del> </del>		SUSPENDED SOLIDS	700 00		MG/L		<del> </del>
77492	(1W00469W(	<del></del>		SUSPENDED SOLIDS	1300 00	<u> </u>	M(1/L	<b> </b>	
77492	(JW00534W(	<del> </del>		SUSPENDED SOLIDS	3500 00		MG/L	<del> </del>	<del></del>
B206489	GW00956IT	<del> </del>		SUSPENDED SOLIDS	81 00	<del></del>	MG/L		JA
B206489	GW01525IT	<del></del>		SUSPENDED SOLIDS	19 00		MG/L	<del> </del>	<u> </u>
B206489	GW0195917	<del> </del>		SUSPENDED SOLIDS	20 00		MG/L	<del> </del>	V
B206489	GW02310IT	<del></del>	·	SUSPENDED SOLIDS	14 00		MG/L	<del> </del>	V
B206489	GW02720IT	<del> </del>		SUSPENDED SOLIDS	21 00		MG/L	<del> </del>	v
B206489	GW027261T	<del> </del>		SUSPENDED SOLIDS	9 00		M(1/L		v
B206489	GW00116WC	<del> </del>		SUSPENDED SOLIDS	9 00		MG/L	<del> </del>	v
B206489	(1W00522W(	<del> </del>		SUSPENDED SOLIDS	31 00		MG/L	<del> </del>	v
B206589	GW00943IT	<del> </del>		SUSPENDED SOLIDS	8 00		M(1/L		JA
P206559	GW01526IT	<del></del>		SUSPENDED SOLIDS	340 00		MG/L	<del> </del>	
B206559	GW01961IT	f	<del></del>	SUSPENDED SOLIDS	4 00		MG/L	U	v
B206549	GW0231117			SUSPENDED SOLIDS	4 00		M(1/L		V
B206589	GW0272117			SUSPENDED SOLIDS	4 00		MG/L	()	v
B206589	GW030911T	<del></del>		SUSPENDED SOLIDS	4 00		M(1/L	[]	v
B206589	GW03609IT	<del></del>		SUSPENDED SOLIDS	5 00		MG/L	U	v
B206589	GW00118WC	<del></del>		SUSPENDED SOLIDS	5 00		MG/L	U	V
B206589	GW00524WC			SUSPENDED SOLIDS	35 00		MG/L	-	
B206589	GW01118WC	<del></del>		SUSPENDED SOLIDS	4 00		MG/L	U	V
B206589	GW01406WC	<del></del>	<del>                                     </del>	SUSPENDED SOLIDS	5 00		MG/L	-	v
B206589	GW00038GA	<del></del>		SUSPENDED SOLIDS	4 00		MG/L	U	Y
B206689	GW00953IT	<del></del>		SUSPENDED SOLIDS	6 00		MG/L	-	JA
B206689	GW0152711	<del></del>		SUSPENDED SOLIDS	4 00		MG/L	[ ]	
B206659	GW01962IT	<del></del>		SUSPENDED SOLIDS	5 00		MG/L	ļ <sup>-</sup>	v
B206639	GW02312IT	<del> </del>		SUSPENDED SOLIDS	5 00		MG/L		v
B206689	GW02722IT	<del> </del>		SUSPENDED SOLIDS	4 00		MG/L	U	v
B206689	GW03092IT	<del> </del>		SUSPENDED SOLIDS	4 00		MG/L	U	v
B206689	GW03610IT	<del></del>		SUSPENDED SOLIDS	5 00		MG/L	U	v
B206689	GW00119WC	<del> </del>		SUSPENDED SOLIDS	11 00		MG/L	<del>'</del>	v
B206689	GW00525WC			SUSPENDED SOLIDS	23 00		M(1/L		v
B206689	GW01119WC	<del> </del>		SUSPENDED SOLIDS	9 00		MG/L	l,	JA
B206689	GW01407WC	<del></del>	<del></del>	SUSPENDED SOLIDS	6 80		M(1/L		IV

location	fieldid	date sampled	annlyte	result	rep_hm	units	qual_lab	qual_wc
B206689	GW00040GA	1/25/94	TOTAL SUSPENDED SOLIDS	9 00	4 00	MG/L		Y
B206889	GW00951IT	3/12/91	TOTAL SUSPENDED SOLIDS	29 00	5 00	MG/L		JA
B206889	GW00527WC	4/22/93	TOTAL SUSPENDED SOLIDS	29 00	4 00	MG/L		V
B203089	GW01472IT	7/10/91	TOTAL SUSPENDED SOLIDS	6 00	4 00	M(1/L		
B208089	GW01820IT	10/8/91	TOTAL SUSPENDED SOLIDS	21 00	4 00	MG/L		V
B208089	GW02197IT	1/10/92	TOTAL SUSPENDED SOLIDS	28 00	4 00	M(ı/L		V
B208089	GW02635IT	4/10/92	TOTAL SUSPENDED SOLIDS	54 00	4 00	MG/L		V
B208089	(1W03133IT	7/15/92	TOTAL SUSPENDED SOLIDS	24 00	4 00	MarL		V
B208089	GW03632IT	10/6/92	TOTAL SUSPENDED SOLIDS	43 00	5 00	MG/L		JA
B208089	GW00558W0	4/23/93	TOTAL SUSPENDED SOLIDS	22 00	4 00	MG/L		V
B208089	GW01128W0	7/28/93	TOTAL SUSPENDED SOLIDS	15 00	4 00	MG/L		V
B208589	GW022271T	1/14/92	TOTAL SUSPENDED SOLIDS	10 00	4 00	MG/L		V
B208589	GW02654IT	4/10/92	TOTAL SUSPENDED SOLIDS	22 00	4 00	MG/L		V
B208789	GW02208IT	1/14/92	TOTAL SUSPENDED SOLIDS	21 00	4 00	MG/L		V
B208789	GW02638IT	4/9/92	TOTAL SUSPENDED SOLIDS	9 00	4 00	MG/L		V
B208739	GW03132IT	7/21/92	TOTAL SUSPENDED SOLIDS	8 00	4 00	M(1/L		V
B208789	GW03623IT	10/6/92	TOTAL SUSPENDED SOLIDS	5 00	5 00	M(1/L	U	٧
B210489	GW01516IT	7/15/91	TOTAL SUSPENDED SOLIDS	1200 00	4 00	MG/L	ĺ	 
B210459	GW01883IT	10/21/91	TOTAL SUSPENDED SOLIDS	20 00	4 00	MOL	· 	٧
B210489	GW02228IT	1/13/92	TOTAL SUSPENDED SOLIDS	66 00	4 00	M(r/L	 <del> </del>	V
B210489	GW02655IT	4/10/92	TOTAL SUSPENDED SOLIDS	34 00	4 00	MG/L		V
B210489	GW03185IT	7/20/92	TOTAL SUSPENDED SOLIDS	44 00	4 00	MG/L		V
B210489	GW03639IT	10/8/92	TOTAL SUSPENDED SOLIDS	5 00	5 00	MG/L	U	V
B210489	GW00144WC	2/2/93	TOTAL SUSPENDED SOLIDS	13 00	5 00	MG/L		V
B210489	GW00637WC	4/19/93	TOTAL SUSPENDED SOLIDS	7 00	5 00	MG/L		JA
B210489	GW01131WC	8/4/93	TOTAL SUSPENDED SOLIDS	102 00	5 00	M(1/L		V
B210489	GW01420WC	10/20/93	TOTAL SUSPENDED SOLIDS	12 00	4 00	M(1/L		V
B210489	GW00045GA	1/20/94	TOTAL SUSPENDED SOLIDS	7 00	4 00	MG/L		Y
P209789	GW01025IT	3/26/91	TOTAL SUSPENDED SOLIDS	140 00	4 00	MG/L	ļ	V
P209789	GW01610IT	8/1/91	TOTAL SUSPENDED SOLIDS	26 00	4 00	MG/L		
P209789	GW01337IT	10/11/91	TOTAL SUSPENDED SOLIDS	15 00		M(1/L		V
P209789	GW02239IT	1/20/92	TOTAL SUSPENDED SOLIDS	420 00	4 00	MG/L		V
1209789	GW02759IT	4/24/92	TOTAL SUSPENDED SOLIDS	12 00	4 00	M(1/L		V
P209789	GW03186IT	7/20/92	TOTAL SUSPENDED SOLIDS	14 00	4 00	MG/L		٧
P209789	GW03551IT	10/16/92	TOTAL SUSPENDED SOLIDS	54 50		MG/L		V
P209789	C1W00021WC	2/9/93	TOTAL SUSPENDED SOLIDS	8 00	<del></del>	MG/L		V
P209789	GW00493WC		TOTAL SUSPENDED SOLIDS	5 00		MG/L	II	V
P209789	GW01048WC	7/16/93	TOTAL SUSPENDED SOLIDS	81 00	<del></del>	MG/L	ļ	V
P209789	GW01379WC	10/15/93	TOTAL SUSPENDED SOLIDS	5 00		M(1/L		V
1218389	GW01522W0		TOTAL SUSPENDED SOLIDS	224 00	<del> </del>	MG/L		V
P219489	GW01523WC	11/16/93	TOTAL SUSPENDED SOLIDS	52 00	5 00	MG/L	L	V

### ROCKY FLATS PLANT OU-6 TOTAL DISSOLVED SOLIDS


location	fieldid	date sampled	analyte	result	rep_lim	units	qual_lab	qual_wc
02691	GW021721T	<del></del>	TOTAL DISSOLVED SOLIDS	450 00	<del></del>	MG/L	T	v
02691	GW02513IT	<del></del>	TOTAL DISSOLVED SOLIDS	440 00	<del></del>	MG/L		V
02691	GW02856IT		TOTAL DISSOLVED SOLIDS	330 00		MG/L		V
02691	GW03215IT		TOTAL DISSOLVED SOLIDS	500 00	<del></del>	MG/L	<u> </u>	v
02691	GW03826IT	<del></del>	TOTAL DISSOLVED SOLIDS	470 00		MG/L	1	v
02691	GW00260WC	<del> </del>	TOTAL DISSOLVED SOLIDS	450 00		MG/L		V
02691	GW00693WC		TOTAL DISSOLVED SOLIDS	440 00		MG/L	<del> </del>	JA
02691	GW01218WC	<del></del>	TOTAL DISSOLVED SOLIDS	396 00		MG/L	<del> </del>	V
02691	GW01630WC	<del></del>	TOTAL DISSOLVED SOLIDS	440 00		MG/L	1	V
0486	GW0145617	<del></del>	TOTAL DISSOLVED SOLIDS	370 00		MG/L	<del>                                     </del>	V
0486	GW0176317		TOTAL DISSOLVED SOLIDS	370 00		MG/L	<del> </del>	V
0486	GW020271Γ	<del></del>	TOTAL DISSOLVED SOLIDS	440 00		MG/L		v
0486	GW02613IT	<del></del>	TOTAL DISSOLVED SOLIDS	400 00		MG/L	<del> </del>	V
0486	GW02957IT	<del></del>	TOTAL DISSOLVED SOLIDS	510 00		MG/L		<del> </del>
0486	GW03391IT	<del></del>	TOTAL DISSOLVED SOLIDS	350 00		MG/L	<del> </del>	v
0486	GW03807IT	<del></del>	TOTAL DISSOLVED SOLIDS	410 00		MG/L	<del> </del>	V
0586	GW015381T	<del></del>	TOTAL DISSOLVED SOLIDS	5100 00		MG/L		V
0586	GW02670IT		TOTAL DISSOLVED SOLIDS	4300 00		MG/L	<del> </del>	v
0586	GW00549WC	<del></del>	TOTAL DISSOLVED SOLIDS	4700 00		MG/L	<del> </del>	v
0686	GW02671IT	<del> </del>	TOTAL DISSOLVED SOLIDS	1900 00		MG/L	<del> </del>	v
0686	GW03150IT		TOTAL DISSOLVED SOLIDS	3600 00		MG/L	ļ	$\frac{1}{V}$
1186	GW00998IT	<del></del>	TOTAL DISSOLVED SOLIDS	490 00		MG/L	<del> </del>	+
1186	GW01225IT	<del></del>	TOTAL DISSOLVED SOLIDS	510 00		MG/L	<del> </del>	v
1186	GW01539IT	<del></del>	TOTAL DISSOLVED SOLIDS	560 00		MG/L	<del> </del>	v
<b>}</b>	GW01902IT	<del></del>	<del></del>	560 00		MG/L	<del> </del>	v
1186	<del></del>	<del></del>	TOTAL DISSOLVED SOLIDS	<del></del>		MG/L	<del> </del>	V
1186	GW02242IT	<del></del>	TOTAL DISSOLVED SOLIDS	520 00		MG/L	<del> </del>	V
1186	GW02669IT		TOTAL DISSOLVED SOLIDS	500 00			<del> </del>	V
1186	GW03152IT	<del></del>	TOTAL DISSOLVED SOLIDS	580 00		MG/L	ļ	V
1186	(1W03618IT	<del></del>	TOTAL DISSOLVED SOLIDS	530 00		MG/L	<del> </del>	V
1286	GW02245IT		TOTAL DISSOLVED SOLIDS	1600 00		MG/L	<del> </del>	
1286	GW02677IT		TOTAL DISSOLVED SOLIDS	1000 00		MG/L	<del> </del>	V
1286	GW0309511		TOTAL DISSOLVED SOLIDS	1100 00		MG/L	<b></b>	V
1 86	GW00972IT		TOTAL DISSOLVED SOLIDS	690 00		M(I/L	<del></del>	ļ
1356	GW 01210H		TOTAL DISSOLVED SOLIDS	690 00		MG/L	ļ	V
1 80	CW0148211		TOTAL DISSOLVED SOLIDS	770 00		MG/L	<del></del>	<del> </del>
1356 -	GW01880[1		TOTAL DISSOLVED SOLIDS	720 00		MG/L	ļ	V
1346	GW022371T	<del></del>	TOTAL DISSOLVED SOLIDS	710 00		MG/L	ļ	V
1386	GW02659IT		TOTAL DISSOLVED SOLIDS	690 00		MG/L	<b></b>	V
1386	GW03232IT		TOTAL DISSOLVED SOLIDS	760 00		MG/L	ļ	V
1386	GW03621IT		TOTAL DISSOLVED SOLIDS	690 00			ļ	V
1386	GW00145WC	<del></del>	TOTAL DISSOLVED SOLIDS	780 00		MG/L	ļ	V
1386	GW00562WC	<del></del>	TOTAL DISSOLVED SOLIDS	740 00	<del></del>	MG/L		V
1386	GW01132WC	8/4/93	TOTAL DISSOLVED SOLIDS	770 00		MG/L	ļ	V
1386	GW01421WC		TOTAL DISSOLVED SOLIDS	751 00		MG/L		V
1386	GW00046GA	+	TOTAL DISSOLVED SOLIDS	700 00		MG/L		Υ
1556	GW00904IT	<del></del>	TOTAL DISSOLVED SOLIDS	1100 00		MG/L	<u> </u>	<u> </u>
1586	GW01120IT		TOTAL DISSOLVED SOLIDS	1000 00		MG/L	ļ	V
1586	GW01509IT	7/11/91	TOTAL DISSOLVED SOLIDS	1200 00	10 00	MG/L		1
1546	GW01882IT	10/21/91	TOTAL DISSOLVED SOLIDS	1100 00	10 00	MG/L		V
1546	GW02240IT	1/15/92	TOTAL DISSOLVED SOLIDS	1000 00		MG/L		V
1586	GW02676IT	4/13/92	TOTAL DISSOLVED SOLIDS	1100 00	10 00	MG/L		V
1586	GW03182IT	7/16/92	TOTAL DISSOLVED SOLIDS	1200 00	10 00	MG/L		V
1586	GW036271T	10/7/92	TOTAL DISSOLVED SOLIDS	1100 00	10 00	MG/L		V
1586	GW00136WC		TOTAL DISSOLVED SOLIDS	1000 00	10 00	MG/L		V
1586	GW00555WC		TOTAL DISSOLVED SOLIDS	1100 00		MG/L	1	V
1586	GW01125WC	<del></del>	TOTAL DISSOLVED SOLIDS	1097 00		MG/L		JA
1546	GW01415W0		TOTAL DISSOLVED SOLIDS	1100 00		MG/L		V

loc ition	fieldid	date sampled	nnalyte	result	rep_lim	units	qual_lab	qual_wc
1786	GW009051T	3/4/91	TOTAL DISSOLVED SOLIDS	4420 00		MG/L		V
1756	GW011161F	4/18/91	TOTAL DISSOLVED SOLIDS	5000 00	10 00	MG/L		V
1786	GW014741T	7/9/91	TOTAL DISSOLVED SOLIDS	5000 00	10 00	MG/L		<u> </u>
1756	GW01878IT	10/10/91	TOTAL DISSOLVED SOLIDS	4100 00	10 00	MG/L		V
1786	GW02640IT	4/7/92	TOTAL DISSOLVED SOLIDS	3700 00	10 00	MG/L		V
1786	GW03190IT	7/27/92	TOTAL DISSOLVED SOLIDS	4900 00	10 00	MG/L		V
1786	GW03630IT	10/7/92	TOTAL DISSOLVED SOLIDS	4360 00	10 00	MG/L		V
1786	GW00138WC	2/1/93	TOTAL DISSOLVED SOLIDS	4400 00	14 00	MG/L		V
1786	GW00557WC	4/16/93	TOTAL DISSOLVED SOLIDS	4600 00	10 00	MG/L		
1786	GW01127WC	8/2/93	TOTAL DISSOLVED SOLIDS	4331 00	14 00	MG/L		JA
1786	GW01416WC		TOTAL DISSOLVED SOLIDS	3900 00	10 00	MG/L	† <del></del>	V
3586	GW009761T	<del></del>	TOTAL DISSOLVED SOLIDS	950 00	10 00	MG/L	1	1
3586	GW01221IT		TOTAL DISSOLVED SOLIDS	920 00	10 00	MG/L	<u> </u>	V
3586	GW01461IT		TOTAL DISSOLVED SOLIDS	950 00		MG/L	<del> </del>	1
3586	GW01818IT		TOTAL DISSOLVED SOLIDS	980 00	<del></del>	M(1/L	<u> </u>	V
3586	GW02195IT		TOTAL DISSOLVED SOLIDS	920 00		M( <sub>1</sub> /L	1	V
3546	GW026311T		TOTAL DISSOLVED SOLIDS	1000 00		M(1/L	1	v
3586	GW032171T		TOTAL DISSOLVED SOLIDS	1000 00		MG/L	<u> </u>	v
3546	GW03828IT		TOTAL DISSOLVED SOLIDS	950 00		MG/L	<del> </del>	ν
3586	GW00262WC		TOTAL DISSOLVED SOLIDS	810 00		MG/L	<del> </del>	V
3586	GW00695WC	<del></del>	TOTAL DISSOLVED SOLIDS	900 00		MG/L	<del> </del>	v
3586	GW01244WC		TOTAL DISSOLVED SOLIDS	930 00		MG/L	<del> </del>	v
3586	GW01701WC		TOTAL DISSOLVED SOLIDS	900 00		MG/L	<del> </del>	Y
3686	GW01222IT		TOTAL DISSOLVED SOLIDS	1400 00		MG/L	<del>}</del>	i.
3686	GW02632IT		TOTAL DISSOLVED SOLIDS	1200 00			<del> </del>	<del> </del>
3786	GW00995IT		TOTAL DISSOLVED SOLIDS	2200 00		MG/L	<del> </del>	<del>  '</del>
3786	(W01223IT		TOTAL DISSOLVED SOLIDS	1900 00		MG/L	<del> </del>	v
3786	GW01521IT		TOTAL DISSOLVED SOLIDS	2100 00		MG/L	<del> </del>	v
3756	GW01899IT		TOTAL DISSOLVED SOLIDS	1900 00		MG/L	<del> </del>	v
3786	GW02656IT		TOTAL DISSOLVED SOLIDS	2300 00		MG/L	<del> </del>	v
3786	GW0323317		TOTAL DISSOLVED SOLIDS	2450 00		MG/L	<del> </del>	v
3786	GW03641IT		TOTAL DISSOLVED SOLIDS	2500 00		MG/L	<del> </del>	v
3786	GW01362WC		TOTAL DISSOLVED SOLIDS	2400 00		MG/L	<del> </del>	v
3786	GW01685WC		TOTAL DISSOLVED SOLIDS	2300 00		MG/L	<del> </del>	Y
3786	GW01685WC		TOTAL DISSOLVED SOLIDS	2200 00		MG/L	<del> </del>	Y
	GW0113GA		TOTAL DISSOLVED SOLIDS	1400 00		MG/L	<del> </del>	V
3886						MG/L	<del> </del>	v
3886	GW026571T		TOTAL DISSOLVED SOLIDS	1600 00		MG/L	<del> </del>	V
3886	GW00128WC		TOTAL DISSOLVED SOLIDS	1600 00			<del> </del>	\v\
3886	GW00552WC		TOTAL DISSOLVED SOLIDS	1900 00		MG/L	<del> </del>	<del>                                     </del>
4087	GW01529IT		TOTAL DISSOLVED SOLIDS	1400 00		MG/L	<del> </del>	V
4087 -	GW 0231317		TO FAL DISSOLVED SOLIDS	1000 00		M(1/L	<del> </del>	V
4087	GW 02790IT		TOTAL DISSOLVED SOLIDS	1000 00		MG/L	<del> </del>	V
4087 -	GW00501WC	,	TOTAL DISSOLVED SOLIDS	850 00		MG/L	<del> </del>	+
41091	GW02171IT		TOTAL DISSOLVED SOLIDS	530 00		MG/L		V
41091	GW02609IT		TOTAL DISSOLVED SOLIDS	550 00		MG/L	<del> </del>	V
41091	GW03050IT		TOTAL DISSOLVED SOLIDS	600 00		MG/L		<del>                                     </del>
41091	GW03153IT	<del></del>	TOTAL DISSOLVED SOLIDS	440 00		MG/L	<del></del>	V
41091	GW03616IT		TOTAL DISSOLVED SOLIDS	632 00	<b></b>	MG/L	<del> </del>	V
41091	GW00125W0		TOTAL DISSOLVED SOLIDS	430 00		MG/L	<del> </del>	V
41091	GW00550WC		TOTAL DISSOLVED SOLIDS	520 00		MG/L		V
41091	GW01172WC		TOTAL DISSOLVED SOLIDS	480 00		MG/L	<del> </del>	V
41091	GW01286WC		TOTAL DISSOLVED SOLIDS	520 00		MG/L	ļ	V
41091	GW01475WC		TOTAL DISSOLVED SOLIDS	524 00		M(1/L	ļ	Y
41691	GW02090IT		TO FAL DISSOLVED SOLIDS	430 00		MG/L		V
41691	GW02615IT		TOTAL DISSOLVED SOLIDS	680 00	<del></del>	M(I/L		V
41691	GW02953IT		TOTAL DISSOLVED SOLIDS	560 00	<del></del>	MG/L	ļ	1
41691	GW03396IT	9/16/92	TOTAL DISSOLVED SOLIDS	528 00	10 00	MG/L	<u> </u>	<u> v</u>

location	fieldid	date sampled analyte		result	rep_lim	units	qual_lab	qual_wc
41691	GW03806IT	11/18/92 TOTAL DIS	SOLVED SOLIDS	410 00		MG/L	<del> </del>	v
41691	GW00440W0	3/17/93 TOTAL DIS		310 00		M(1/L	1	V
41691	GW01010WC	6/22/93 FOTAL DIS	SOLVED SOLIDS	540 00	10 00	MG/L		V
41691	GW01357W0	9/20/93 TOTAL DIS	SOLVED SOLIDS	396 00		M(1/L	1	V
41691	GW01549W0	12/9/93 TOTAL DIS	SOLVED SOLIDS	400 00	14 00	MG/L	<del> </del>	Y
41691	GW00247GA	2/16/94 TOTAL DIS		410 00		MG/L	<del> </del>	Y
41691	GW00248GA	2/16/94 TOTAL DIS		490 00		MG/L		Y
41691	GW00274GA	2/18/94 TOTAL DIS		388 00		MG/L	1	Y
41691	GW00275GA	2/18/94 TOTAL DIS		560 00		MG/L		Y
41691	GW00290GA	2/21/94 TOTAL DIS		830 00		MG/L		Y
41691	GW00291GA	2/24/94 TOTAL DIS		640 00		MG/L		Y
41691	GW00400GA	3/3/94 TOTAL DIS	<del> </del>	460 00		MG/L		Y
4287	GW012311T	5/3/91 TOTAL DIS		350 00		MG/L	<del> </del>	v
4257	GW02246IT	1/16/92 TOTAL DIS		330.00		MG/L	<del> </del>	†
4257	GW026721T	4/21/92 TOTAL DIS		310 00		MG/L	<del> </del>	TV
4287	GW00122W(	2/17/93 TOTAL DIS		280 00		MG/L	ļ	V
4247	GW00548W(	5/11/93 TOTAL DIS		360 00		MG/L		V
4287	GW00031GA	1/18/94 TOTAL DIS		374 00		MG/L		Y
7087	GW01540IT	7/19/91 TOTAL DIS		500 00		MG/L		V
7087	GW01957IT	10/31/91 TOTAL DIS		510 00	10 00		<del> </del>	v
7087	GW0193711 GW02303IT	2/21/92 TOTAL DIS		500 00		MG/L		V
7087	GW0230311 GW02776IT	4/28/92 TOTAL DIS		450 00		MG/L	ļ	V
7087	GW03094IT	7/23/92 TOTAL DIS		520 00		MG/L MG/L		V
				550 00	14 00			V
7087	GW03608IT	10/6/92 TOTAL DIS		520 00	14 00			V
7037	GW00523WC	4/12/93 TOTAL DIS		<del></del>				V
7087	GW01117WC	8/10/93 TOTAL DIS		527 00	14 00		ļ	Y
7087	GW00037GA	1/20/94 TOTAL DIS		470 00		MG/L	<del></del>	<u> </u>
7157	GW00903IT	3/4/91 TOTAL DIS		260 00	10 00			1
7147	GW011831F	4/22/91 TOTAL DIS		270 00	10 00		ļ	V
7187	GW015411T	7/17/91 TOTAL DIS		300 00	10 00			V
7187	GW01886IT	10/9/91 TOTAL DIS		300 00	10 00			V
7187	GW02279IT	1/16/92 TOTAL DIS		235 00	10 00		} }	V
7187	GW02681IT	4/20/92 TOTAL DIS		275 00	10 00			V
7187	GW03148IT	7/22/92 TOTAL DIS		290 00	10 00		ļ	V
7187	GW03580IT	10/9/92 TOTAL DIS		302 00	10 00			V
7187	(1W00091WC	2/19/93 TOTAL DIS		255 00	10 00			V
7187	GW00502WC	4/9/93 TOTAL DIS		260 00	10 00			V
7147	GW01094WC	8/11/93 TOTAL DIS		281 50	14 00			V
7137	GW01434WC	11/3/93 TOTAL DIS	SOLVED SOLIDS	275 00	10 00	M()/L		V
7257	GW00944IT	3/11/91 TOTAL DIS		300 00		MG/L	ļ	
7247	GW012121T	4/23/91 TOTAL DIS		300 00	10 00			V
7287	GW01524IT	7/15/91 TOTAL DIS		360 00		MG/L		ļ
7247	GW02309IT	2/20/92 TOTAL DIS		340 00		MG/L		V
7247	GW02783IT	4/23/92 TOTAL DIS		400 00		MG/L		V
7247	GW03089IT	7/7/92 TOTAL DIS		220 00		MG/L	L	V
7287	GW03604IT	10/7/92 TOTAL DIS	SOLVED SOLIDS	380 00		MG/L		V
7287	GW00113WC	2/1/93 TOTAL DIS	SOLVED SOLIDS	350 00		MG/L		V
7287	GW00519WC	4/8/93 TOTAL DIS		340 00		MG/L		ν
7287	GW01113WC	8/9/93 TOTAL DIS	SOLVED SOLIDS	307 00	14 00	MG/L		V
7287	GW01391WC	10/13/93 TOTAL DIS	SOLVED SOLIDS	380 00	10 00	MG/L		V
76292	GW00467WC	3/22/93 TOTAL DIS	SOLVED SOLIDS	430 00		MG/L		
76292	GW00533WC	4/21/93 TOTAL DIS	SOLVED SOLIDS	380 00	14 00	MG/L		
77492	GW00469W0	3/22/93 TOTAL DIS	SOLVED SOLIDS	760 00	14 00	MG/L		
77492	GW00534W0	4/21/93 TOTAL DIS		740 00	14 00	MG/L		
	GW009561F	3/12/91 TOTAL DIS		308 00	10 00	MG/L		V
	GW015251F	7/16/91 FOTAL DIS		370 00	<del>-</del>	MG/L	1	
	GW01959IT	10/31/91 TOTAL DIS		360 00		MG/L		V
11-111111111111111111111111111111111111	( - )	10//1//1 13/1132 1/1				ستنن		

Leition heldid	dute ampled unityte	result rep	lim tunits	qu il_lab	qual_wc
P206489 GW0531011	2/20/92 TOTAL DISSOLVED SOLIDS	320 00	10 00 MG/L	+3::::=::::	V
B206489 GW0272011	4/16/92 TOTAL DISSOLVED SOLIDS	430 00	10 00 MG/L	1	v
B206489   GW03246IT	7/30/92 TOTAL DISSOLVED SOLIDS	420 00	10 00 MG/L	+	v
B206489 GW00116WC	2/2/93 TOTAL DISSOLVED SOLIDS	340 00	14 00 MG/L	<del> </del>	V
B206489 GW00522WC	4/8/93 TOTAL DISSOLVED SOLIDS	330 00	10 00 MG/L	†	v
B206589 (1W00943IT	3/12/91 TOTAL DISSOLVED SOLIDS	504 00	10 00 MG/L	<del> </del>	v
B206589 GW01526IT	7/16/91 TOTAL DISSOLVED SOLIDS	1500 00	10 00 MG/L	+	+
B206589 GW01961IT	10/31/91 TOTAL DISSOLVED SOLIDS	520 00	10 00 MG/L	+	v
B206589 GW02311IT	2/7/92 TOTAL DISSOLVED SOLIDS	560 00	10 00 MG/L	<del> </del>	<del> </del> v
B206589 GW027211T	4/21/92 TOTAL DISSOLVED SOLIDS	580 00	10 00 MG/L	+	v
B206589 GW03091IT	7/14/92 TOTAL DISSOLVED SOLIDS	560 00	10 00 MG/L	<del>                                     </del>	V
B206589 GW03609IT	10/6/92 TOTAL DISSOLVED SOLIDS	570 00	14 00 MG/L	<del> </del>	v
P206589 GW00118WC	2/2/93 TOTAL DISSOLVED SOLIDS	580 00	14 00 MG/L	<del> </del>	V
P206589 GW00524WC	4/16/93 FOTAL DISSOLVED SOLIDS	600 00	10 00 MG/L	1	1
B206589 GW01118WC	8/12/93 TOTAL DISSOLVED SOLIDS	590 00	10 00 MG/L	<del>                                     </del>	v
B206589  GW01406WC	11/5/93 TOTAL DISSOLVED SOLIDS	560 00	10 00 MG/L	1	v
B206589 GW00038GA	1/20/94 TOTAL DISSOLVED SOLIDS	560 00	10 00 MG/L	<del> </del>	Y
B206689 (JW00953IT	3/12/91 TOTAL DISSOLVED SOLIDS	592 00	10 00 MG/L	<del> </del>	v
B206689 GW01527IT	7/16/91 TOTAL DISSOLVED SOLIDS	520 00	10 00 MG/L	<del> </del>	†
B206689 GW01962IT	10/31/91 TOTAL DISSOLVED SOLIDS	510 00	10 00 MG/L	<del> </del>	V
B206689 GW02312IT	2/22/92 TOTAL DISSOLVED SOLIDS	580 00	10 00 MG/L	<del> </del>	v
B206689 GW02722IT	4/23/92 TOTAL DISSOLVED SOLIDS	480 00	10 00 MG/L	1	v
B206689 GW03092IT	7/16/92 TOTAL DISSOLVED SOLIDS	500 00	10 00 MG/L	<del> </del>	V
B206689 GW03610IT	10/6/92 TOTAL DISSOLVED SOLIDS	570 00	14 00 MG/L		v
B206689 GW00119WC	2/11/93 TOTAL DISSOI VI D SOLIDS	700 00	10 00 MG/L	+	v
P206659 GW00525WC	4/21/93 TOTAL DISSOLVED SOLIDS	550.00	14 00 MG/L	<del>\                                    </del>	V
P206689 GW01119WC	8/10/93 TOTAL DISSOLVED SOLIDS	511 00	14 00 MG/L	<del>}</del>	V
B206689 (GW01407WC	10/18/93 TOTAL DISSOLVED SOLIDS	600 00	14 00 MG/L	<del> </del>	V
B206689 GW00040GA	1/25/94 TOTAL DISSOLVED SOLIDS	590 00	10 00 MG/L	<del> </del>	Y
B206889 GW00951IT	3/12/91 TOTAL DISSOLVED SOLIDS	3560 00	10 00 MG/L	<del> </del>	JA
B206889 (JW00527W(	4/22/93 TOTAL DISSOLVED SOLIDS	3700 00	10 00 MG/L	<del> </del>	V
B208089 GW01472IT	7/10/91 TOTAL DISSOLVED SOLIDS	700 00	10 00 MG/L		1
B208089 GW01820IT	10/8/91 TOTAL DISSOLVED SOLIDS	550 00	10 00 MG/L	<del> </del>	v
B208089 GW02197IT	1/10/92 TOTAL DISSOLVED SOLIDS	610 00	10 00 MG/L	1	v
B208089 GW02635IT	4/10/92 TOTAL DISSOLVED SOLIDS	510 00	10 00 MG/L	<del> </del>	V
B208089 GW03133IT	7/15/92 TOTAL DISSOLVED SOLIDS	550 00	10 00 MG/L		ν
B20Y0Y9 GW03632IT	10/6/92 TOTAL DISSOLVED SOLIDS	620 00	14 00 MG/L	<del> </del>	v
B208089 GW00558WC	4/23/93 TOTAL DISSOLVED SOLIDS	600 00	10 00 MG/L	<del> </del>	v
B208089 GW01128WC	7/28/93 TOTAL DISSOLVED SOLIDS	680 00	10 00 MG/L	<del> </del>	v
B208889 GW02227IT	1/14/92 TOTAL DISSOLVED SOLIDS	4800 00	10 00 MC1/L	<del> </del>	v
B208589 GW02654IT	4/10/92 TOTAL DISSOLVED SOLIDS	2800 00	10 00 MG/L	<del> </del>	v
B208789 GW02208IT	1/14/92 TOTAL DISSOLVED SOLIDS	780 00	10 00 MG/L	<del> </del>	v
B208789 GW02638IT	4/9/92 TOTAL DISSOLVED SOLIDS	930 00	10 00 MG/L	<del> </del>	v
B208789 GW03132IT	7/21/92 TOTAL DISSOLVED SOLIDS	1000 00	10 00 MG/L	<del>                                     </del>	v
B208789 GW03623IT	10/6/92 TOTAL DISSOLVED SOLIDS	930 00	14 00 MG/L		v
B210489 GW01516IT	7/15/91 TOTAL DISSOLVED SOLIDS	7600 00	10 00 MG/L	<del> </del>	+
B210489 GW01883IT	10/21/91 TOTAL DISSOLVED SOLIDS	4900 00	10 00 MG/L	+	v
B210489 GW02228IT	1/13/92 TOTAL DISSOLVED SOLIDS	4600 00	10 00 MC/L	<del> </del>	v
B210489 GW026551T	4/10/92 TOTAL DISSOLVED SOLIDS	2600 00	10 00 MG/L	<del> </del>	V
B210489 GW031851T	7/20/92 TOTAL DISSOLVED SOLIDS	4800 00	10 00 MG/L	<del> </del>	v
B210489 GW0363911	10/3/92 TOTAL DISSOLVED SOLIDS	5720 00	10 00 MG/I	<del> </del>	V
P210459 GW00144WC	2/2/93 FOTAL DISSOLVED SOLIDS	4600 00	14 00 MG/L	<del> </del>	V
B210489 GW00637WC	4/19/93 TOTAL DISSOLVED SOLIDS	4000 00	14 00 MG/L	<del> </del>	JA
B210489 GW01131WC	8/4/93 TOTAL DISSOLVED SOLIDS	4516 00	14 00 MG/L	<del> </del>	V
B210489 (GW01131WC	10/20/93 TOTAL DISSOLVED SOLIDS	4700 00	10 00 MG/L	<del> </del>	V
B210489 GW00045GA	1/20/94 TOTAL DISSOLVED SOLIDS	4400 00	10 00 MG/L	<del> </del>	Y
P209789 GW01025IT	3/26/91 TOTAL DISSOLVED SOLIDS	690 00	10 00 MG/L	<del> </del>	V
15204/84   GW0107211	2/20/31 10 1 MT DISSOFAED SOFIDS	990 001	TOTOLIMOT		

location	fieldid	date sampled	analyte	result	rep_lim	units	qual_lab	qual_wc
P209789	GW01610IT	8/1/91	TOTAL DISSOLVED SOLIDS	660 00	10 00	MG/L		
P209789	GW01837IT	10/11/91	TOTAL DISSOLVED SOLIDS	740 00	10 00	MG/L		V
P209789	GW02239IT	1/20/92	TOTAL DISSOLVED SOLIDS	610 00	10 00	MG/L		V
P209789	GW02789IT	4/24/92	TOTAL DISSOLVED SOLIDS	600 00	10 00	MG/L		V
P209749	GW03186IT	7/20/92	TOTAL DISSOLVED SOLIDS	590 00	10 00	MG/L		V
P209789	GW035511T	10/16/92	TOTAL DISSOLVED SOLIDS	1030 00	10 00	M(1/L		V
P209789	GW00021W0	2/9/93	TOTAL DISSOLVED SOLIDS	950 00	14 00	MG/L	1	V
P209789	GW00493WC	4/6/93	TOTAL DISSOLVED SOLIDS	1000 00	14 00	MG/L		V
P209789	GW01048W(	7/16/93	TOTAL DISSOLVED SOLIDS	670 00	10 00	M(1/L		V
P209789	GW01379W0	10/15/93	TOTAL DISSOLVED SOLIDS	1100 00	10 00	MG/L		V
P218389	GW01522W0	11/16/93	TOTAL DISSOLVED SOLIDS	405 00	14 00	MG/L		V
P219489	GW01523WC	11/16/93	TOTAL DISSOLVED SOLIDS	509 00	14 00	MG/L		V



							Nitrate/									
IHSS	Location	Media	Total	Total Cr	æ	H3	Nitrite as N	Gross	Gross β	U 233/234	U 235	U 238	Pu 239/240	Am 241	Cs 137	Sr 89/90
141	Surface samples on 25 grid	Surface soil		×	×		×	×	×	×	×	×	×	×		
	Well downgradient of unit	Groundwater						×	×	×	×	×	×	×		
142	Sediment samples	Sediment		×	×	×	×	×	×	×	×	×	×	×	×	×
	Dry sediment samples	Sediment		×	×	×	×	×	×	×	×	×	×	×	×	×
	Water samples	Surface water		×	×	×	×	×	×	×	×	×	×	×	×	×
	Wells downgradient of A 4 and B-5 including the four Bedrock Wells in North Walnut Creek	Groundwater		×	×	×	×	×	×	×	×	×	×	×	×	×
143	Surface samples	Surface soil		×	×	×	×	×	×	×	×	×	×	×		
	Core samples on 20 grid	Subsurface soil		×	×	×	×	×	×	×	×	×	×	×		
	Well downgradient of unit	Groundwater		×	×	×	×	×	×	×	×	×	×	×		
156	Surface samples	Surface soil						×	×	×	×	×	×	×		
	Вогивя	Subsurface soil						×	×	×	×	×	×	×		
	Well within unit	Groundwater						×	×	×	×	×	<u>×</u>	×		
165	Surface samples from transect locations	Surface soil			×			×	×	×	×	×	×	×		
	Borngs to confirm soil gas	Subsurface soil			×			×	×	×	×	×	×	×		
	Borings transecting plumes grabs from 2 intervals 6 composites	Subsurface soil			×			×	×	×	×	×	×	×		
	Wells within the site	Groundwater						×	×							
166	Borings along each trench grabs from 2 intervals 6 composites	Subsurface soil						×	×	×	×	×	×	×		
	Well downgradient of the trenches and the Bedrock Well located in unnamed tributary of North Walnut Creek	Groundwater						×	×				~ ~ ~ ·			
167	Surface and core samples on 100 gnd	Surface and Subsurface soil						×	×	×	×	×	×	×		
	Wells downgradient of units	Groundwater				×	×						<u>×</u>	×		
216	Surface and core samples	Surface and Subsurface soil				×		×	×	×	×	×	_×_	×		
													_			

TABLE 2 1	(continued)

			į												Fiffered	٦		
IHSS	Location	Media	i AL Metals/ Additional Metals	700	TCL	TCL	TCL Pesticides/	AG CAN	U 233/	n	D	Pu				ł	Additional Parameters	
141	Surface samples on 25 gnd	Surface soil	×				2	WAFL	234			-	137 89	06/68	241 M	Metals	Water Samples	Aquatic Toxicity
	Well downgradient of unit	Groundwater	×		×	*	<											
142	Sediment samples	Sediment	×	×	: ×	: ×	<b>&gt;</b>											
	Dry sedunent samples	Sediment	×			: ×	< >											
	Water samples	Surface water	×		×	: ×	<	>	>		۵				Arabe			
	Wells downgradient of A 4 and B-5 including the four Bedrock Wells in North Walnut Creek	Groundwater	×		×	×		: ×	× ×	· ×	< ×	< ×	× ×	× ×	× ×	× ×	×	×
143	Surface samples	Surface soil	×	×		×	*											
	Core samples on 20 gnd	Subsurface soil	×	×	×	: ×	: ×											
	Well downgradient of unit	Groundwater	×	×	×	: ×	< >											
156	Surface samples	Surface soil	×	×	<b>!</b>	:	<											
	Вогивя	Subsurface soil	×															
	Well within unit	Groundwater	×					>	>			;						
165	Surface samples from transect locations	Surface soil	×	×			×	<	<	× <		×			×	×		
	Borings to confirm soil gas	Subsurface soil			×	×									~			
	Borings transecting plumes grabs from 2 intervals 6 composites	Subsurface soil	×		×	×												
	Wells within the site	Groundwater	×		×	×	*											
991	Borings along each trench grabs from 2 intervals 6 composites	Subsurface soil	×		×		:											
	Well downgradient of the trenches and the Bedrock Well located in unnamed tributary of North Walnut Creek	Groundwater	×		×	×	×											
167	Surface and core samples on 100 grid	Surface and Subsurface soil	×	×														
	Wells downgradient of units	Groundwater	×		×		<b>×</b>		>	<b>&gt;</b>								
216	Surface and core samples	Surface and Subsurface soil	×	×			<b>:</b>			<b>&lt;</b>		<b>&lt;</b>						

(4047-822-0011-843) (tbl2 1 mpf) (8/22/94 4 10 pm)

1	_
7	Pour
LE	5
8	
TA	000

												1		F	Filtered		
IHSS	Event	Media	H3	Gross Gross α β		U 233/234	U 235	U 238	Pu 239/240	Am 241	Cs 137	Sr 89/90	UISO	Pu 239/240	Cs 137	Sr 89/90	Am 241
									!				 				
N/A	Stream Base Flow Sampling	Surface Water	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
N/A	Stream Storm Event Surface Sampling Water	t Surface Water	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×
N/A	Stream	Sediments	×	×	×	×	×	×	×	×	×	×					

Filtered

SCHI	Fivent	Media	GFAA Metals	TAL	TCL	TCL	TCL Pest/	WOPL	NH S NH.	Hardness	Nitrate/Nitra te as N	Acute	Micro	TAL Metals
N/A	Stream Base Flow	Surface Water	×	×	S ×	×	×	×	×	×	×	×	×	×
N/A	Stream Storm Event Sampling	Surface Water	×	×	×	×	×	×	×	×	×			×
N/A	Stream	Sediments		×	×	×	×				×			

\* Six randomly chosen surface soil samples will be analyzed for TCL pesticides/PCBs

α = Alpha
 β = Beta
 Am = Amencum
 Be = Berylium
 Cr = Chromium
 Cs = Cesuum
 H3 = Trituum
 N = Nitrogen
 Pu = Plutonium
 Sr = Strontium
 SvOCs = Semivolatile Organic Compounds
 TAL = Target Analyte List
 TCL = Target Compound List
 TOS = Total Dissolved Solids
 TOC = Total Organic Carbon
 U = Uranium
 VOCs = Volatile Organic Compounds
 UISO = Uranium Isotopes
 GFAA = Graphite Furnace Atomic Absorption
 WQPL = Water Quality Parameters List
 NH<sup>4</sup>/<sub>4</sub> = Ammonium ion as NH<sub>3</sub>
 PCBs = Polychlorinated Biphenyls

(4047-822-0011-843) (tbl2 1 wpf) (8/22/94 4 10 pm)

